

# **PROJECT2 : WRANGLING AND ANALYZE DATA**

## **WRANGLING DATA**

### **I. Data Gathering**

- Download twitter\_archive\_enhanced.csv file and create a dataframe named **twitter\_archive** with it
- Download image-predictions.tsv by using the **Requests** library
- Use the **Tweepy** library to query additional data (retweet\_count and favorite\_count) via the **Twitter API**, and write results in **tweet\_json.txt** file
- Format content of tweet\_json.txt file to JSON format, and create a dataframe named **df** with this file
- Extract **id, retweet\_count, favorite\_count** from **df** to create dataframe **df\_tweet**
- Create a dataframe named **img\_prediction** by loading image-predictions.tsv

### **II. Assessing Data**

- Check number of occurrences of each **img\_num** value in **img\_prediction** table (with **value\_counts()** method)
- Check type and number of entries for each column in **img\_prediction**, **df\_tweet**, **twitter\_archive** tables
- Display samples of rows of **twitter\_archive** table
- Display rows of **twitter\_archive** table where **expanded\_urls** column is null
- Check values of **in\_reply\_to\_status\_id** column in **twitter\_archive** table
- Check rows with duplicated values of **tweet\_id** in **twitter\_archive** table
- Check rows with duplicated values of **name** in **twitter\_archive** table
- Extract some rows with specific values of **name** in **twitter\_archive** table
- Check number of occurrences of values for **source** column in **twitter\_archive** table
- Check values of **name**, **rating\_numerator**, **puppo**, **doggo**, **pupper**, and **floofer** columns in **twitter\_archive** table
- Check number of occurrences for values of **puppo**, **doggo**, **pupper**, and **floofer** columns in **twitter\_archive** table
- Check duplicated **id** in **df\_tweet** table
- Check duplicated columns in **twitter\_archive**, **img\_prediction**, **df\_tweet**

### **Results of assessing data**

#### **1- Quality issues**

- a. tweeter\_archive table - NaN (Null) values in in\_reply\_to\_status\_id, in\_reply\_to\_user\_id, retweeted\_status\_user\_id, retweeted\_status\_id, retweeted\_status\_timestamp, expanded\_urls columns
- b. tweeter\_archive table - Null values replaced by None in doggo, floofer, pupper, puppo; name column sometimes has value 'a'
- c. tweeter\_archive table - timestamp and retweeted\_status\_timestamp columns are object(string) type not datetime
- d. tweeter\_archive, df\_tweet tables - some tweet\_id has no image in img\_prediction table
- e. tweeter\_archive table - in\_reply\_to\_status\_id, in\_reply\_to\_user\_id, retweeted\_status\_user\_id, retweeted\_status\_id columns have float type instead of object; tweet\_id column has int type, instead of object
- e. img\_prediction table - for image number 4, there is no properties(p4, p4\_conf, p4\_dog)
- f. twitter\_archive table - some tweet\_id have dog image with multiple dog stages
- g. img\_prediction table - some tweet\_id have not a dog img (p1\_dog, p2\_dog, p3\_dog are False)

## **2. Tidiness issues**

- a. tweet\_id column(which is in img\_prediction table) is duplicated in df\_tweet and twitter\_archive tables
- b. twitter\_archive table - the dog\_stage variable is hidden in column headers: doggo, floofer, pupper, puppo

## **III. Cleaning Data**

1. Make a copy of each dataframe : twitter\_archive, df\_tweet, img\_prediction
2. Address issue 1 : tweeter\_archive: NaN (Null) values in in\_reply\_to\_status\_id, in\_reply\_to\_user\_id, retweeted\_status\_user\_id, retweeted\_status\_id, retweeted\_status\_timestamp, expanded\_urls columns
  - a. Define : Drop rows where expanded\_urls misses, replace all missing id by 0, replace missing retweeted\_status\_timestamp values by 2099-12-31 00:00:00 +0000
3. Address issue 2 : tweeter\_archive: Null values replaced by None in doggo, floofer, pupper, puppo columns; name column sometimes has value a non-dog name like 'the', 'just', 'a'

- a. Define :
  - In doggo, floofer, pupper, puppo columns, replace None by 0
  - Delete all rows which have a lowercase value name(non-dog name) in name column
4. Address Issue 3 : tweeter\_archive table: timestamp and retweeted\_status\_timestamp columns are object(string) type not datetime
  - a. Define : Convert type of timestamp and retweeted\_status\_timestamp columns into datetime
5. Address Issue 4 : tweeter\_archive, df\_tweet tables: some tweet\_id has no image in img\_prediction
  - a. Define :
    - Filter id (in df\_tweet table) which exist in img\_prediction table
    - Filter tweet\_id (in twitter\_archive table) which exist in img\_prediction table