Importing Libraries

```
In [1]: import numpy as np
   import pandas as pd
   import matplotlib.pyplot as plt
   import seaborn as sns
```

Importing Datasets

```
In [2]: df=pd.read_csv(r'C:\Users\user\Downloads\Rainfall\GUJARAT REGION.csv')
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост
0	2277	GUJARAT REGION	1901	4.2	0.0	0.6	1.6	7.0	60.3	240.2	205.4	18.1	16.6
1	2278	GUJARAT REGION	1902	3.9	0.0	0.0	0.6	1.0	32.8	229.8	299.0	281.2	2.3
2	2279	GUJARAT REGION	1903	0.3	0.1	1.4	0.0	12.3	30.1	452.9	202.0	183.2	5.4
3	2280	GUJARAT REGION	1904	0.8	10.6	16.8	0.2	3.9	48.3	194.8	71.8	138.0	6.1
4	2281	GUJARAT REGION	1905	0.1	0.7	1.1	0.3	0.0	20.1	668.3	37.9	81.3	1.4
110	2387	GUJARAT REGION	2011	0.0	0.2	0.0	0.0	0.0	16.3	259.2	451.7	162.5	0.4
111	2388	GUJARAT REGION	2012	0.1	0.0	0.0	0.0	0.0	34.4	178.2	230.3	263.8	7.1
112	2389	GUJARAT REGION	2013	0.0	0.9	0.1	4.6	0.0	155.7	405.4	211.1	287.3	53.2
113	2390	GUJARAT REGION	2014	5.7	0.1	0.2	1.0	1.3	11.6	307.5	138.6	235.1	3.3
114	2391	GUJARAT REGION	2015	1.8	0.0	6.1	5.5	0.9	120.7	354.7	37.4	93.4	2.2
115 rows × 20 columns													

Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	2277	GUJARAT REGION	1901	4.2	0.0	0.6	1.6	7.0	60.3	240.2	205.4	18.1	16.6
1	2278	GUJARAT REGION	1902	3.9	0.0	0.0	0.6	1.0	32.8	229.8	299.0	281.2	2.3
2	2279	GUJARAT REGION	1903	0.3	0.1	1.4	0.0	12.3	30.1	452.9	202.0	183.2	5.4
3	2280	GUJARAT REGION	1904	0.8	10.6	16.8	0.2	3.9	48.3	194.8	71.8	138.0	6.1
4	2281	GUJARAT REGION	1905	0.1	0.7	1.1	0.3	0.0	20.1	668.3	37.9	81.3	1.4
110	2387	GUJARAT REGION	2011	0.0	0.2	0.0	0.0	0.0	16.3	259.2	451.7	162.5	0.4
111	2388	GUJARAT REGION	2012	0.1	0.0	0.0	0.0	0.0	34.4	178.2	230.3	263.8	7.1
112	2389	GUJARAT REGION	2013	0.0	0.9	0.1	4.6	0.0	155.7	405.4	211.1	287.3	53.2
113	2390	GUJARAT REGION	2014	5.7	0.1	0.2	1.0	1.3	11.6	307.5	138.6	235.1	3.3
114	2391	GUJARAT REGION	2015	1.8	0.0	6.1	5.5	0.9	120.7	354.7	37.4	93.4	2.2

115 rows × 20 columns

In [4]: df.columns

```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
```

Ducu	COTAMM12 (COCK	21 LO COTAMMIS).				
#	Column	Non-Null Count	Dtype			
0	index	115 non-null	int64			
1	SUBDIVISION	115 non-null	object			
2	YEAR	115 non-null	int64			
3	JAN	115 non-null	float64			
4	FEB	115 non-null	float64			
5	MAR	115 non-null	float64			
6	APR	115 non-null	float64			
7	MAY	115 non-null	float64			
8	JUN	115 non-null	float64			
9	JUL	115 non-null	float64			
10	AUG	115 non-null	float64			
11	SEP	115 non-null	float64			
12	OCT	115 non-null	float64			
13	NOV	115 non-null	float64			
14	DEC	115 non-null	float64			
15	ANNUAL	115 non-null	float64			
16	Jan-Feb	115 non-null	float64			
17	Mar-May	115 non-null	float64			
18	Jun-Sep	115 non-null	float64			
19	Oct-Dec	115 non-null	float64			
dtype	es: float64(17	7), int64(2), ob	ject(1)			
memory usage: 18.9+ KB						


memory usage: 18.9+ KB

Line Chart

```
In [6]: df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>], dtype=object)
                JAN
                                                FEB
         100
                MAR .
                                               MAY
                                JUN
                JUL 🗠
         AUG
                SEP
                                               OCT
                                               DEC
                ANNUAL
                                              lan-Feb
                                             Mar-May
         166
                Jun-Sep
                                             Oct-Dec
                   20
                         40
                                            100
                                60
                                      80
```

```
In [7]: df.plot.line()
```


Out[7]: <AxesSubplot:>



Bar Chart

In [8]: df.plot.bar()


Out[8]: <AxesSubplot:>



Histogram

In [9]: df.plot.hist()


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area Chart

```
In [10]: df.plot.area()
```


Out[10]: <AxesSubplot:>



Box Chart


```
In [11]: df.plot.box()
```

Out[11]: <AxesSubplot:>



Pie Chart

```
In [12]: df.plot.pie(y='ANNUAL')
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```






Scatter Plot

```
In [13]: df.plot.scatter(x='JAN',y='FEB')
```

Out[13]: <AxesSubplot:xlabel='JAN', ylabel='FEB'>



In [14]: df.info()

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

Column	Non-Null Count	Dtype
index	115 non-null	int64
SUBDIVISION	115 non-null	object
YEAR	115 non-null	int64
JAN	115 non-null	float64
FEB	115 non-null	float64
MAR	115 non-null	float64
APR	115 non-null	float64
MAY	115 non-null	float64
JUN	115 non-null	float64
JUL	115 non-null	float64
AUG	115 non-null	float64
SEP	115 non-null	float64
OCT	115 non-null	float64
NOV	115 non-null	float64
DEC	115 non-null	float64
ANNUAL	115 non-null	float64
Jan-Feb	115 non-null	float64
Mar-May	115 non-null	float64
Jun-Sep	115 non-null	float64
Oct-Dec	115 non-null	float64
es: float64(17	7), int64(2), ob	ject(1)
	index SUBDIVISION YEAR JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC ANNUAL Jan-Feb Mar-May Jun-Sep Oct-Dec s: float64(17)	index 115 non-null SUBDIVISION 115 non-null YEAR 115 non-null JAN 115 non-null FEB 115 non-null MAR 115 non-null APR 115 non-null MAY 115 non-null JUN 115 non-null JUL 115 non-null AUG 115 non-null SEP 115 non-null OCT 115 non-null NOV 115 non-null DEC 115 non-null ANNUAL 115 non-null Jan-Feb 115 non-null Mar-May 115 non-null Mar-May 115 non-null

memory usage: 18.9+ KB

In [15]: df.describe()


Out[15]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	11!
mean	2334.000000	1958.000000	1.786087	1.191304	1.220870	1.116522	5.809565	12
std	33.341666	33.341666	4.762590	2.870710	4.784102	3.980389	13.981353	8
min	2277.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	:
25%	2305.500000	1929.500000	0.000000	0.000000	0.000000	0.000000	0.100000	5
50%	2334.000000	1958.000000	0.100000	0.000000	0.000000	0.100000	0.900000	11:
75%	2362.500000	1986.500000	1.500000	0.650000	0.250000	0.750000	4.100000	15
max	2391.000000	2015.000000	44.100000	14.600000	42.100000	40.400000	98.300000	36 ⁻
4								•

EDA And Visualization

In [16]: sns.pairplot(df)

Out[16]: <seaborn.axisgrid.PairGrid at 0x2b85797fc40>




In [17]: | sns.distplot(df['ANNUAL'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut ureWarning: `distplot` is a deprecated function and will be removed in a futu re version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>



In [18]: sns.heatmap(df.corr())

Out[18]: <AxesSubplot:>

