We use optional cookies to improve your experience on our websites, such as through social media connections, and to display personalized advertising based on your online activity. If you reject optional cookies, only cookies necessary to provide you the services will be used. You may change your selection by clicking "Manage Cookies" at the bottom of the page. **Privacy Statement Third-Party Cookies**

Accept Reject Manage cookies

 \oplus





Manage Recall

Article • 06/19/2024 • 1 contributor • Applies to: ✓ Copilot+ PCs ☑



In this article

System requirements

Supported browsers

Configure policies for Recall

Limitations

Show 3 more


Looking for consumer information? See Retrace your steps with Recall $\[\]$.

Recall allows you to search across time to find the content you need. Just describe how you remember it, and Recall retrieves the moment you saw it. Recall takes snapshots of your screen and stores them in a timeline. Snapshots are taken every five seconds while content on the screen is different from the previous snapshot. Snapshots are locally stored and locally analyzed on your PC. Recall's analysis allows you to search for content, including both images and text, using natural language.

① Note

Recall is coming soon through a post-launch Windows update. See <u>aka.ms/copilotpluspcs</u> ☑.

When Recall opens the snapshot a user selected, it enables screenray, which runs on top of the saved snapshot. Screenray analyzes what's in the snapshot and allows users to interact with individual elements in the snapshot. For instance, users can copy text from the snapshot or send pictures from the snapshot to an app that supports jpeg files.



System requirements

Recall has the following minimum system requirements:

- A Copilot+ PC ☑
- 16 GB RAM
- 8 logical processors
- 256 GB storage capacity
 - To enable Recall, you need at least 50 GB of space free
 - Snapshot capture automatically pauses once the device has less than 25 GB of disk space

Supported browsers

Users need a supported browser for Recall to filter websites and to automatically filter private browsing activity. Supported browsers, and their capabilities include:

- Microsoft Edge: blocks websites and filters private browsing activity
- Firefox: blocks websites and filters private browsing activity
- Opera: blocks websites and filters private browsing activity
- **Google Chrome**: blocks websites and filters private browsing activity
- Chromium based browsers (124 or later): For Chromium-based browsers not listed above, filters private browsing activity only, doesn't block specific websites

Configure policies for Recall

Organizations that aren't ready to use AI for historical analysis can disable it until they're ready with the **Turn off saving snapshots for Windows** policy. If snapshots were previously saved on a device, they'll be deleted when this policy is enabled. The following policy allows you to disable analysis of user content:

Expand table

Setting

CSP	./User/Vendor/MSFT/Policy/Config/WindowsAI/DisableAIDataAnalysis
Group policy	User Configuration > Administrative Templates > Windows Components > Windows AI > Turn off saving snapshots for Windows

Limitations

In two specific scenarios, Recall captures snapshots that include InPrivate windows, blocked apps, and blocked websites. If Recall gets launched, or the **Now** option is selected in Recall, then a snapshot is taken even when InPrivate windows, blocked apps, and blocked websites are displayed. However, Recall doesn't save these snapshots. If you choose to send the information from this snapshot to another app, a temp file is created in <code>C:\Users\[username]\AppData\Local\Temp</code> to share the content. The temporary file is deleted once the content is transferred over the app you selected to use.

User controlled settings for Recall

The following options are user controlled in Recall from the **Settings** > **Privacy & Security** > **Recall & Snapshots** page:

- Website filtering
- App filtering
- Storage allocation
 - When the storage limit is reached, the oldest snapshots are deleted first.
- Deleting snapshots
 - o Delete all snapshots
 - o Delete snapshots within a specific time frame

Storage allocation

The amount of disk space users can allocate to Recall varies depending on how much storage the device has. The following chart shows the storage space options for Recall:

Expand table

Device storage capacity	Storage allocation options for Recall
256 GB	25 GB (default), 10 GB
512 GB	75 GB (default), 50 GB, 25 GB
1 TB, or more	150 GB (default), 100 GB, 75 GB, 50 GB, 25 GB

Microsoft's commitment to responsible Al

Microsoft has been on a responsible Al journey since 2017, when we defined our principles and approach to ensuring this technology is used in a way that is driven by ethical principles that put people first. For more about our responsible Al journey, the ethical principles that guide us, and the tooling and capabilities we've created to assure that we develop Al technology responsibly, see Responsible Al ...

Recall uses optical character recognition (OCR), local to the PC, to analyze snapshots and facilitate search. For more information about OCR, see Transparency note and use cases for OCR. For more information about privacy and security, see Privacy and control over your Recall experience .

Information for developers

If you're a developer and want to launch Recall, you can call the msrecall protocol URI. When you call this, Recall opens and takes a snapshot of the screen, which is the default behavior for when Recall is launched. For more information about using Recall in your Windows app, see Recall overview in the Windows Al API documentation.

Feedback

Was this page helpful?

♦ Yes

♡ No

Provide product feedback ☑

Senglish (United States)

✓ ✓ Your Privacy Choices

☆ Theme ∨

© Microsoft 2024