

<div> <div> </div> <div> <div>andyrobbins</div> <div>Merge pull request #688 fro...</div> <div> <div></div> <div></div> </div> <div>0d36459 · 9 months ago</div> <div>🕒 1,665 Commits</div> </div> </div>	
<div> <div></div> <div>.github</div> </div>	<div> <div>Create cl.yml</div> <div>2 years ago</div> </div>
<div> <div></div> <div>Collectors</div> </div>	<div> <div>update collectors</div> <div>last year</div> </div>
<div> <div></div> <div>docs</div> </div>	<div> <div>Merge pull request #688 from christop...</div> <div>9 months ago</div> </div>
<div> <div></div> <div>src</div> </div>	<div> <div>Update LinuxAbuse.jsx</div> <div>last year</div> </div>
<div> <div></div> <div>.editorconfig</div> </div>	<div> <div>fix: only ingest owner and uaa direct as...</div> <div>2 years ago</div> </div>
<div> <div></div> <div>.eslintrc.json</div> </div>	<div> <div>chore: update eslintrc, random stuff</div> <div>2 years ago</div> </div>
<div> <div></div> <div>.gitignore</div> </div>	<div> <div>feat: add eslint</div> <div>2 years ago</div> </div>
<div> <div></div> <div>.prettierrc</div> </div>	<div> <div>chore: add prettierrc</div> <div>2 years ago</div> </div>
<div> <div></div> <div>LICENSE-3RD-PARTY.md</div> </div>	<div> <div>Remove simple-slider</div> <div>5 years ago</div> </div>
<div> <div></div> <div>LICENSE.md</div> </div>	<div> <div>Create LICENSE.md</div> <div>8 years ago</div> </div>
<div> <div></div> <div>README.md</div> </div>	<div> <div>Update README.md</div> <div>last year</div> </div>
<div> <div></div> <div>index.html</div> </div>	<div> <div>Update some packages, replace babel/...</div> <div>3 years ago</div> </div>
<div> <div></div> <div>main.js</div> </div>	<div> <div>chore: update eslintrc, random stuff</div> <div>2 years ago</div> </div>
<div> <div></div> <div>package-lock.json</div> </div>	<div> <div>build: revert version of electron-packag...</div> <div>last year</div> </div>
<div> <div></div> <div>package.json</div> </div>	<div> <div>Update version to 4.3.1 in package.json</div> <div>last year</div> </div>
<div> <div></div> <div>renderer.js</div> </div>	<div> <div>New dev environment</div> <div>8 years ago</div> </div>
<div> <div></div> <div>server.js</div> </div>	<div> <div>New dev environment</div> <div>8 years ago</div> </div>
<div> <div></div> <div>webpack.config.development.js</div> </div>	<div> <div>Fix webpack config</div> <div>5 years ago</div> </div>
<div> <div></div> <div>webpack.config.production.js</div> </div>	<div> <div>Update packages</div> <div>5 years ago</div> </div>

About

Six Degrees of Domain Admin

- Readme
- GPL-3.0 license
- Activity
- Custom properties
- 9.9k stars
- 376 watching
- 1.7k forks
- Report repository

Releases 36


v4.3.1
 Latest
 on May 23, 2023

+ 35 releases

Packages

No packages published

Contributors 64



+ 50 contributors

Languages



Latest Version of BloodHound Community Edition is Released

For the latest version of BloodHound you may follow [this link to the BloodHound Community Edition repository](#).

Deprecation Notice

This repository will be archived in the near future.

 Build

 passing

 release

 v4.3.1

 downloads

 614k

Getting Started with BloodHound

To get started with BloodHound, check out the [BloodHound docs](#).

About BloodHound

BloodHound is a single page Javascript web application, built on top of [Linkurious](#), compiled with [Electron](#), with a [Neo4j](#) database fed by a C# data collector.

BloodHound uses graph theory to reveal the hidden and often unintended relationships within an Active Directory or Azure environment. Attackers can use BloodHound to easily identify highly complex attack paths that would otherwise be impossible to quickly identify. Defenders can use BloodHound to identify and eliminate those same attack paths. Both blue and red teams can use BloodHound to easily gain a deeper understanding of privilege relationships in an Active Directory or Azure environment.

BloodHound was created by [@_wald0](#), [@CptJesus](#), and [@harmj0y](#).

BloodHound is maintained by the [BloodHound Enterprise](#) team.

About BloodHound Enterprise

[BloodHound Enterprise](#) is an Attack Path Management solution that continuously maps and quantifies Active Directory Attack Paths. You can remove millions, even billions of Attack Paths within your existing architecture and eliminate the attacker’s easiest, most reliable, and most attractive techniques.

Downloading BloodHound Binaries

Pre-Compiled BloodHound binaries can be found [here](#).

The rolling release will always be updated to the most recent source. Tagged releases are considered "stable" but will likely not have new features or fixes.

Creating example data

A sample database generator can be found [here](#)

You can create your own example Active Directory environment using [BadBlood](#).

License

BloodHound uses graph theory to reveal hidden relationships and attack paths in an Active Directory environment. Copyright (C) 2016-2023 Specter Ops Inc.

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

