We use optional cookies to improve your experience on our websites, such as through social media connections, and to display personalized advertising based on your online activity. If you reject optional cookies, only cookies necessary to provide you the services will be used. You may change your selection by clicking "Manage Cookies" at the bottom of the page. **Privacy Statement Third-Party Cookies**

Accept Reject Manage cookies

① We're no longer updating this content regularly. Check the <u>Microsoft</u> <u>Product Lifecycle</u> for information about how this product, service, technology, or API is supported.

Return to main site



X

Using ServerXMLHTTP Directly

Article • 10/27/2016

In this article

Using ServerXMLHTTP to GET XML results from an ASP page
Using ServerXMLHTTP to POST XML to an ASP page
Using ServerXMLHTTP to POST and Process XML

Page 1 of 4

Using the ServerXMLHTTP object directly offers much greater procedural control than that of the setProperty method of DOMDocument. Instead of merely retrieving XML responses from a remote sever, the ServerXMLHTTP object allows developers to use the HTTP methods, GET and POST, as well as the ability to handle basic security logons.

Using ServerXMLHTTP to GET XML results from an ASP page

In the following example, ServerXMLHTTP retrieves an XML response from an ASP page over HTTP. By using GET, the example is able to send a request without actually transferring any data to the Web server.

The responseXML property of the objSrvHTTP object contains the XML response from the Web server. The example program writes this response to the browser's output by first informing the browser that the response to be received is XML ("text/xml"). Next, the program passes the response directly to the Response object for displaying onscreen.

Example

Using ServerXMLHTTP to POST XML to an ASP page

In the following example, ServerXMLHTTP uses HTTP to send XML data to an Active Server Page (ASP) page. Unlike the preceding example that used GET, this example uses POST. The POST method sends data, along with the request, to the Web server.

As in the previous example, the program writes the response to the browser's output by setting the ContentType to "text/xml" and passing the response to the Response object.

Example

Using ServerXMLHTTP to POST and Process XML

In the following example, ServerXMLHTTP sends an XML document to an ASP page on a Web server and passes its XML response to a waiting DOMDocument for processing.

Example

```
<%@language=Jscript%><%
    var objSrvHTTP;
    var objXMLSend;
    var objXMLReceive;
    objSrvHTTP = Server.CreateObject("Msxml2.ServerXMLHTTP.6.
        objXMLSend = Server.CreateObject("Msxml2.DOMDocument.6.0'
        objXMLReceive = Server.CreateObject("Msxml2.DOMDocument.6.0'
        objXMLSend.async = false;
        objXMLSend.loadXML ("<msg><id>2</id></msg>");

        objSrvHTTP.open ("POST", "http://someotherserver/respond.aobjSrvHTTP.send (objXMLSend);
        objXMLReceive = objSrvHTTP.responseXML;
        Response.ContentType = "text/xml";
        Response.Write (objXMLReceive.xml);

%>
```

⑤ English (United States)
✓ Your Privacy Choices
☆ Theme ✓
Manage cookies Previous Versions Blog ☑ Contribute Privacy ☑ Terms of Use Trademarks ☑
⑥ Microsoft 2024