

DEV

Find related posts...

Powered by  Algolia

Log in

Create account



11



1



6



BC

Posted on 30 déc. 2019



11

# Use `mkfifo` to create named pipe - Linux Tips

[#mkfifo](#) [#bash](#) [#linux](#)

We can use `mkfifo` or `mknod` command to create a named pipe. A pipe is a structure which one end can send message and the other can consume it.

To create a named pipe, we can use `mkfifo` or `mknod`:

```
$ mkfifo pipe1

# we can see the file type is "named pipe" using `file` command
$ file pipe1
pipe1: fifo (named pipe)

$ ls -al pipe1
prw-r--r-- 1 userx userx 0 Dec 29 20:35 pipe1

# or we can use mknod, "p" indicate this "node" is a pipe
$ mknod pipe2 p
$ file pipe2
pipe2: fifo (named pipe)
```

Now let's send/consume messages with this pipe. Open a terminal window:

Open another terminal window, write a message to this pipe:

```
$ echo "hello" >> pipe1
```

Now in the first window you can see the "hello" printed out:

```
$ tail -f pipe1
hello
```

Because it is a pipe and message has been consumed, if we check the file size, you can see it is still 0:

```
$ ls -al pipe1
prw-r--r-- 1 userx userx 0 Dec 29 20:35 pipe1
```

👉 While you are here

...

Reinvent your career. **Join DEV.**

It takes ***one minute*** and is worth it for your career.

Get started

Top comments (1)

Subscribe



Bobby Iliev • 9 déc. 20



Here is a quick video demo on how to do that as well:



 2 likes

 Reply

[Code of Conduct](#) • [Report abuse](#)

DEV Community



## Trending in Linux

The Linux community is discussing **DevOps commands**, **AWS EC2 management** tools, and **self-hosting** open-source solutions. They're also interested in **Kubernetes** with Minikube.

DEV

Powered by  Algolia

Log in

Create account

## Professionals

DevOps Descent · Oct 27

#devops #cloud #linux #basic



## 7 Pro Unix Command have you checked?

DevOps Descent · Oct 21

#linux #ec2 #aws #hacktoberfestchallenge



## Quick guide to install minikube and enable ingress controller on Ubuntu

Sunny Bhambhani for AWS Community Builders · Oct 21

#kubernetes #linux #beginners #bash



## SysInfo Script

Anass Assim · Oct 18

#linux #bash #basic #ubuntu



## Self-Host Your Digital Empire: 4 Open-Source Essentials

Jimmy McBride · Oct 28

#opensource #svelte #linux

Read next



## Hello OpenSBI!

Kanak Shilledar - Sep 7



## Disable or Hide Local Storage on Proxmox VE

Fega Suseno - Sep 30



## Top 15 distros baseadas em Ubuntu: qual é a ideal para você?

araguaci - Sep 6



BC

Follow

Coder, Learner

LOCATION

New York

JOINED

4 nov. 2019

### More from BC

echo content to file

#linux

Get your public IP address from command line



Powered by  Algolia

Log in

Create account

Remap keys in the keyboard in Ubuntu  
#linux #ubuntu

Thank you to our Diamond Sponsor [Neon](#) for supporting our community.

[DEV Community](#) — A constructive and inclusive social network for software developers. With you every step of your journey.

- [Home](#) • [DEV++](#) • [Podcasts](#) • [Videos](#) • [Tags](#) • [DEV Help](#) • [Forem Shop](#) • [Advertise on DEV](#) • [DEV Challenges](#) • [DEV Showcase](#) • [About](#) • [Contact](#) • [Free Postgres Database](#) • [Guides](#) • [Software comparisons](#) • [Code of Conduct](#) • [Privacy Policy](#) • [Terms of use](#)

Built on [Forem](#) — the [open source](#) software that powers [DEV](#) and other inclusive communities.  
Made with love and [Ruby on Rails](#). DEV Community © 2016 - 2024.