

Cybersecurity and National Defence

—

Steganography: steganalysis

Alberto Eusebio, Francesco Imparato, Federico Morro,
Salvatore Orlando, Giulia Rivetti

Abstract

Contents

1	Introduction	4
2	Steganography	5
2.1	Steganography	5
2.2	Watermarking	5

1 Introduction

Steganography is the technique of hiding a message inside another message or a physical object.[1] The word *steganography* comes from the Greek word *steganographia*, which is the combination of *steganós* meaning “covered” and *-graphia* meaning “writing”.

The first testimonials of the use of steganography date back to 440 BC in Greece mentioned by Herodotus in his *Histories*: Histiateus sent a message to Aristagoras by writing a text message on the shaved head of one of his servants and then waited till the hair of the servant had regrow to sent him to Aristagoras. Moreover steganography has been used for centuries in different ways such as secret inks, morse code hidden inside physical objects or encoded in eyes blinking (Jeremiah Denton, tortured prisoner-of-war in 1966 during the Korean War, encoded in this way an help message during a TV report) or microdots embedded in paper or in clothes used by espionage agents during and after the World War II.

In digital steganography a message or a file is concealed within another file; in particular, electronic communications may contain a steganographic coding inside a information vehicle such as a document, a program or a media file (image, audio or video). Media files are ideal for hiding messages since due to their large size, the modification needed to encode a steganographic coding cause a subtle change that is unlikely to notice for someone who is not looking for it. This is one of the greatest differences of steganography with respect to cryptography: in cryptography the encrypted messages are visible so they attract interest and it's more likely that they will be subject to some type of attacks to be decoded.

In this paper we will focus on steganalysis, the study of detecting and, if possible, recovering hidden messages encoded using steganography, the way in which it can be performed, examples of its application in known cases and the threats and opportunities regarding the cybersecurity implications of its use in digital and communications systems.

We can call steganalysis successful (and consequentially that the steganography is broken) when there is the evidence of an hidden message in the cover signal. Moreover, the embedded information can also be crypted, in that case the attacker (the one who tries to find the hidden message) will have to perform cryptanalysis in order to decrypt the information.

2 Steganography

As we already stated, steganography is used to hide a message in a *cover type*. We can define a cover type as the mean used to communicate, which can be a text file, an image, an audio recording, but also people, like in the case of the servants that we have mentioned earlier, etc. . .

In all these cases, the message has been *embedded* into the cover type. Here we can make a distinction between steganography and watermarking since in both cases a message is encoded into a communication's mean, but with different purposes.

2.1 Steganography

2.2 Watermarking

References

- [1] Merriam Webster. *Steganography definition*. URL: <https://www.merriam-webster.com/dictionary/steganography>.