

To : Lyncean Technologies , Inc.

INSPECTION SHEET

TR000012 Canon Electromagnet VT-68922 Inspection Sheet SN 20J073


FOCUSING ELECTROMAGNET
VT-68922 S/N 20J073

CANON ELECTRON TUBES & DEVICES CO., LTD.

TEST CLASSIFICATION		AQL	n1	d1	n1+n2	d1+d2	JUDGE	INSPECTION SHEET TYPE ELECTROMAGNET VT-68922		APPLIED SPECIFICATION		PRODUCT SPECIFICATION			
APPEARANCE										SUPPLY QUANTITY		1	DATE OF INSP.	11-Sep. -2020	
PRODUCTION										CHIEF OF INSPECTION SECTION		Y. Tanaka			
DESIGN															
TEST CONDITION															
ITEM	ELECTRIC OPERATING VOLTAGE							HYDROSTATIC PRESSURE DROP	HYDROSTATIC PRESSURE	INSULATION RESISTANCE	OUTLINE DIMENSION	JUDGE			
SYMBOL	Esol							ΔP_w	-	-					
UNIT	[Vdc]							[MPa] (kgf/cm ²)	-	[MΩ]					
CONDITION	Isol = (25 , 35 , 20 , 30 , 20 , 10) [A] Qw = 10 [L/min.] Tw = 22 [°C] , Te = 24 [°C]							Qw = 10 [L/min.]	P = 0.98 [MPa] (10 [kgf/cm ²]) t = 15 [min.]	V = 1000 [Vdc] t = 30 [sec.] COIL - SHELL					
No.	Esol1	Esol2	Esol3	Esol4	Esol5	Esol6									
20J073	11.3	22.3	23.4	36.8	21.2	4.1	0.085 (0.87)	OK	≥1000	OK	OK				
SPEC.	MIN.	-	-	-	-	-	-	-	No visible leaks and no damages	1000		INSPECTOR			
	PAR	-	-	-	-	-	-	-		-		M. Shibazaki			
	MAX.	12.5	24	25.5	39	22.5	10	0.2 (2.0)		-					

TYPE VT-68922 series

CANON ELECTRON TUBES & DEVICES CO., LTD.



OUTLINE DRAWING VT-68922