# TosettiRASD-v0.1



# Contents

1	Inti	ntroduction						
	1.1	Purpose						
		1.1.1 Goals						
	1.2	Scope						
		1.2.1 Phenomena						
		1.2.1.1 World phenomena						
		1.2.1.2 Shared phenomena						
		1.2.1.3 Machine phenomena						
	1.3	Definitions, acronyms, abbreviations						
		1.3.1 Definitions						
		1.3.2 Acronyms						
		1.3.3 Abbreviations						
	1.4	Revision history						
	1.5	Reference documents						

	1.6	Document structure	10
	2 Ov	erall description	11
	2.1	Product perspective	11
		2.1.1 Scenarios	11
		2.1.2 Class diagram	11
	2.2	Product functions	11
		2.2.1 Shared functions	11
		2.2.2 Student functions	11
		2.2.3 Educator functions	12
	2.3		13
	2.4		13
	3 Sp	ecific requirements	14
	3.1	External interface requirements	14
	3.2	Functional requirements	14
	3.3	Performance requirements	14
	3.4		14
	3.5	Software system attributes	14
	4 For	rmal analysis using Alloy	14
,	5 Eff	ort spent	14
	6 Re	ferences	14

# 1 Introduction

# 1.1 Purpose

The purpose of the CodeKataBattle platform is to create a friendly and enjoyable environment for students to acquire new skills and improve the ones already owned in Software Development. This is done by allowing students to train and compete with each others by writing code in order to resolve problems. All of this under the supervision of educators who can challenge their students to take part to these competitions.

#### 1.1.1 Goals

#### G1: Allow educators to create new tournaments:

Educators have the possibility to create new tournaments. When creating a tournament, educators have the opportunity to create new badges. Badges have corresponding achievements, called "Rules", which are defined on badge creation. Badges are obtained by users on achievement completion. Obtained badges will be then displayed on the user's profile page.

#### G2: Allow educators to create new battles:

Educators have the possibility to define new battles within tournament they crated or in tournaments they have been granted permission to do so. When creating a new battle educators have to set different parameters:

- upload project description;
- specify the programming language and build tool to utilize, including test cases and build automation scripts;
- set minimum and maximum number of students per group;
- set a registration deadline;
- set a final submission deadline;
- set additional configuration for scoring.

#### G3: Allow educators to administer different tournaments:

Educators can grant other colleagues permission to create new battles in their tournaments. Educators have the possibility to close their tournaments, thus, not letting students submit new answers to any battle defined in the closed tournament, nor letting their colleagues create new battles in that tournament.

#### G4: Allow educators to administer different battles:

Educators have the possibility, once a battle has expired, to manually evaluate through the platform each student's work, and then assign a corresponding score to each one of them, ranging from 0 to 100.

#### G5: Allow students to subscribe in tournaments:

Students subscribed to the platform have the possibility to subscribe to different tournaments, in which they plan to participate in.

#### G6: Allow students to participate in battles:

Students can join battles within a set deadline. They can do so by themselves, by inviting somebody else or by accepting someone's else invite.

#### G6.1: Allow students to form groups to participate with:

Students have the possibility to send out invitations to other students, so that they can form a group to participate with. Groups need to follow the guidelines specified by the battle creator for it to be accepted.

#### G6.2: Allow students to submit their answers:

When students have developed a solution to the battle, they can submit their answer to the platform. Groups are requested to send only one answer. Students can change their answer as they proceed, when uploading a new solution the older one is overwritten, since there can only be one answer for each battle.

#### G6.3: Allow students to see their scores:

After each answer submission, a new score is assigned to the students. The score can be manually created by an educator or automatically assigned to the students by the platform. Students can see the scores obtained

#### G7: Let the students be notified on important events:

When a new tournament is created, all students subscribed to the platform are notified. A different notification will be sent when a new battle is created in a tournament they are subscribed to.

## 1.2 Scope

CodeKataBattle (CKB) is an easy-to-use platform, which aims to allow educators to propose homework and/or lessons in a new and fresh way to involve students more in acquiring and improving software developing skills. To do that, CKB offers educators the possibility to open several tournaments. Each tournament is composed by several battles in which students can compete with each other, individually or in groups. In order to offer all of this CKB relies

on the external platform GitHub. GitHub will take the role of a "bridge" between CKB platform and students, allowing them to upload their solutions on it. These solutions will be then taken by the CKB platform from GitHub and used to evaluate student's score in the battle for which they uploaded a specific solution.

#### 1.2.1 Phenomena

Events that take place either in the real world, in machine world or in both. Used to describe respectively what cannot be observed by the machine, real world and event that connects the two.

#### 1.2.1.1 World phenomena

Phenomena events that take place in the real world and are not observable by the machine

- **WP1:** Students fork the GitHub repository of which they received a link by the platform.
- WP2: Student write code on his personal device.
- WP3: Students choose which tournament to join
- WP4: Students choose which battle to join in a tournament precedently joined.
- WP5: Student choose his teammates for a battle.
- **WP6:** Educator choose whether and which colleagues to allow access to one of his tournaments
- **WP7:** Student subscribed to a battle wait for its start (registration deadline expiration)
- WP8: Educator decide to close a tournament

#### 1.2.1.2 Shared phenomena

- Phenomena controlled by the world and observed by the machine
  - ➤ Student related phenomena
  - **SP1:** Student registration to the platform
  - **SP2:** Student log in to the platform
  - SP3: Student subscribe to a tournament within a deadline
  - SP4: Student invite other students to form a team
  - **SP5:** Student accept an invite from another student and join its group.
  - **SP6:** Student or a group of students join a battle in a tournament they are subscribed to within a deadline.

- **SP7:** Student upload a new software solution for the battle's problem, in which he's partecipating
- **SP8:** Student sees its, and others badges visualizing its or others profile page
- **SP9:** Student or a group of it, push a new commit on GitHub repository
- ➤ Educator related phenomena
- SP10: Educator create a new tournament
- **SP11**: Educator grant access to his other collegues to create new battle within a tournament he created
- SP12: Educator create a new battle
- SP13: Educator set battle's setting while creating one of them
- **SP14**: Educator manually evaluate the work done by students in a certain battle of a certain tournament during battle's consolidation phase
- SP15: Educator closes a tournament
- **SP16**: Educator defines new badges achievable in a tournament by students while creating it
- SP17: Educator sees collected badges of a student by visualizing its profile page
- Phenomena controlled by the machine and observed by the World.
  - ➤ Student related phenomena
  - **SP18**: Student registered to the platform gets notified when a new tournament is created
  - SP19: Student subscribed to a tournament gets notified of upcoming battle created in that tournament
  - **SP20**: Student receive from the platform a invite notification in order to join a group of students to join a battle.
  - **SP21**: Platform, when a battle's registration deadline expires, send every student that joined the battle a link to the GitHub repository created by the platform itself.
  - SP22: Platform at the end of each battle updates students' score in the tournament in which battle took place allowing all students and educators to see them
  - SP23: Students get notified when a tournament is closed
  - ➤ Educator related phenomena
  - **SP24**: Educator receive a notification when allowed by a collegue to access its collegue's tournament.
  - **SP25**: Educator gets notified when submission deadline of solution for a battle expires, and start the consolidation phase.

#### 1.2.1.3 Machine phenomena

Phenomena events that take place in the machine world and are not observable from the real world

- **MP1:** The platform creates a GitHub repository containing the code kata when registration deadline of a battle expires.
- **MP2:** The platform when notified by GitHub API pulls the latest sources of the repository of a battle
- **MP3:** The platform analyzes the sources, by running tests on them.
- **MP4:** The platform calculate the battle score of a team based on the executables uploaded by students for a battle. Score is automatically updated when the platform receive notification from GitHub about new push actions.
- **MP5:** The platform at the end of each battle of a tournament, compute the tournament rank of each student in that tournament.
- **MP6:** The platform automatically register badges acquirement from a student, when that student satisfy the rules to obtain them.

# 1.3 Definitions, acronyms, abbreviations

#### 1.3.1 Definitions

Term	Definition
$GitHub\ Repository$	$\rightarrow$ A place on the GitHub platform where a user can store code, files and each file's revision history.
$Registration\ deadline$	$\rightarrow$ Maximum time within which a student can subscribe to a battle or to a tournament.
$Submission\ deadline$	→ Maximum time within which a student, or a group of student, can upload their solution to a battle problem

Term	Definition
Code Kata	→ The word kata refers to a karate exercise in which a form gets repeated many time, making little improvements in each tentative. In this context it's used to express the fact that the code need to be developed multiple times to reach a optimal solution to the battle problem.
$Consolidation\ phase$	→ Phase started at the end of a battle, used to consolidate the score of each student in the battle by eventually a manual evaluation of the students' code by an Educator.
$View ext{-}only\ mode$	→ An abstract modality (not an implementation detail) in which educator can be if he access to a tournament in which they have no rights to create new battles
$Modify\mbox{-}enabled\ mode$	→ An abstract modality (not an implementation detail) in which educator can be if he access to a tournament in which he go granted the access by tournament's creator, and thus can create new battles.

# 1.3.2 Acronyms

Acronym	Meaning
API	$\rightarrow$ Application Programming Interface, indicates on demand procedure which supply a specific task
CKB	$\rightarrow$ Code KataBattle, the name of the platform described in this document
IT	$\rightarrow$ Used as acronym for Information Technology which identify something, generally a computing or communication hardware, with information storage capability and closely related to the informatic world.

Acronym	Meaning
UML	→ Unified Modeling Language, a standard notation for modeling real world object, in an high level diagram representing OO components.
BPMN	$\rightarrow$ Stands for Business Process Modeling Notation, standard notation to represent processes through diagrams.

#### 1.3.3 Abbreviations

Abbreviation	Meaning
<i>G</i> #	$\rightarrow$ Goal number $\#$
WP#	$\rightarrow$ World phenomena number $\#$
SP#	$\rightarrow$ Shared phenomena number $\#$
MP#	$\rightarrow$ Machine phenomena number $\#$
D#	$\rightarrow$ Domain assumption number $\#$
00	$\rightarrow$ Object-Oriented

# 1.4 Revision history

- \*\*Placeholder data\*\*: version 1.0
- \*\*Placeholder data\*\*: version 1.1
- \*\*Placeholder data\*\*: version 1.2
- \*\*Placeholder data\*\*: version 2.0
- \*\*Placeholder data\*\*: version 2.1

## 1.5 Reference documents

GitHub references:

- Official documentation to get started with GitHub:  $\rightarrow$  https://docs.github.com/en/get-started/quickstart
- Official documentation about fork process → https://docs.github.com/en/get-started/quickstart/fork-a-repo

• Official documentation about GitHub actions  $\rightarrow$  https://docs.github.com/en/actions

UML official specification → https://www.omg.org/spec/UML

BPMN official specification → https://www.omg.org/spec/BPMN/2.0

#### 1.6 Document structure

#### • Section 1: Introduction

This section introduces the problem and the platform/application to be developed in order to resolve it. It describes the major purpose of the project, every one of his goals, the analysis of the its domain and every world, shared and machine phenomena associated with it. In addition in this section are inserted the definitions, acronysm and abbreviations used in this ddocument, including even it's revision history and refereced documents or web pages.

#### • Section 2: Overall description

This section gives an overall description of the project and all the interactions that could occur between the platform and the final users (Students and educators). To do this, it will include different possibile scenarios that could happen, the different actors involved in the platform usage and all the assumptions, dependencies and eventual constraints that have to be considered in the development of the platform

#### • Section 3: Specific Requirements

This section is the most technical one, it contains more precise descriptions of each scenario called use cases. It describe the several functional and performance requirements of the project and their map to the goals of the project. Finally it contains also all the design constraint and system attributes that must be followed/guaranteeded while developing the platform.

#### • Section 4: Formal analysis using alloy

In this setion can be found a formal description of the platform/application. The formal description is done using the formal language Alloy (referenced in section 1)

#### • Section 5: Effor spent

A simple section in which are included all the information about the time requested by each group member to complete this document, and it's division by each section of the document.

# 2 Overall description

## 2.1 Product perspective

The following section contains the UML diagram of the platform and a list of meaningful scenarios in which the platform can be used, how and when users can interact with it.

#### 2.1.1 Scenarios

### 2.1.2 Class diagram

#### 2.2 Product functions

#### 2.2.1 Shared functions

• **Sign-up:** Let the user (either students or educators) sign-up to the platform.

Figure 1: Sign-up BPMN

• Visualize student's profile: Let an user (either a student or an educator) to visualize the profile page of a specific student.

Figure 2: Profile visualization BPMN

#### 2.2.2 Student functions

• Student subscribe to a tournament: Let student to search, according to some parameters (most used programming languages, creation date, number of partecipant, etc...) and subscribe to a tournament, after loggin in the platform.

Figure 3: Student's tournament subscription BPMN

• Student join a battle: Let student subscribed to a tournament, to search battle in it, according to some parameters (programming language requested, expiration date, difficulty, etc...) and join it alone or in a group.

Figure 4: Student's battle joining BPMN

• Student gets notified of new events: Notify the student about new tournaments created, if signed to the platform, and new upcoming battle that take place in tournament in which he has joined.

Figure 5: Student notification BPMN

• Student's solutions get evaluated: Let student, who connect to their forked repository on GitHub, to upload his solution and evaluate it according to some parameters.

Figure 6: Student's solutions evaluation BPMN

• Student form a group for a battle: Let student the possibility to form a group with other student in order to face a battle, through invite messages.

Figure 7: Formation of a group BPMN

#### 2.2.3 Educator functions

• Educator create/close a tournament: Let the educator to create a new tournament and set its parameters. Also let him to close the tournament whenever he wants.

Figure 8: Tournament's creation/closing BPMN

• Educator grant access to a tournament: Let the educator the possibility to grant the access to one of his tournaments to a collegue.

Figure 9: Grant access to tournament BPMN

• Educator notified of battle's end: Educator gets notified about the end of a battle of one of his tournaments, letting him the possibility to manually evaluate the students' solutions.

Figure 10: Ending of a battle BPMN

#### 2.3 User characteristics

# 2.4 Assumptions, dependencies and constraints

- D1: Students and educators have access to internet while using the platform
- **D2:** Students and educators have their own IT device to connect to the application
- **D3:** Students and educators have to be subscribed to the platform in order to use its features
- **D4:** Students know how to use GitHub actions
- **D5:** Students know how to fork a repository in GitHub
- **D6:** A student can join a battle only if subscribed to the tournament in which that battle take place
- **D7:** GitHub platform offers reliable services through its API allowing to CKB platform to always get notified when new code is uploaded by students.
- **D8:** Educator know how to create new badges, and new rules to obtain them, for the tournaments
- **D9:** Time information about registration and submission deadlines for tournaments and battles are always correct.
- **D10:** Code written by students can not make the platform crash while testing it.
- **D11:** Educators upload ,when creating a battle, some correct, meaningful and faultproof test cases and automation scripts.
- D12: Students score is always correctly calculated and meaningful.
- **D13:** Educators access always access a tournament either in view-only mode, if not invited by the tournament's creator, or in modify-enabled mode if the tournament's creator has granted him the access. (??? Verificare se potrebbe essere un goal piuttosto che una assumption ???)

# 3 Specific requirements

- 3.1 External interface requirements
- 3.2 Functional requirements
- 3.3 Performance requirements
- 3.4 Design constraints
- 3.5 Software system attributes
- 4 Formal analysis using Alloy
- 5 Effort spent
- 6 References