

Product Information

Product data sheet

PARSOL® 1789

Product code: 5015785

Description

PARSOL® 1789 is a white to pale yellow powder with a slight aromatic odour.

Product identification

Product code: 5015785

Chemical name: 1-(4-tert-butylphenyl)-3-(4-methoxyphenyl)-propane-1,3-dione


CAS No.: 70356-09-1

INCI name: Butyl Methoxydibenzoylmethane

USAN: Avobenzone

Empirical formula: C₂₀H₂₂O₃

Molecular mass: 310.4 g/mol



Specifications

Appearance:	white to pale yellow powder
Assay:	95.0 - 105.0 %
Identity (UV/IR):	corresponds
Melting point:	81.0 - 86.0°C
Loss on drying:	max. 0.2 %
Chromatographic purity:	
Each impurity:	max. 3.0 %
Total impurities:	max. 4.5 %
UV specific extinction: E1 %, 1 cm at 357 nm in ethanol	1100 - 1180

Product Information

Product data sheet

PARSOL® 1789

Product code: 5015785

Residual solvents:

Methanol	max. 300 ppm
Toluene	max. 100 ppm

Heavy metals:

Lead	≤ 1 ppm
Cadmium	≤ 0.5 ppm
Mercury	≤ 0.1 ppm
Cobalt	≤ 1 ppm
Chrome	≤ 1 ppm
Nickel	≤ 1 ppm
Antimony	≤ 1 ppm

Arsenic:	≤ 1 ppm
----------	---------

Microbiological purity:

Total aerobic plate counts	≤ 100 CFU/g
Total yeast and moulds	≤ 100 CFU/g
<i>Pseudomonas aeruginosa</i>	negative in 1 g
<i>Staphylococcus aureus</i>	negative in 1 g
<i>Escherichia coli</i>	negative in 1 g
<i>Candida albicans</i>	negative in 1 g

Solubility

PARSOL® 1789 is insoluble in water, slightly soluble in ethanol and soluble in commonly used lipids.

Stability and storage

PARSOL® 1789 should be protected from light. The product may be stored for 36 months from the date of manufacture in the unopened original container and at a temperature below 25°C, do not freeze. The 'best use before' date is printed on the label.

Product Information

Product data sheet

PARSOL® 1789

Product code: 5015785

Uses

As an oil-soluble UV-A filter in sun-care and cosmetic preparations.

Compendial compliance

PARSOL® 1789 meets all requirements of the USP when tested according to this compendium.

Regulatory status

Maximum allowed concentration as UV filter

ASEAN:	5 %
China:	5 %
EU:	5 %
Japan:	10 %
Mercosur:	5 %
South Africa:	5 %
USA:	3 %

Safety

This product is safe for the intended use. Avoid ingestion, inhalation of dust or direct contact by applying suitable protective measures and personal hygiene.

For full safety information and necessary precautions, please refer to the respective DSM Material Safety Data Sheet.

Product Information

Product data sheet

PARSOL® 1789

Product code: 5015785

Additional information

To find out more about our ingredients, please contact your nearest DSM Nutritional Products office.

DSM Nutritional Products Ltd Product Management Building 241 PO Box 2676 CH-4002 Basel Switzerland	Tel.: +41 (0) 61 815 8899 Internet www.dsmnutritionalproducts.com
DSM Nutritional Products LLC 45 Waterview Boulevard Parsippany, NJ 07054-1298	Tel.: +1 (800) 526 0189 (Human Nutrition, Personal Care) Tel.: +1 (800) 451-8325 (Animal Nutrition) Internet www.unlimitednutrition-na.dsm.com
DSM Nutritional Products Europe Ltd. PO Box 2676 CH-4002 Basel Switzerland	Tel.: +41 (0) 61 815 7777 Internet www.unlimitednutrition-eu.dsm.com
DSM Singapore Industrial Pte Ltd. trading as DSM Nutritional Products Asia Pacific 30 Pasir Panjang Road #13-31 Mapletree Business City Singapore 117440	Tel.: + (65) 66326500 Internet www.dsmnutritionalproducts.com
DSM Nutritional Products China No. 476, Li Bing Road Zhangjiang High-Tech Park Pudong Area, Shanghai 201203 P.R. of China	Tel.: + 86 (0)21 6141 8188 Internet www.dsmnutritionalproducts.cn
DSM Produtos Nutricionais Brasil S.A. Avenida Engenheiro Billings, nº 1729 - Prédio 31 Sala A CEP:05321-010 São Paulo - SP Brasil	Tel.: + 55 (11) 3760-6300 Internet www.dsmnutritionalproducts.com

This document is valid without signature. AddInfo

Disclaimer: The information contained herein is to the best of our knowledge accurate. However, we refuse any liability for the application and use of further processed material containing our product. Solely the producer of the final product has to assume full responsibility according to the relevant local regulations. The content of this document is subject to change without further notice unless otherwise agreed in writing. Please consult your local representative or one of DSM's websites at <https://webshop.dsm.com> for the latest version of this document or the latest information.