

Zschimmer & Schwarz Italiana - 13038 - Tricerro (VC) / ITALY

INFORMAZIONI TOSSICOLOGICHE TOXICOLOGICAL INFORMATION

Revisione n° Revision n° 18

1.	Informazioni generali General information	
1.1	Nome commerciale Trade name	ZETESOL 270/N
1.2	Produttore/Fornitore (indirizzo, telefono, fax, contatto) Manufacturer/Supplier (address, phone no., fax no., contact person)	ZSCHIMMER & SCHWARZ ITALIANA Via A. Ariotto 1/C - 13038 Tricerro (VC) Italy Tel: +39 (0)161 808111 Fax: +39 (0)161 801002 e.merlo@zschimmer-schwarz.com
1.3	Categoria della material prima (es. tensioattivo anionico) Raw material category (e.g. anionic surfactant)	Anionic surfactant
1.4	Nome chimico Chemical name	Alcohols, C12-14 (even numbered), ethoxylated < 2,5 EO, sulfates, sodium salts
1.5	Nome INCI (CTFA) Composizione INCI (CTFA) name Composition	Sodium Laureth Sulfate: 68% - 73% Aqua: to 100%
1.6	N° EC (EINECS/ELINCS) EC (EINECS/ELINCS) no.	Absent because no longer polymer NLP n° 500-234-8
1.7	N° CAS CAS no.	68891-38-3 (generic 9004-82-4)

1.8	Registrazioni (es. UE, USA, Giappone) - REACh
	- Certificazione

Registration status (e.g. EU, USA, Japan) - REACh - Certification

IECSC (China), TSCA (USA), DSL (Canada), AICS (Australia), TCSI (Taiwan), NZIoC (New Zealand), PICCS (Philippines) and KECI (Korea).

Japanes have recently changed their system, so that publication in the Japanese list of approved ingredients is no longer necessary. Any cosmetic ingredient is now allowed in Japan with no prior approvation.

Product is not a biocidal according to Regulation 528/2012.

The product is not a phytosanitary according to Regulation 1107/2009.

REACh registration n° 01-2119488639-16-0005.

None of substances listed in the "candidate" list of substances of very high concern (SVHC) are contained in the product in a relevant amount.

PO 65 (California law): see points 5.1 and 5.7

2.	Informazioni sulla produzione	
	Information on production	
2.1	Origine della materia prima (vegetale, animale, sintetica) Origin of starting material (plant, animal, synthetic)	Vegetable and mineral origin. Fatty alcohol is from vegetable origin, then it is ethoxylated. Origin from fatty alcohol: palm kernel oil from Elaeis Guineenis (Malaysia and Indonesia). Sulfur (Europe) is synthetic and NaOH (Europe) is mineral. Product is manufactured in Italy (Tricerro).
2.2	La materia prima deriva da organismi geneticamente modificati (OGM)? Is the starting material derived from genetically modified organisms (GMO)?	No
2.3	Informazioni sul processo di produzione (descrizione generale) Information on production process (general description)	S burns in presence of air giving SO_2 $S + O_2 \rightarrow SO_2$ SO_2 is converted in SO_3 $SO_2 + \frac{1}{2} O_2 \rightarrow SO_3$
		SO ₃ reacts with fatty alcohol ethoxylated giving an acidic intermediate that is then neutralized with NaOH

SO ₃ + ROH → ROSO ₃ H
Control: acidity number
ROSO ₃ H + NaOH → ROSO ₃ - Na+ + H ₂ O
Control: according to specifications

3.	Additives	
3.1	Conservanti/Biocidi Preservatives/Biocides	Not added and not expected
3.2	Antiossidanti Antioxidants	Not added and not expected
3.3	Solvents Solvents	Water
3.4	Sbiancanti Bleaching agents	Not added and not expected
3.5	Altri Others	Citric acid can be used to regulate pH (0% - 3%)

4.	Specifiche microbiologiche Microbiological specification	
4.1	Conta microbica totale (ufc/g) Total viable count (colony-forming units/g)	less than 10 cfu/g

5. Residui del processo di lavorazione

La presenza di tracce delle sostanze elencate in Allegato II del Regolamento No. 1223/2009 (che sostituisce la Direttiva 76/768/CEE) (incl. CMR cat. 1A, 1B e 2 sostanze contrassegnate con *) deve essere dimostrata come presenza tecnicamente inevitabile lavorando in GMP e deve essere conforme all'Articolo 17 del Regolamento No. 1223/2009.

By-products

The presence of traces of the substances listed in Annex II of Regulation No. 1223/2009 (replaced Directive 76/768/EEC) (incl. cmr cat. 1A, 1B and 2 substances marked with *) shall be allowed provided that such presence is

	technically unavoidable in good manufacturing practice and that it conforms with Article 17 of Regulation No. 1223/2009.	
5.1	1,4-Diossano *	50 ppm maximum (on 100% active matter)
	1,4-Dioxane *	
5.2	Ossido di etilene *	Not detectable (lower than 1 ppm)
	Ethylene oxide *	
5.3	Solventi residui	Based on our actual knowledge of our
	Residual solvents	production process, raw materials and equipment used, no solvent is used in the manufacturing process, only water
5.4	Monomeri residui	Based on information concerning the raw
	Residual monomers	materials, production process and equipment used they are not likely to be present.
5.5	Ammine	Based on information concerning the raw
	Amines	materials, production process and equipment used they are not likely to be present.
5.6	Nitrosammine	Based on information concerning the raw
	Nitrosamines	materials, production process and equipment used they are not likely to be present.
5.7	Metalli pesanti	Arsenic (As) < 2 ppm, Antimony (Sb) < 5 ppm,
	Heavy metals	Lead (Pb) < 1 ppm, Cadmium (Cd) < 2 ppm, Mercury (Hg) < 2 ppm, Nickel (Ni) < 1 ppm, Chromium (Cr) < 2 ppm, Iron (Fe) < 5 ppm, Total heavy metals (as Fe) < 10 ppm
5.8	Acido monocloroacetico	Based on information concerning the raw
	Monochloroacetic acid	materials, production process and equipment used it is not likely to be present.
5.9	Acido dicloroacetico	Based on information concerning the raw
	Dichloroacetic acid	materials, production process and equipment used it is not likely to be present.
5.10	Allergeni	Based on information concerning the raw
	Allergens	materials, production process and equipment used fragrance allergens as of EU Regulation 1223/2009 Annex III, No. 67-92 are not likely to be present. Based on information concerning the raw

		materials, production process and equipment used food allergens as of EU Directive 2000/13/EC (as amended), Annex IIIa and Regulation (EU) 1169/2011, Annex II are not likely to be present except gluten that can't be excluded as product is obtained from it.
5.11	Altri (e.g. CMR) Others (e.g. CMR)	Sodium sulfate: 3% maximum (100% a.m.) Laureth-2 (unsulfated matter): 3% maximum (100% a.m.) Sodium chloride: 1% maximum
		Based on information concerning the raw materials, production process and equipment used CMR substances according to Annex VI of the CLP Regulation (EC) 1272/2008 are: dioxane (CMR2) as impurity technically unavoidable even working in GMP (50 ppm maximum on 100% a.m.)

6.	Tossicologia	
	Toxicology	
6.1	Informazioni sulla tossicità acuta Information on acute toxicity	- LD50 (oral) > 2870 mg/kg bw (from literature, OECD 401, 1986) - LD50 (dermal) ≥ 2000 mg/kg bw (from literature, OECD 402, 2012)
6.2	Informazioni sull'irritazione cutanea Information on skin irritation	Product as it is = Irritant (from literature, OECD 404, 1994)
6.3	Informazioni sull'irritazione oculare Information on irritation of the mucous membrane	Product as it is = Irritant (from literature, OECD 405, 1980)
6.4	Informazioni sulla sensibilizzazione Information on sensitisation potential	Product as it is = Not sensitizing (from literature, OECD 406, 1986)
6.5	Informazioni sulla genotossicità Information on gene toxicity	Negative (from literature, OECD 476, 1995)
6.6	Informazioni sull'assorbimento percutaneo Information on percutaneous permeation	0.2%-2% sol. on rats < 1% (Black, J. Soc. Cosmet. Chem. 30, 157-165, 1979)

Dichiarazione BSE/TSE BSE/TSE statement

6.7	Altri (e.g. NOAEL) Others (e.g. NOAEL)	NOAEL (oral) ≥ 225 mg/kg bw/day (from literature OECD 408, 1986) NOEL (dermal, systematic) ≥ 195 mg/kg bw/day NOEL (dermal, local) = 68 mg/kg bw/day (from literature, OECD 411, 1978)
7.	Ecotossicità Ecology	
7.1	Degradabilità/Eliminazione Degradability/Elimination	Aerobic: readily biodegradable (our test SAM2467-2i dated 04.10.05) Anaerobic: anaerobic biodegradable (Ecolabel DID List)
7.2	Tossicità acquatica acuta Acute aquatic toxicity	- LC50 on Fish = 7.1 mg/l, 96h (literature data, 1994) - EC50 on Daphnia = 7.4 mg/l, 48h (literature data, 1993) - EC50 on Algae = 27.7 mg/l, 72h (literature data, 1993) - NOEC chronic on Fish = 0.14 mg/l, 28d (literature data, 1995) - NOEC chronic on Daphnia = 0.18 mg/l, 21d (literature data, 1977) - NOEC on Algae = 0.95 mg/l, 72h (literature data, 1993)
7.3	Altri Others	/
8.	Informazioni aggiuntive (Per i dettagli sulle specifiche vedere il bollettino tecnico allegato; per i dettagli sull'etichettatura e la classificazione vedere la scheda di sicurezza allegata.) Additional information (For details on specification see enclosed instruction sheet; for details on labelling and classification see enclosed safety data sheet.)	

The product is not from animal origin. Furthermore it doesn't contain any ingredient

of animal origin, it is not produced using ingredients of animal origins and it doesn't come into contact with animal origin

Dichiarazione test animali

Non-animal testing declaration

Glicol eteri, glicoli, alcoli (non dichiarati nei paragrafi precedenti)

Glycol ethers, glycols, alcohols (not declared in previous paragraphs)

Ftalati, DINP (diisononyl phtalate) Phtalates, DINP (diisononil ftalato)

Parabeni Parabens

Fenossietanolo Phenoxyethanol

Formaldeide

Formaldehyde (Formol)

Siliconi Silicons

Glutine Gluten

VOC

VOC compounds

ingredients at any stage of its production. It is therefore BSE/TSE free.

ZSCHIMMER & SCHWARZ ITALIANA has never made or commissioned animal tests on this product for cosmetic purpose.

Based on information concerning the raw materials, production process and equipment used they are not likely to be present.

Based on information concerning the raw materials, production process and equipment used phthalates listed in EU Regulation 1223/2009 Annex II are not likely to be present.

Based on information concerning the raw materials, production process and equipment used they are not likely to be present.

Based on information concerning the raw materials, production process and equipment used it is not likely to be present.

Not added, but in general one has to accept that formaldehyde can be present in lower concentrations in ethoxylated products. Our random tests show values lower than 5 ppm. On the other hand, it is known from the literature that formaldehyde may be formed even out of high purity polyethylene oxide surfactants, if they are stored at temperatures above 8°C and if oxygen out of the air can penetrate into the material. (M. Bergh, K. Magnusson, J. Lars G. Nilsson, A. T. Karlberg, Contact Dermatitis, 1998, 39, 14-20 and M. Donbrow in: Nonionic Surfactants, Physical Chemistry, New York Surf. Sci. Series Vol. 23/1987, p. 1011-1073).

Based on information concerning the raw materials, production process and equipment used they are not likely to be present.

Based on information concerning the raw materials, production process and equipment used it is not likely to be present.

The product doesn't contain any of the substances that are classified as VOC according to "Ordonnance sur taxe d'incitation sur les composes organiques volatils (OCOV) du 12 novembre 1997" or according to Directive 2004/42/EC.

Fitofarmaci
Plant protection products

APEO, cloroparaffine, composti organici alogenati (diclorometano, triclorometano) APEOs, chloroparaffines, AOX (dichloromethane, trichloromethane)

Mercaptani Mercaptanes

Melamine Melamine

Lattosio Lactose

Aflatossine/Micotossine Aflatoxines/Mycotoxines

Lattice Latex

Nitrati e Nitriti Nitrates and Nitrites

Amine aromatiche Aromatic amines

Coloranti azoici Azo dyes

3-Benzilidene Canfora 3-Benzylidene Camphor

Ormoni, antibiotici e steroidi Hormones, antibiotics and steroids

PBT/vPvB PBT/vPvB Based on information concerning the raw materials, production process and equipment used plant protection products are not likely to be present.

Based on information concerning the raw materials, production process and equipment used they are not likely to be present.

Based on information concerning the raw materials, production process and equipment used they are not likely to be present.

Based on information concerning the raw materials, production process and equipment used they are not likely to be present.

Based on information concerning the raw materials, production process and equipment used it is not likely to be present.

Based on information concerning the raw materials, production process and equipment used aflotoxin/mycotoxin are not likely to be present.

The product doesn't contain natural latex and that natural latex is not used/produced in any step of the production process.

Based on information concerning the raw materials, production process and equipment used they are not likely to be present.

Based on information concerning the raw materials, production process and equipment used aromatic amines are not likely to be present.

Based on information concerning the raw materials, production process and equipment used azo dyes are not likely to be present.

Based on information concerning the raw materials, production process and equipment used it is not likely to be present.

Based on information concerning the raw materials, production process and equipment used they are not likely to be present.

Based on information concerning the raw materials, production process and equipment used they are not likely to be present.

	Materiale radioattivo Radioactive material	Based on information concerning the raw materials, production process and equipment used radioactive material is not expected to be present and no irradiation has been used.
	Nanomateriali Nanomaterials	The product doesn't contain any nanomaterials according to the new European Cosmetic Regulation 1223/2009/EC and any nanotechnology is used to produce it
	Idrocarburi Policiclici Aromatici Plycyclic Aromatic Hydrocarbons (HAP)	Based on information concerning the raw materials, production process and equipment used polycyclic aromatic hydrocarbons are not likely to be present
	Grado cosmetico Cosmetic grade	The product is of cosmetic grade and it can be used in cosmetic products. It is according Regulation 1223/2009, its annexes and its further amendments. We are EFfCI GMP certified.
	Certificato Kosher Kosher certificate	Yes
	Convenzione CITES CITES Convention	Not applicable, cultivated vegetable raw materials
8.1	Data di retest Retest date	The product, if well preserved and in its original containers, maintains its appearance and characteristics for at least one year from delivery date. After this time, product can be used but it must be rechecked (pH). Depending on the temperature, the pH value may decrease during storage. However the product quality is not negatively influenced above a pH value of 4.0.
8.2	Stoccaggio Storage recommendation	Store at room temperature (15°C-25°C). Protect from cold and temperature higher than 40°C. Always homogenize before using.

Data / Date 02/11/2020

Queste informazioni si riferiscono solo al prodotto sopramenzionato e non possono essere considerate valide per altri prodotti o in altri processi produttivi. Le informazioni sono corrette e complete secondo le nostre attuali conoscenze e sono date in buona fede ma senza garanzia. E' responsabilità dell'utilizzatore l'assicurarsi che le informazioni siano appropriate e complete per lo specifico uso del prodotto.

This Information refers only to the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his specific use of this product.