

The Timing of Complementary Innovations

Francisco Poggi*

October 16, 2020

Abstract

Resources are not always oriented towards the most socially valuable R&D projects. In the context of complementary innovations, I provide conditions that determine the nature of the efficient dynamic allocation: When there is relatively high uncertainty about the projects' difficulty and high development costs, it is efficient to concentrate the resources and, thus, work on the projects in sequence. Otherwise, it is efficient to work on the projects in parallel. I compare the efficient allocation to a greedy allocation that is the equilibrium outcome with a decentralized, atomistic industry. The decentralized industry achieves efficiency in production when it is efficient to work on the projects in parallel or the projects are symmetric. The decentralized industry might fall in a myopic trap when it is efficient to work on the projects in sequence and the projects are asymmetric.

*Northwestern University, Department of Economics. 2211 Campus Drive, Evanston, IL 60208, USA. fpoggi@northwestern.edu. I want to thank Jeff Ely, Bruno Strulovici, and Wojciech Olszewski for insightful comments and guidance. I'm also grateful to Eddie Dekel, Yingni Guo, Alessandro Pavan, Ludvig Sinander, Quitze Valenzuela-Stokey, Asher Wolinsky and Gabriel Ziegler for comments and suggestions, as well to seminar participants at Northwestern University. All errors are my own. fpoggi@u.northwestern.edu. If you are reading this on an electronic device, click [here](#) for the latest version.

1 Introduction

One of the goals of patent laws and other innovation policies is to orient scarce resources toward the most socially valuable R&D projects. The value of an innovation, however, might be tied to the outcome of other developments. To illustrate this, take the case of hardware and software: The first classical computer algorithm was written in 1843,¹ while the first computer capable of running said algorithm was developed in the 1930s. Shor’s quantum algorithm, a method to solve integer factorization problems in polynomial time, was written in 1994, four years before the first quantum computer prototype was developed. Today, start-ups and established companies invest hundreds of millions of dollars to develop quantum software that can only be implemented with hardware that does not yet exist,² and it is not clear that it ever will. What determines the timing in which complementary innovations are developed?

For some complementary innovations the timing is dictated by a natural and exogenous order in which the developments should succeed each other.³ For other innovations there is no natural order, so the timing is determined by the endogenous allocation of research and development resources. The main concern of this paper is how are resources endogenously assigned to complementary R&D projects. In particular, we ask how the environment (level of competition, patent rights, etc) affects the allocation of resources to the development of complementary innovations and whether the allocation is efficient.

An object that is central in determining the allocation of resources is the evolution of beliefs about the potential of the developments. R&D projects

¹By first classical computer algorithm I mean an algorithm written for a classical computer, that has no value given human computing power.

²The highest integer that has been factorized using Shor’s algorithm is $21 = 7 \times 3$.

³No one was working on the can opener before the invention of the can — the can opener was invented decades after the can became popular. This order is natural since the problems are very much related, and a can opener cannot be invented without the specifications of the can.

conducted by industry, government, and other research institutions usually carry high levels of uncertainty, both in terms of outcomes — the project may turn out to be successful or not — and in terms of costs — how much time and resources will be needed to complete the development. Moreover, failure in the developmental stage might depress optimism about the feasibility and difficulty of each project.⁴

This paper presents a tractable model that features the main aspects of the R&D process. An agent allocates a unit of attention over a set of projects at each point in time. Success for each project i arrive discretely in the form of a breakthrough. In particular a success arrives when the total amount of attention paid to a project reaches a certain level τ_i . The agent observes the successes but does not know τ_i .

The first part of this paper studies the *efficient* way to sequentially allocate attention to complementary R&D projects given the social value of innovations, which is realized when the development stage ends and is supermodular on the subset of the innovations that is successfully developed by that time. The cost of development takes the form of a constant flow throughout the development stage.

Starting with the simplest case in which there are two complements, A and B we ask: How should society assign the resources? Should they all be allocated to A and then be switched to B if and only A is successful? Or should both A and B be developed in parallel? Moreover, when should a project be abandoned or put on hold? A simplifying feature is that with two complements having a success makes it more attractive to keep paying attention to the second. Proposition 1 shows that for two complements all that matters is how much to invest before abandoning for each subset of completed projects.

These results can be used to study in detail the case where the rate of

⁴There are two mechanisms that can explain this phenomenon. The first one is *selection*: the most promising ideas are tested first. The second reason is *learning*: Failures signal that the project was more challenging than anticipated.

success λ_i is constant over time but unknown. The beliefs about λ_i evolve with the outcomes of the process of development. In particular, the lack of success is evidence in favor of λ_i being relatively low, or in other words ‘the project i being relatively more challenging’. The λ s are independent across projects, so working on a project does not affect the beliefs about the success rate of the others.

When there is certainty about how many resources each of the projects require, the order in which the projects are developed is irrelevant. Say that two lab-years are required to develop A and one lab-year to develop B . The question of whether the projects are worth pursuing is straightforward: simply compare the expected value of a joint success with the sum of costs associated with each development (3 lab-years). The same is true when the rate of success is constant and known.⁵ In contrast, with uncertainty about the success rate, the order of development is relevant since it affects the arrival of information about the unknown parameters. Moreover, failure to develop A not only reduces the prospect of ever completing A , but also decreases the expected returns from completing B . The problem can therefore be thought as a *restless multi-armed bandit*, for which there is no general index rule that governs the optimal dynamic strategy.

Now assume that project A is of uncertain feasibility, i.e. the success rate is either zero or λ_A , and project B has a known success rate λ_B . In this case, it is efficient to first work on project A : there is no learning by working on B , so there is no efficiency loss in back-loading all development of B . Front-loading the development of A increases the speed of learning, which is valuable because of the option given by the stopping decision. In the more general setting, the intuition from this example also applies: the efficient timing of development reflects the optimal learning process about the potential of the joint project. The main result of the paper is Proposition 2: For two

⁵If the process of development is memoryless (e.g. if there is a constant probability of success every day for each project, 1/730 for A and 1/365 for B) then we are in a situation similar to the one with certainty.

projects that are perfect complements, the nature of the efficient allocation of resources depends on the uncertainty about the projects' difficulty and the flow cost of development. For projects with high uncertainty and high costs, it is efficient to concentrate all resources in one of the projects. The projects are developed in sequence where the more uncertain the project, the earlier in the sequence it should be developed. For projects with low uncertainty and low costs, it is efficient to split the resources following a simple greedy strategy. In the case of symmetric projects, the greedy strategy splits resources equally at all times until either one the projects succeeds or the projects are abandoned.

The second part of the paper introduces private allocation. The allocation of private R&D resources depends on several factors: who assigns these resources, the appropriability of the innovations — which is in turn determined by the legal and patent system — and on how informed the agents are about successes. Section 4 analyzes two extreme cases of private allocation: centralized or decentralized industry.

With a centralized industry all resources are controlled by a forward-looking agent. The centralized industry will develop inefficiently. The differences with the efficient allocation, however, only come from the discrepancy between the social value and the value that can be appropriated by the innovator.⁶ On top of the classical under/over investment, there are allocation inefficiencies: it might be optimal for society to develop the projects in sequence while the centralized industry develops them in parallel or vice versa. Section 4.1 analyzes the characteristics of the joint distributions of project successes that can be implemented by choosing the proportion of social value appropriated by the centralized innovator.

A decentralized industry consists of n agents, each of who controls an equal portion of the total unit of resource available at each moment of time.

⁶The two main effect governing this difference are called the appropriability effect (firms cannot capture all value generated by the innovation) and the business stealing effect (even marginal innovations might increase the market share of the innovator substantially).

The agents don't consider the informational externalities that their actions generate and in the limit, resources are always allocated to the project with higher myopic expected returns.

The greedy allocation is therefore the equilibrium allocation. Thus, when uncertainty and costs are low, the decentralized industry achieves efficiency in production. When costs and uncertainty are high, the industry might fall into a myopic trap. Corollary 2 shows that this only happens when the projects are asymmetric.

1.1 Related Literature

Main contribution is to the literature that studies research and development, and in particular complementary innovations. [Scotchmer and Green \[1990\]](#) and [Ménière \[2008\]](#) asks what is the optimal inventive requirements for a patent in the context of complementary innovations. [Biagi and Denicolò \[2014\]](#) study the optimal division of profits with complementary innovations. [Fershtman and Kamien \[1992\]](#) study the effects of cross licensing in the incentives to innovate. In these papers there is no learning in the developing stage, since successes arrives at an exponential time (arrival distribution is memoryless). A particular type of complementary innovations is the Sequential Developments or cumulative innovation e.g. in [Gilbert and Katz \[2011\]](#) and [Green and Scotchmer \[1995\]](#). The closes paper is [Bryan and Lemus \[2017\]](#). Main difference is that there is no learning in the development process.

Dynamic information Acquisition from multiple sources. Recent papers that study optimal exploration with substitutes. With Poisson information structure, [Nikandrova and Pans \[2018\]](#) studies the case of independent objects while [Che and Mierendorff \[2017\]](#) studies substitutes that are negatively correlated. [Mayskaya \[2019\]](#) also studies Poisson processes with more general dependencies and payoff function. [Ke and Villas-boas \[2019\]](#) study a similar situation to [Nikandrova and Pans \[2018\]](#) but information comes through a Brownian Process. Although this paper is not about information acquisition, we could reformulate it in that way. [Liang et al. \[2018\]](#) asks the question of

when is it optimal for a decision maker to acquire information in a myopic way. Liang and Mu [2020] compare efficient information acquisition versus what results from the choices of short-lived agents who do not internalize the externalities of their actions.

The reminder of the paper is as follows. Section 2 introduces the general model. Section 3 presents the main results with respect to the efficient allocation. Section 4 the inefficiencies generated by the private allocation of resources. Section 5 concludes.

2 Set up

An agent is supposed to work on a finite set of projects $K := \{1, 2, \dots, k\}$. The agent must decide when to stop the research activity, and before that in which way to allocate her *attention* across the various projects. Each instant before stopping, the agent allocates a unit of attention across the projects $\sum_{i \in K} \alpha_i(t) \leq 1$ for all $t \geq 0$.

Each project is completed if the cumulative attention paid to it reaches a certain amount τ_i . Project completion is observable but τ_i is unknown. The times of completion are independent across projects, with cdfs F_i .

When the agent stops, she gets a payoff $q(S)$ where $S \subseteq K$ is the set of projects that were completed.

Assumption 1. $q(\emptyset) = 0$, $q(K) = 1$ and q is increasing in the inclusion order, i.e. $q(T) \leq q(S)$ for all $T \subseteq S$.

The more interesting case concerns complementary projects.

Definition 1. The projects of a set K are complements if the function q is supermodular, that is,

$$q(S \cup T) - q(S) \geq q(T) - q(S \cap T) \quad \forall S, T \subseteq K.$$

The projects are perfect complements if $q(S) = 0$ for all $S \subsetneq K$.

One can also define substitutes by requiring the function q to be submodular, and perfect substitutes by the property that $q(S) = 1$ for all $S \neq \emptyset$.

Working on the projects is costly. We assume a constant flow cost of c during the development stage, that is independent on which project the agent works on.⁷ There is no discounting. The payoff of an agent that stops at time T and completed projects S by that time is $q(S) - c \cdot T$. The agent is an expected-payoff maximizer.

Strategies

The agent is allowed to work on several projects at the same time. More specifically, denote by $x_k(t) := \int_0^t \alpha_i(t) dt$ the amount of attention that the agent spent on project k up to time t . At time t the agent chooses $x'_k(t)$, the fraction of attention that the agent will pay to project k on that time. The agent must satisfy the constraint that $x'_1(t) + \dots + x'_n(t) \leq 1$ for all t before the stopping decision.

A *strategy* is a map from the set of histories to the attention vector. Given the independence assumption, the timing at which a project is completed does not say anything about the difficulty of the remaining projects. A *stationary strategy* only looks at the cumulative attention and the set of completed projects (it does not depend on the order in which attention was allocated so far, nor the timing of the projects' successes).

Definition 2. A stationary strategy is a function $x' : 2^K \times R_+^k \rightarrow [0, 1]^k$ such that

$$\sum_{i \in K} x'_i(S, x) \leq 1 \quad \forall x \in R_+^k \quad \forall S \subseteq K.$$

Let X' be the set of stationary strategies.

A strategy consists on a vector field for each subset of developments.

⁷This assumption is innocuous since we can normalize the time unit for different projects, by changing the distribution of τ , so that the cost is the same for all projects.

3 Optimal Allocation

The problem of the decision maker is to choose a strategy to maximize their expected payoff. Given the assumptions, we can focus on stationary strategies. Start with a initial state (S, x_0) , a strategy x' and a vector $\tau \in \mathbb{R}_+^k$ of realized project completion requirements. There is a deterministic stopping time $T(x', \tau)$ and set of completed tasks $S(x', \tau)$. The allocation problem is:

$$V(S, x_0) = \max_{x' \in \mathcal{X}'} \int q(S(x', \tau)) - c \cdot T(x', \tau) dF(\tau | (S, x_0))$$

3.1 Benchmark: constant rate of success

Consider the case where the rate of completion is constant, i.e. where $F_i(x) = 1 - e^{-\lambda_i x}$. In this case, if a project is worth pursuing, then it must be worth completing. Moreover, this implies that the order of allocation is payoff irrelevant.

The problem can be reinterpreted as:

$$\max_{S \in 2^K} q(S) - c \sum_{i \in S} \lambda_i^{-1}$$

3.2 Learning

When completing a project induces the agent to work more on all the remaining ones, the order in which the agent works on the projects is irrelevant modulo the cumulative work at the stopping points.

For any strategy x' and initial state (S, x_0) , there is a *trajectory* $y_S : \mathbb{R}_+ \times \mathbb{R}^k \rightarrow \bar{\mathbb{R}}^k$ that is the (unique) solution to the differential equations $\nabla y_S(t, x_0) = x'(S, y_S(t, x_0))$ and $y_S(0, x_0) = x_0$. We will refer to $Y(S, x_0) = \lim_{t \rightarrow \infty} y_S(t, x_0)$ as the abandonment point of the strategy given an initial state (S, x_0) .

Definition 3. *A strategy has increasing abandonment points if*

$$Y(S, x_0) \leq Y(\hat{S}, x_0) \text{ for all } S \subseteq \hat{S}.$$

Definition 4. Two strategies x', \tilde{x}' have the same abandonment points if for each initial state, the abandonment point is the same for both strategies.

Lemma 1. If two strategies x', \tilde{x}' have the same abandonment points, and these abandonment points are increasing then the two strategies have the same expected payoff.

Proof. in the Appendix A.1 □

The intuition for Lemma 1 is the following: if the abandonment is increasing, then the current abandonment point is the least attention you are willing to put on the remaining projects by the end of the day. Since the attention it is going to be paid eventually, the order in which the agent does it is not gonna determine the outcome.

Proposition 1. Consider $k = 2$. Any strategy that has the same abandonment points than an optimal strategy x' is also optimal if and only if the projects in K are complements.

Proof. in the Appendix A.2. K complements is not sufficient for the claim with $k > 2$. A counterexample can be found in Appendix C.2. □

Proposition 1 implies that for complements, and only for complements, it is possible to focus on finding the optimal abandonment points.

There are two class of stationary strategies that we are going to be interested in, as the candidates for the solution will sometimes belong to one of these classes. The first one is the family of strategies that always maximizes the expected value increment in each period.

Let $h_i : \mathbb{R}_+ \rightarrow \mathbb{R}_+$ be the completion rate of task i , $h_i = F'_i / (1 - F_i)$.

Definition 5. A stationary strategy x' is greedy if for every state (S, x_0) ,

$$x'_i(S, x_0) > 0 \quad \Rightarrow \quad \begin{cases} i \in \arg \max_j h_j(x_0) \cdot [V(S \cup \{j\}, x_0) - V(S, x_0)] \\ h_i(x_0) \cdot [V(S \cup \{i\}, x_0) - V(S, x_0)] \geq c \end{cases}$$

The second family of stationary strategies concentrates all the resources in one of the projects, and only switches projects after a success.

Definition 6. A stationary strategy x' works on the projects in sequence if for every state (S, x_0) there exists a project i such that

$$Y_j(S, x_0) - x_{0,j} = 0 \quad \forall j \in K \setminus i$$

3.3 Two perfect complements

In this section, we capture the main features of the model in the simplest possible case. Consider two perfect complements. Moreover, $F_i = 1 - p_i e^{-\lambda_i^H} - (1 - p_i) e^{-\lambda_i^L}$. The interpretation is that each project has a constant completion rate per unit of attention λ_i , unknown to the agent. The agent knows that the rate takes one of two possible values, $\lambda_i \in \{\lambda_L^i, \lambda_H^i\}$ and the rates are independent, with $\Pr(\lambda_i = \lambda_H^i) = p_i$. As attention is allocated to each project and these are not completed, the agent becomes more pessimistic about its difficulty.

The next proposition tell us that the nature of the optimal strategy depends on measure that is increasing in the normalized cost and the uncertainty about the underlying success rate.

Proposition 2. Let $g_i := 2 \frac{c}{\lambda_i} + \frac{1}{4} \left(\frac{\delta_i}{\lambda_i} \right)^2$, where $\delta_i := \lambda_i^H - \lambda_i^L$ and $\bar{\lambda}_i := 0.5(\lambda_i^H + \lambda_i^L)$.

- If $g_i > 1$ for both projects, then it is optimal to work on them in sequence.
- If $g_i < 1$ for both projects, then the greedy strategy is optimal. For symmetric projects $F_A = F_B$, the greedy strategy consists on splitting the resources equally.

Proof. in the Appendix A.3. Extra conditions for the case where $g_A < 1 < g_B$ can be found in Appendix B.1. \square

The result says that it is optimal to concentrate the resources (and therefore work in sequence) when the cost of development is sufficiently high, or

the difference between the high and low rates is sufficiently large for both projects. The intuition is that in this case, having a single project that is difficult is sufficiently bad to abandon the project, so by concentrating the resources the agent gets to learn fast if this is the case. In the cost of development is sufficiently low, or the difference between the high and low rates is low for both projects, then it is optimal to work on the project simultaneously. In this case, having a single project that is difficult is not sufficient to stop.

How can formalize this intuition? We can interpret the result in terms of optimal information acquisition. Consider symmetric λ s. There are four possible states. For the decision problem to be interesting it must be that the agent wants to work on the projects if he knew that both are easy, and he does not want to work on the projects when both of them are hard.

Suppose that the agent would be willing to work on the projects if he knew that one was difficult and the other one easy. Then the partition of the state space that is relevant for decision making is whether there is an easy task (continue) or not (abandon).

The probability of the event ‘at least one of the tasks is easy’ is $p^\wedge = p_A + p_B - p_A \cdot p_B$. By working on project i for a period dt and not succeeding, the change in p is

$$dp^\wedge = -p_i(1 - p_i)(1 - p_j)\delta dt$$

The fastest way to learn about the relevant state is to work on the task with highest probability of success, and therefore to work on the projects simultaneously.

If the agent does not want to work when one of the tasks is hard and the other one is easy, the relevant state is whether there is a hard task or not. There is no hard task with probability $p^\vee = p_A \cdot p_B$. By working on project i for a period dt and not succeeding the change in p^\vee is

$$dp^\vee = -p_i p_j(1 - p_i)\delta dt$$

The fastest way to learn about the relevant state is to work on the task

with lowest probability of success, and therefore to work on the projects in sequence.

When does the agent want to continue working when one of the tasks is difficult and the other one is easy? When

$$g = \frac{c}{\lambda^L} + \frac{c}{\lambda^H} < 1$$

4 Private allocation

4.1 Centralized industry

4.2 Decentralized industry

In this section we consider the case of multiple agents, each of who decides how to allocate an equal portion of the total resource. Let n be the number of agents in the economy, and N be the set of agents.

Definition 7. A stationary strategy for agent i is a function $x'_i : N^K \times R_+^k \rightarrow [0, 1/n]^k$ such that

$$\sum_{k \in K} x'_{i,k}(\mathbf{S}, x) \leq 1/n \quad \forall x \in R_+^k \quad \forall \mathbf{S} \in N^K.$$

What is the payoff for each agent? We assume that there is a function $q : N^K \rightarrow [0, 1]$

Definition 8. An equilibrium is a strategy profile such that the expected payoff for each agent is maximized given the strategy of rest.

Lemma 2. There is an \bar{n} such that for $n > \bar{n}$ the greedy strategy is the only equilibrium.

Proof. in the Appendix A.4. □

Patent races might introduce distortions. Given Lemma 2, we are going to say that there is a *race effect* when the greedy strategy is not optimal.

Two perfect complements

We can apply the results from Proposition 2 to derive sufficient conditions under which there is no race effect, i.e. the industry achieves an efficient allocation of resources. We are going to consider the most extreme version of the

Corollary 1. *If $g_i > 1$ for $i = A, B$, there is no race effect.*

Proof. This is an immediate application of Proposition 2 where we showed that for this case the greedy strategy was optimal. \square

When

Corollary 2. *If $\lambda_A^L = \lambda_B^L$ and $\lambda_A^H = \lambda_B^H$ there is no race effect.*

Proof. The only remaining case is where $g_A = g_B < 1$. In this case it is efficient to work on the projects. \square

5 Conclusion

Innovation is one of the main determinants of long-term economic growth and an important part of innovation is carried away by the private sector. The timing of innovation is partly determined by the investment decisions of agents whose objectives are typically misaligned from the social welfare.

Complementary innovations, which are of central and growing importance in industries such as telecommunications and bioengineering, generate investment dynamics that are different than for substitutes. In particular, the allocation of resources is not biased towards the easy and fast component in detriment of the hard but cost-effective one.

Bibliography

- Biagi, A. and V. Denicolò (2014). Timing of discovery and the division of profit with complementary innovations. *Journal of Economics and Management Strategy* 23(1), 89–102.
- Bryan, K. A. and J. Lemus (2017). The direction of innovation. *Journal of Economic Theory* 172, 247–272.
- Che, Y.-k. and K. Mierendorff (2017). Optimal Sequential Decision with Limited Attention.
- Fershtman, C. and M. I. Kamien (1992). Cross licensing of complementary technologies. *International Journal of Industrial Organization* 10(3), 329–348.
- Gilbert, R. J. and M. L. Katz (2011). Efficient division of profits from complementary innovations. *International Journal of Industrial Organization* 29(4), 443–454.
- Green, J. R. and S. Scotchmer (1995). On the Division of Profit in Sequential Innovation. *RAND Journal of Economics* 26(1), 20–33.
- Ke, T. T. and J. M. Villas-boas (2019). Optimal learning before choice. *Journal of Economic Theory* 180, 383–437.
- Liang, A. and X. Mu (2020). Complementary Information and Learning Traps. *The Quarterly Journal of Economics* 135(1), 389–448.
- Liang, A., M. U. Xiaosheng, and V. Syrgkanis (2018). Optimal and myopic information acquisition. *ACM EC 2018 - Proceedings of the 2018 ACM Conference on Economics and Computation*, 45–46.
- Mayskaya, T. (2019). Dynamic Choice of Information Sources. *SSRN Electronic Journal*, 1–50.

- Ménière, Y. (2008). Patent law and complementary innovations. *European Economic Review* 52(7), 1125–1139.
- Nikandrova, A. and R. Páncs (2018). Dynamic project selection. *Theoretical Economics* 13(1), 115–143.
- Scotchmer, S. and J. Green (1990). Novelty and Disclosure in Patent Law. *RAND Journal of Economics* 21(1), 131–146.

A Omitted proofs

A.1 Proof of Lemma 1

Proof. The proof works by induction. The proof trivially holds for $k = 1$. Assume that it holds for $k = 1, 2, \dots, n - 1$, we want to show that it holds for $k = n$.

Consider a strategy x' and an abandonment point $Y(\emptyset, x_0)$. For each set $S \neq \emptyset$, the continuation problem is analogous to one with less than n projects, so the lemma holds. So there is a unique continuation value $v(S, x_0)$.

Since any strategy gives the same payoff, for any $S \neq \emptyset$ we can pick a strategy such that $\tilde{x}'(S, x) = x'(\emptyset, x)$ for all x with $x'(\emptyset, x) \neq 0$. We can do this since $Y(S, x_0) \geq Y(\emptyset, x_0)$. The new strategy has the same expected value than the original.

Fix a realization of the success times $\tau \in \mathbb{R}_+^k$. Let $\bar{S} = \{i \in K : \tau_i < Y(\emptyset, x_0)\}$.

$$v(\bar{S}, Y(\emptyset, x_0)) - c \sum_{i \in \bar{S}} \tau_i - c \sum_{i \notin \bar{S}} Y_i(\emptyset, x_0)$$

This payoff only depends on x' through the abandonment point. Taking expectation over the realization of τ completes the proof. \square

A.2 Proof of Proposition 1

(\Leftarrow) We want to show that q supermodular implies that any strategy that has the same abandonment points than an optimal strategy is also optimal.

Lemma 3. *For two complements, any optimal strategy has increasing abandonment points.*

Proof. We want to prove that $Y_i(j, x_0) \geq Y_i(\emptyset, x_0)$. By supermodularity of q , if it is optimal to work on project i when it is not clear if j is going to be completed or not, it must be optimal to work on i when j was already completed. \square

Using Lemma 1, any strategy that has the same abandonment points than x' is gonna get the same expected payoff and therefore be optimal.

(\Rightarrow) : We prove by contrapositive. If q is *not* supermodular, there is a distribution $\mu \in \Delta(\mathbb{R}_+^2)$ such that $Y_i(j, x_0) < Y_i(\emptyset, x_0)$.

Proof. Since q is not supermodular, $q(\{i\}) > 1 - q(\{j\})$. Let $F_i = 1 - e^{-\lambda_i x}$ with λ_i such that

$$q(\{i\}) > \frac{c}{\lambda} > 1 - q(\{j\})$$

and let j never succeed, i.e. $F_j = 0$. Rearranging we have that

$$\lambda q(\{i\}) - c > 0 > \lambda(1 - q(\{j\})) - c$$

What implies that for any x_0 , $Y_i(\emptyset, x_0) = \infty$ and $Y_i(\{j\}, x_0) = x_0$. \square

A.3 Proof of Proposition 2

Let δ_i be $\lambda_L^i - \lambda_H^i$. Using Bayes' rule, the beliefs $p_i(t)$ evolve

$$p_i(t) = \frac{p_i e^{-\delta_i t}}{(1 - p_i) + p_i e^{-\delta_i t}}$$

As the agent becomes more pessimistic, the subjective hazard rate $h_i(t)$ becomes lower.

$$h_i(t) = \lambda_L^i + p_i(t)\delta_i$$

Lemma 4. h_i/v_i is monotone. Moreover, $\text{sgn}((h_i/v_i)') = \text{sgn}(g_i - 1)$.

Proof. First we show that the monotonicity of h/v depends on whether the value v is higher or lower than an expression R .

$$\begin{aligned}
\text{sgn}((h_i/v_i)') &= \text{sgn}(h'_i v_i - h_i v'_i) \\
&= \text{sgn}(h'_i v_i - h_i(c - h_i(1 - v_i))) \\
&= \text{sgn}\left(\underbrace{\frac{h_i(h_i - c)}{h_i^2 + h'_i}}_{R(t)} - v_i\right)
\end{aligned}$$

Change of variables. In belief space, the concavity of R is determined by whether g_i is larger or lower than one.

$$\begin{aligned}
\hat{R}'(p) &= \frac{2\delta^2 \lambda_L \lambda_H (\lambda_L \lambda_H - c(\lambda_L + \lambda_H))}{(\lambda_L^2 + p\delta(\lambda_L + \lambda_H))^3} \\
&= M(g - 1)
\end{aligned}$$

Now we consider two cases: $\lambda_L < c$ and $\lambda_L \geq c$.

Case I: $\lambda_L \geq c$ In this case, the agent would never stop. The value is linear in the beliefs.

$$v(p) = 1 - p \frac{c}{\lambda_H} - (1 - p) \frac{c}{\lambda_L}$$

Since $v(0) = R(0)$ and $v(1) = R(1)$,

$$g > 1 \quad \Leftrightarrow \quad v(p) < R(p) \quad \forall p \in (0, 1)$$

Case II: $\lambda_L < c$ In this case, the agent abandons if sufficient time passes with no success. v is convex (information is valuable) and R is concave:

$$\lambda_L < c \quad \Rightarrow \quad \frac{\lambda_H}{\lambda_L + \lambda_H} \lambda_L < c \quad \Leftrightarrow \quad g_i > 1$$

Since $v(1) = R(1)$ and $v(\hat{p}) = R(\hat{p})$ where \hat{p} is the stopping belief.

$$v(p) < R(p) \quad \text{for any } p \in (\hat{p}, 1)$$

□

Lemma 5. *If h_i/v_i is strictly increasing for $i = A, B$, it is optimal to work on the projects in sequence.*

Proof. Consider a point (x_A, x_B) where $h_A(x_A)/v_A(x_A) = h_B(x_B)/v_B(x_B)$. First we show that $\frac{\partial \frac{h_A(x_A)}{v_A(x_A)}}{\partial x_A} + \frac{\partial \frac{h_B(x_B)}{v_B(x_B)}}{\partial x_B} > 0$ implies $g_A(x_A) \cdot g_B(x_B) < 1$.

$$\frac{h'_A v_A - h_A v'_A}{v_A^2} + \frac{h'_B v_B - h_B v'_B}{v_B^2} > 0 \quad \forall (x_A, x_B) : \frac{h_A}{v_A} = \frac{h_B}{v_B}$$

$$\frac{h_A v'_A}{v_A^2} \left(\frac{h'_A v_A}{h_A v'_A} - 1 \right) + \frac{h_B v'_B}{v_B^2} \left(\frac{h'_B v_B}{h_B v'_B} - 1 \right) > 0 \quad \forall (x_A, x_B) : \frac{h_A}{v_A} = \frac{h_B}{v_B} \quad (1)$$

But for all (x_A, x_B) such that $h_A v_B = h_B v_A = c$,

$$\frac{h_A v'_A}{v_A^2} = \frac{h_B v'_A}{v_B v_A} = \frac{h_A v'_B}{v_A v_B} = \frac{h_B v'_B}{v_B^2}$$

Where the first and last equality use $h_A/v_A = h_B/v_B$ and the intermediate one uses that $h_B v'_A = h_B(c - h_A(1 - v_A)) = -h_B h_A(1 - v_A - v_B)$ (since $c = h_A v_B$) and equal to $h_A v'_B$ by symmetry. So going back to Equation (1),

$$\frac{h_A v'_A}{v_A^2} \left[\left(\frac{h'_A v_A}{h_A v'_A} - 1 \right) + \left(\frac{h'_B v_B}{h_B v'_B} - 1 \right) \right] > 0 \quad \forall (x_A, x_B) : h_A v_B = h_B v_A = c \quad (2)$$

$$\left[\frac{h'_A v_A}{h_A v'_A} + \frac{h'_B v_B}{h_B v'_B} \right] < 2 \quad \forall (x_A, x_B) : h_A v_B = h_B v_A = c \quad (3)$$

And the sum of two positive numbers being less than two implies that the product is less than one.

$$\frac{h'_A v_A}{h_A v'_A} \cdot \frac{h'_B v_B}{h_B v'_B} < 1 \quad \forall (x_A, x_B) : h_A v_B = h_B v_A = c \quad (4)$$

Which implies that no interior point is optimal by ??.

□

Lemma 6. *If h_i/v_i is strictly decreasing for $i = A, B$, the greedy strategy is optimal.*

Proof. h_i/v_i decreasing is equivalent to $h'v - hv' < 0$ or $g_i(x_i) > 1$ for all $x_i \in [0, \bar{t}_i]$. So h_i/v_i decreasing for both tasks implies $g_A(x_A) \cdot g_B(x_B) > 1$ for all $\mathbf{x} < \bar{\mathbf{t}}$. Since \bar{G}_A and \bar{G}_B are in the box, every intersection point $\mathbf{x} \in \bar{G}_A \cap \bar{G}_B$ is a crossing like the one in ??, what implies that there is at most one crossing and, moreover, if there is a crossing, then S must be empty. \square

A.4 Proof of Lemma 2

Proof. \square

B non-comonotonic hazard-to-value ratio

B.1 One h/v increasing and one decreasing

Proposition 3. *If the horizontal sum of the two h/v is increasing, then it is optimal to develop in sequence.*

Proof. Consider $q(y) := (h_A/v_A)^{-1}(y) + (h_B/v_B)^{-1}(y)$ decreasing for all $y \in R := (h_A/v_A)([0, \bar{t})) \cap (h_B/v_B)([0, \bar{t}))$. Taking the derivative this implies that

$$\frac{1}{(h_A/v_A)'((h_A/v_A)^{-1}(y))} + \frac{1}{(h_B/v_B)'((h_B/v_B)^{-1}(y))} < 0 \quad \forall y \in R \quad (5)$$

$$\frac{(h_A/v_A)'((h_A/v_A)^{-1}(y)) + (h_B/v_B)'((h_B/v_B)^{-1}(y))}{(h_A/v_A)'((h_A/v_A)^{-1}(y)) \cdot (h_B/v_B)'((h_B/v_B)^{-1}(y))} < 0 \quad \forall y \in R \quad (6)$$

$$(h_A/v_A)'((h_A/v_A)^{-1}(y)) + (h_B/v_B)'((h_B/v_B)^{-1}(y)) > 0 \quad \forall y \in R \quad (7)$$

Or, in other words: $\frac{\partial \frac{h_A(x_A)}{v_A(x_A)}}{\partial x_A} + \frac{\partial \frac{h_B(x_B)}{v_A(x_B)}}{\partial x_B} > 0$ for all points (x_A, x_B) with $h_A(x_A)/v_A(x_B) = h_B(x_B)/v_B(x_B)$. We can use the same logic for the previous part to rule out any interior candidate. \square

This shows that if the

B.2 Bounds on the sum of values at the stopping point

Lemma 7. *At any efficient stopping point, the sum of values left has to be less than one.*

Proof.

$$\begin{aligned} v'_A < 0 & \Rightarrow c - h_A(1 - v_A) < 0 \\ & \Rightarrow h_A v_B - h_A(1 - v_A) < 0 \\ & \Rightarrow v_A + v_B < 1 \end{aligned}$$

Where the second implication uses the fact that at an stopping point $c \geq h_A \cdot v_B$. \square

Proof. If there is a fixed appropriability of value α

$$\begin{aligned} v'_A < 0 & \Rightarrow c - h_A(1 - v_A) < 0 \\ & \Rightarrow h_A \alpha v_B - h_A(1 - v_A) < 0 \\ & \Rightarrow v_A + \alpha v_B < 1 \end{aligned}$$

Symmetrically, $\alpha v_A + v_B < 1$. Hence,

$$v_A + v_B < \frac{2}{1 - \alpha}$$

\square

C Extensions

C.1 Imperfect complements

$\lambda_L > c/(1-q)$ then the agent would never stop. The value is independent of q and linear. The monotonicity of h/v is equivalent to the case where $q = 0$.

Consider now $\lambda_L \in (c, c/(1-q))$. There is a belief at which the agent stops.

$$\hat{p} = \frac{c/(1-q) - \lambda_L}{\delta}$$

If $R(\hat{p}) > v(\hat{p}) = q$ and R is concave, h/v is increasing.

$$R(\hat{p}) > q$$

$$\frac{c^2 q}{(1-q)[c(\lambda_L + \lambda_H) - (1-q)\lambda_L \lambda_H]} > q$$

Interesting case: $[c(\lambda_L + \lambda_H) - (1-q)\lambda_L \lambda_H] > 0$.

$$\left(\frac{c}{(1-q)}\right)^2 \geq \frac{c}{(1-q)}(\lambda_L + \lambda_H) - \lambda_L \lambda_H$$

$$\frac{c}{(1-q)} \left(\frac{c}{(1-q)} - \lambda_L\right) \geq \lambda_H \left(\frac{c}{(1-q)} - \lambda_L\right)$$

$$\frac{c}{(1-q)} \geq \lambda_H$$

But if this is the case, then the agent does not wish to work on the development even when sure that it is relatively easy.

C.2 Supermodularity not sufficient for Lemma 1 with

$$k > 2$$

That q supermodular implies increasing abandonment points does not hold in general for $k > 2$. Here is a counterexample:

Let $K = \{A, B, C\}$. Suppose $q(\{A, B\}) = \gamma < q(\{A, B, C\}) = 1$. $q(S) = 0$ for any subset. And suppose C is either feasible or infeasible, and that you can learn instantly about it. $\lambda_L^C = 0, \lambda_H^C = \infty$. The optimal strategy is to learn about C , and then doing the optimal thing for A and B (that might be different depending on whether C is completed or not).

In the case where

$$c < \frac{\lambda_L \lambda_H}{\lambda_L + \lambda_H} < \frac{c}{\gamma}$$

then by results when C is completed it is optimal to work simultaneously, $Y_i(\{C\}, 0) > 0$ for $i = A, B$. But when C fails, it is optimal to work in sequence, so $Y_i(\emptyset, 0) = 0$ for $i \in \{A, B\}$.