CS 279 Assignment 2: Conduct an Experiment Part 1: Implementation

Miriam Cha and Melih Elibol September 16, 2014

Webpage URL

www.blah.com

Log Description

Our logs are cool

ID	Interface	Trial	Tab switch	selection time	# of incorrect clicks	# of Total clicks
3234	ribbon	1	same	1.42	0	1
3234	ribbon	2	same	1.23	0	1

ID	Interface	Mental	Physical	Temporal	Hard	Frustration
		Demand	Demand	Demand	Work	
3234	Ribbon	3	2	2	4	2
3234	CM	2	1	2	2	1

ID	preference
3234	CM

Table 1: Examples of our log entries

Design Characterization

• Independent variables: Interface

• Dependent variables:

Selection time, error rate, NASA-TLX measures (mental demand, physical demand, temporal demand, hard work, frustration), preference (Ribbon vs. CommandMaps)

• Control variables:

User's familiarity in MS Word 2007, resolution, computer specs, screen size

• Random variables:

Weather, temperature in the room, vision power of a participant, reaction rate of a participant, noise level, usual versions of MS Word that a participant uses

• Design modification:

- Design modifications from what's described in the paper: Number and gender partitions of participants; computer specifications; screen size
- Design choices that weren't clear in the paper that we had to figure out on your own: Methods of pointing (mouse, trackball, touchpad, joystick?); Mouse acceleration; Display of time; Presentation methods of instruction ("as quickly and accurately as possible"); Audible deep sound; Definition of error rate (CMs inherently has a smaller number of TOTAL clicks if we include 'tab click' into 'total click.' In Ribbon, tab click should not be included in TOTAL clicks)

Internal and External Validities

• Threat to internal validity; can we mitigate them?; how

If we were to perform this experiment throughout a week (not all on the same day), other external factors could threat internal validity. In order to mitigate potential threat to internal validity, we can try to perform experiments the same time of days, same location (find an office, not a lounge? or maybe we will intentionally have it in the lounge so reasonable level of noise is introduced to participants), same lighting, same computer, same mouse, and keyboard, same tasks, same training

• Threat to external validity; can we mitigate them?; how

Just doing the experiment, not other tasks (email, doc edits, etc) - cannot be mitigated at least for mimicing the study 2; all location settings may be too constrained. overly artificial?; 1) chose a task that was a good match for the kinds of activities they had observed in the field. - most ppl like to work in a moderately quite environment. office is perfect! or we can say most ppl work in an env where some noise is introduced...; 2) chose participants for the study that were as close as possible to those they studied in the field: good gender balance, ethnicity, age, etc; 3) assessed the similarity of the behaviors b/w the lab and the field. - nah




Figure 1: Our example CommandMap for Microsoft Word