



Welcome to Intro to SQL & Databases

(Getting Started Guide)



Download curriculum materials from Github



Open Zip file and drag curriculum materials from downloads folder onto Desktop


Handout 2: Connecting to 'valerianalytics' database

Step 1: Download most recent version of PG-Admin 4 and open (Mac OS Users - If getting error "PgAdmin4 is damaged and cannot be opened, click troubleshoot link"

Windows: <https://www.pgadmin.org/download/pgadmin-4-windows/>
Mac: <https://www.pgadmin.org/download/pgadmin-4-macos/>
Mac Troubleshoot: <https://www.techradar.com/news/tech-tips/how-to-download-apps-is-damaged-and-cant-be-opened-error-solved/>


Step 2: Get connected to 'valerianalytics' db (Copy and paste)

A. Right click "Servers" and then select "Create -> Server..."




B. Navigate to the "Connection" tab, then enter in the following credentials

Hostname/address: valerianalytics.cpeghyphkdk.us-west-2.elb.amazonaws.com
Port: 5432
Maintenance_DB: postgres
Username: valerianalytics
Password: valerianalytics



Open '00_Valeri_Analytics_Bootcamp' handout, and follow inst. on 'Connecting to Valeri Analytics DB' on Page 3.




Download latest version of PGAdmin 4



And many more





Why do we have to use SQL?



Walmart 

COLLECT BILLIONS AND
BILLIONS OF ROWS OF
DATA... a day.




Excel Workbook
ROW Limit = 1 Million

ITEM	ITEM NAME	UNIT	QTY	UNIT PRICE	TOTAL PRICE	TAX	TOTAL
IED 502	Bent E Keith - FROZEN FOOD	0	0	0.00	0.00	0.00	0.00
AKASH CREAMY	Bent E Keith - GROCERY	0	0	0.00	0.00	0.00	0.00
LIQUID OIL	Bent E Keith - GROCERY	0	0	0.00	0.00	0.00	0.00
WIFE CLEAR	Bent E Keith - GROCERY	0	0	0.00	0.00	0.00	0.00
SL SLOTTED	Bent E Keith - GROCERY	0	0	0.00	0.00	0.00	0.00
1602 1616	Bent E Keith - GROCERY	0	0	0.00	0.00	0.00	0.00
	Bent E Keith - GROCERY	0	0	0.00	0.00	1.00	5.79
	Bent E Keith - GROCERY	5422	1	0.00	0.00	3.75	0.00
MEAN SHIR	Bent E Keith - GROCERY	0	0	0.00	0.00	0.00	0.00
SHILL MED USA AA	Bent E Keith - PRODUCE	0	0	0.00	1.00	15.89	0.00
PPL CORN ROAST	Bent E Keith - PRODUCE	0	0	0.00	1.00	1.00	17.77
	Bent E Keith - PRODUCE	1222	0	0.00	2.00	8.99	0.00
ICED W/GREEN CHILES	Bent E Keith - GROCERY	0	0	0.00	1.00	18.88	0.00
Vanilla 23 Gal	Bent E Keith - DAIRY	386	1	0.00	0.00	0.00	0.00
ANY 28 SOLID	Bent E Keith - GROCERY	0	0	0.00	0.00	20.00	0.00
W WHITE SMALL BUTT	Bent E Keith - PRODUCE	0	0	0.00	1.00	20.98	0.00
SEASONED HOMETEST	Bent E Keith - GROCERY	0	0	0.00	0.00	1.00	22.00
RIANA RED HOT	Bent E Keith - GROCERY	0	0	0.00	1.00	11.24	0.00
inches Wildcat	Bent E Keith - PRODUCE	0	0	0.00	1.00	8.29	0.00
W/IN LIGHT IN BAGS	Bent E Keith - GROCERY	0	0	0.00	0.00	1.00	27.69
W/ Jumbo	Bent E Keith - PRODUCE	800	0	0.00	0.00	1.00	19.99

Database
ROW Limit = hold my beer



Where does SQL fit in the data flow?



What will I gain from learning SQL?



You are dangerous with SQL



*Speak to
analysts in
their own
language*



*Tell a client you
have a great
analytics
foundation*



*Eliminate
the
analytics
bottleneck*

Today' s Agenda

INTRODUCTION (10 min)	10:00 – 10:10
Part 1: Database Fundamentals (10 min)	10:10 – 10:20
Part 2: Datatype Fundamentals (10 min)	10:20 – 10:30
Part 3: Connecting to an RDB (15 min)	10:30 – 10:45
Part 4: The Basic Syntax of SQL	11:00 – 11:30
Part 5: Filtering with WHERE	11:30 – 12:00
Part 6: Aggregations and GROUP BY	12:00 – 12:30
LUNCH – (1 HOUR)	12:30 – 01:30
Part 7: Fix the SQL CODE	01:30 – 02:15
Part 8: Joining Tables	02:15 – 03:15
Part 9: Advanced SQL Concepts	03:15 – 03:30
Part 10: Conclusion and Next Steps	03:30 – 03:45
Q:A	03:45 – 04:00

Part 1

DATABASE FUNDAMENTALS



What is a relational database (RDB) and relational database management system (RDBMS)?

Relational Database Management System(s)



Note: Different Dialects of SQL for different Relational Databases

Working with PostgreSQL today




SQL can...


- **SELECT** data
- INSERT data
- CREATE data
- UPDATE data
- DELETE data



Relational Database



Related Tables



Sales

Products

Stores



How is data organized in an RDB?

Unorganized Data



Schema

ALBUMS SCHEMA		
field/column	data type	sample data
row	integer	1
artist	text	Red Hot Chili Peppers
album	text	Californication
release_date	date	6/8/1999
genre	text	Rock
plays	integer	120
rating	numeric(10,2)	
org_price	money	
market_value	numeric(10,2)	
burned	boolean	
playable	boolean	



Organized Data in
Tables





How is data organized in a table in a RDB?

ALBUMS SCHEMA		
field/column	data type	sample data
row	integer	1
artist	text	Red Hot Chili Peppers
album	text	Californication
release date	date	6/8/1999
genre	text	Rock
plays	integer	120
rating	numeric(10,2)	4
org price	money	\$11.99
market value	numeric(10,2)	3.2
burned	boolean	FALSE
playable	boolean	TRUE

COLUMNS/FIELDS


ROWS/RECORDS

row integer	artist text	album text	release_date date	genre text	plays integer	rating numeric (10,2)	org_price money	market_value numeric (10,2)	burned boolean	playable boolean
1	1 Red Hot Chili Peppers	Californication	1999-06-08	Rock	120	4.00	\$11.99	3.20	false	true
2	2 Red Hot Chili Peppers	By the Way	2002-07-09	Rock	100	3.50	\$11.99	4.00	true	false
3	3 Kanye West	College Dropout	2004-02-10	Rap	200	5.00	\$10.99	5.00	false	true
4	4 Kanye West	Late Registration	2005-08-30	Rap	300	4.00	\$9.99	7.00	false	true
5	5 Kanye West	Graduation	2007-09-11	Rap	250	4.00	\$0.00	1.75	true	true
6	6 Papa Roach	Infest	2000-04-25	Rock	75	3.50	\$11.99	0.50	false	false
7	7 Kid Cudi	Man on the Moon	2009-09-15	Rap	40	4.00	\$10.99	6.00	false	false
8	8 Ratatat	Ratatat	2004-04-20	Electro...	60	5.00	\$9.99	6.00	false	[null]
9	9 Ratatat	Classics	2006-08-22	Electro...	400	4.00	\$0.00	12.99	[null]	false
10	10 Dragonforce	Sonic Firestorm	2004-05-11	Rock	500	5.00	\$2.99	0.01	true	[null]
11	11 [null]	Summer Mix 08	[null]	[null]	1000	5.00	\$0.00	0.00	true	true
12	12 [null]	Party Mix 07	[null]	[null]	4000	5.00	\$0.00	0.00	true	true
13	13 Common	Be	2005-05-24	Rap	2000	4.50	\$0.00	15.00	true	true
14	14 T.I.	Paper Trail	2008-09-26	Rap	300	4.00	\$0.00	6.99	true	false
15	15 Children of Bodom	Children of Bodom Greate...	[null]	Metal	150	3.00	\$0.00	0.00	[null]	false



How are the tables related to each other in an RDB?

valerianalytics database

ALBUMS SCHEMA			PRODUCTS SCHEMA			SALES SCHEMA		
field/column	data type	sample data	field/column	data type	sample data	field/column	data type	sample data
row	integer	1	item no	integer	904616	date	timestamp	6/27/2014
artist	text	Red Hot Chili Peppers	category name	text	TEQUILA	convenience store	text	Y
album	text	Californication	item description	text	Jose Cuervo	store	integer	4771
release date	date	6/8/1999	vendor	integer	305	county number	county number	57
genre	text	Rock	vendor name	text	Mhw Ltd	county	text	Linn
plays	integer		bottle size	integer	750	category	text	1081600
rating	numeric(10,2)		pack	integer	12	category name	text	WHISKEY LIQUEUR
org price	money		inner pack	integer	1	vendor no	text	421
market value	numeric(10,2)		age	text	(null)	vendor	text	Sazerac Co. Inc.
burned	boolean		proof	text	40	item	integer	64858
playable	boolean		list date	timestamp	2/11/2009	description	text	Fireball Cinnamon Whiskey
			bottle price	money	\$9.77	pack	integer	1
			shelf price	numeric(10,2)	14.66	liter size	integer	3000
			case cost	numeric(10,2)	117.22	state btl cost	money	29.72
						btl price	money	44.58
						bottle qty	integer	1
						total	numeric(10,2)	44.58
NORTH KOREAN MISSILE TESTS SCHEMA			COUNTIES SCHEMA					
field/column	data type	sample data	field/column	data type	sample data			
row id	integer	5	county	text	Adair			
date launched	date	9/1/1984	population	integer	7682			
date entered	date	12/23/2016						
launch time utc	date	(null)						
missile name	varchar	Scud-B						
missile type	varchar	SRBM						
launch authority	varchar	(null)						
facility name	varchar	Tonghae Satellite						
facility location	varchar	Hwadae County						
facility other name	varchar	Musudan-ri						
facility latitude	float	40.8499966						
facility longitude	float	129.666664						
landing location	varchar	(null)						
apogee	varchar							
distance traveled	varchar							
confirmation status	varchar							
test outcome	varchar							
additional info	varchar							
STORES SCHEMA								
field/column	data type	sample data						
store	integer	2106						
name	text	Hillstreet News and Tobacco						
store status	text	A						
store address	text	2217 CollegeCedar Falls, IA						
address info	text	(null)						

Activity 1: Draw an entity relationship diagram between all the tables



SALES TABLE SCHEMA	
field/column	
date	
convenience_store	
store	
county_number	
county	
category	
category_name	
vendor_no	
vendor	
item	
description	
pack	
liter_size	
state_btl_cost	
btl_price	
bottle_qty	
total	


STORES TABLE SCHEMA	
field/column	
store	
name	
store_status	
store_address	
address_info	

COUNTIES TABLE SCHE	
field/column	
county	
population	

PRODUCTS TABLE SCHE	
field/column	
item_no	
category_name	
item description	
vendor	
vendor_name	
bottle_size	
pack	
inner_pack	
age	
proof	
list_date	
bottle_price	
shelf_price	
case cost	




Activity 1: Draw an entity relationship diagram between all the tables





Database Fundamentals: Key Takeaways

1. Not all tables in a database are related to each other
2. Investigate the column names to see which tables are related to what
3. Not all column/field names are a 1:1 match



Part 2

DATATYPE FUNDAMENTALS

What data types are supported in SQL tables?

DATA TYPE

BOOLEAN

CHARACTER

NUMERIC

TEMPORAL

DATA
Example

TRUE / FALSE / (NULL)
Or
1 / 0 / (NULL)

ABC / ABC123 / ABC 123
Or
(NULL)

4 / 5.1
Or
(NULL)

7/4/1776
Or
7/4/1776 23:00:12
Or
23:00:12 OR (NULL)

Field/Column
Example

PLAYABLE

ARTIST

RATING

RELEASE DATE

Activity 2: Guess the data type

BOOLEAN

CHARACTER

NUMERIC

TEMPORAL

A

B

C

D

Activity 2: Guess the data type

BOOLEAN

A

CHARACTER

B

NUMERIC

C

TEMPORAL

D

FALSE

Activity 2: Guess the data type

BOOLEAN

A

CHARACTER

B

NUMERIC

C

TEMPORAL

D

FALSE

Country of origin: United States
Location: Minneapolis, Minnesota
Status: **Active**
Formed in: 2010
Years active: 2010-present

Genre: Black Metal
Lyrical themes: Vengeance of the Gods, Warfare, Ignorance of Man
Current label: Gilead Media

Not to be confused with False from Louisville, Kentucky.

FALSE

Activity 2: Guess the data type

BOOLEAN

CHARACTER

NUMERIC

TEMPORAL

A

B

C

D

311

Activity 2: Guess the data type

BOOLEAN

CHARACTER

NUMERIC

TEMPORAL

A

B

C

D



311

Activity 2: Guess the data type

BOOLEAN

CHARACTER

NUMERIC

TEMPORAL

A

B

C

D

4/29/1992

Activity 2: Guess the data type

BOOLEAN

CHARACTER

NUMERIC


TEMPORAL

A

B

C


D



4/29/1992

Datatype Fundamentals: Key Takeaways

1. Appearances can be deceiving - Find the table schema first, **don't guess data types**.
2. Data type has influence on how we write and format our SQL code.
3. We can write SQL code to convert datatypes too...




Part 3

CONNECTING TO AN RDB

How do you connect to an RDB?

THIS CLASS

Handout 2:
Connecting to
'valerianalytics'
database



YOUR ORGANIZATION



Who can help me connect to an RDB at my organization?

YOUR ORGANIZATION



1. Find the Database Administrator (DBA) at your organization. Ask them for credentials
2. If you can't find them, find someone who publishes reports. They will probably know.
3. Remember, you're probably only looking for SELECT privileges in the RDB.
4. Don't GIVE UP, hardest step is just getting access.

How to connect to valerianalytics RDB



1. Download PGAdmin 4 (RDBMS)

<https://www.pgadmin.org/download/>

2. Create a server

3. Input credentials details*

(found in Handout 2: Connecting to 'valerianalytics' database)



Part 4

THE BASIC SYNTAX OF SQL

What is the basic syntax of SQL?

- ✓ **SELECT** Fields/columns you'd like to see in result-set
- ✓ **FROM** Table(s) where the fields/columns are located
- WHERE** Rows/records you'd like to include/exclude in result-set
- GROUP BY** Fields/columns you want your aggregate dimensions grouped by
- HAVING** Include/exclude rows/records where aggregate values meet a condition
- ORDER BY** Sort the rows/records of result-set by ASC/DESC for a column(s)
- LIMIT** Limit the number of rows/records to include in result-set.

Guided Workshop: Basic SQL Syntax



**ASK A
QUESTION**



row id	artist	album	release_date	genre	plays integer	rating number (1-2)	org_price money	market_value number (1-3)	burned boolean	playable boolean
1	1 Red Hot Chili Peppers	Californication	1999-06-08	Rock	120	4.00	\$11.99	3.20	false	true
2	2 Red Hot Chili Peppers	By the Way	2002-07-09	Rock	100	3.50	\$11.99	4.00	true	false
3	3 Kanye West	College Dropout	2004-02-10	Rap	200	5.00	\$10.99	5.00	false	true
4	4 Kanye West	Late Registration	2005-08-30	Rap	300	4.00	\$9.99	7.00	false	true
5	5 Kanye West	Graduation	2007-09-11	Rap	250	4.00	\$0.00	1.70	true	true
6	6 Papa Roach	Infest	2000-04-25	Rock	75	3.50	\$11.99	5.50	false	false
7	7 Kid Cudi	Man on the Moon	2009-09-15	Rap	40	4.00	\$10.99	6.00	false	false
8	8 Ratatat	Ratatat	2004-04-20	Electro...	60	5.00	\$9.99	6.00	false	[null]
9	9 Ratatat	Classics	2006-08-22	Electro...	400	4.00	\$0.00	12.99	[null]	false
10	10 Dragonforce	Sonic Firestorm	2004-05-11	Rock	500	5.00	\$2.99	0.00	true	[null]
11	11 [null]	Summer Mix 08	[null]	[null]	1000	5.00	\$0.00	0.00	true	true
12	12 [null]	Party Mix 07	[null]	[null]	4000	5.00	\$0.00	0.00	true	true
13	13 Common	Be	2005-05-24	Rap	2000	4.50	\$0.00	15.00	true	true
14	14 T.I.	Paper Trail	2008-09-26	Rap	300	4.00	\$0.00	6.99	true	false
15	15 Children of Bodom	Children of Bodom Create...	[null]	Metal	150	3.00	\$0.00	0.00	[null]	false



**GET AN
ANSWER**



Independent Workshop : Basic SQL Syntax



row integer	artist	album	release_date	genre	plays integer	rating number (10,2)	org_price money	market_value number (10,3)	burned boolean	playable boolean
1	1	Red Hot Chili Peppers Californication	1999-06-08	Rock	120	4.00	\$11.99	3.20	false	true
2	2	Red Hot Chili Peppers By the Way	2002-07-09	Rock	100	3.50	\$11.99	4.00	true	false
3	3	Kanye West College Dropout	2004-02-10	Rap	200	5.00	\$10.99	5.00	false	true
4	4	Kanye West Late Registration	2005-08-30	Rap	300	4.00	\$9.99	7.00	false	true
5	5	Kanye West Graduation	2007-09-11	Rap	250	4.00	\$0.00	1.70	true	true
6	6	Papa Roach Infest	2000-04-25	Rock	75	3.50	\$11.99	5.50	false	false
7	7	Kid Cudi Man on the Moon	2009-09-15	Rap	40	4.00	\$10.99	6.00	false	false
8	8	Ratatat Ratatat	2004-04-20	Electro...	60	5.00	\$9.99	6.00	false	[null]
9	9	Ratatat Classics	2006-08-22	Electro...	400	4.00	\$0.00	12.99	[null]	false
10	10	Dragonforce Sonic Warfare	2004-05-11	Rock	500	5.00	\$2.99	0.00	true	[null]
11	11	[null] Summer Mix 08	[null]	[null]	1000	5.00	\$0.00	0.00	true	true
12	12	[null] Party Mix 07	[null]	[null]	4000	5.00	\$0.00	0.00	true	true
13	13	Common Be	2005-05-24	Rap	2000	4.50	\$0.00	15.00	true	true
14	14	T.I. Paper Trail	2008-09-26	Rap	300	4.00	\$0.00	6.99	true	false
15	15	Children of Bodom Children of Bodom Create...	[null]	Metal	150	3.00	\$0.00	0.00	[null]	false




**ASK A
QUESTION**



**GET AN
ANSWER**

BASIC SQL Syntax: Key Takeaways

1. Any line, any case; SQL can be written on multiple lines or single line in any case for keywords.
2. Comma chameleon; Watch out for extra or missing commas in SELECT statement. Most common error in SQL
3. If you're having trouble combining multiple/columns fields, you might have to use CAST() to convert data types.



Part 5

FILTERING WITH WHERE

Guided Workshop: Filtering with WHERE



**ASK A
QUESTION**



row integer	artist	album	release_date	genre	plays integer	rating number (1-5)	org_price money	market_value number (1-5)	burned boolean	playable boolean
1	1 Red Hot Chili Peppers	Californication	1999-06-08	Rock	120	4.00	\$11.99	3.20	false	true
2	2 Red Hot Chili Peppers	By the Way	2002-07-09	Rock	100	3.50	\$11.99	4.00	true	false
3	3 Kanye West	College Dropout	2004-02-10	Rap	200	5.00	\$10.99	5.00	false	true
4	4 Kanye West	Late Registration	2005-08-30	Rap	300	4.00	\$9.99	7.00	false	true
5	5 Kanye West	Graduation	2007-09-11	Rap	250	4.00	\$0.00	1.70	true	true
6	6 Papa Roach	Infest	2000-04-25	Rock	75	3.50	\$11.99	5.50	false	false
7	7 Kid Cudi	Man on the Moon	2009-09-15	Rap	40	4.00	\$10.99	6.00	false	false
8	8 Ratatat	Ratatat	2004-04-20	Electro...	60	5.00	\$9.99	6.00	false	[null]
9	9 Ratatat	Classics	2006-08-22	Electro...	400	4.00	\$0.00	12.99	[null]	false
10	10 Dragonforce	Sonic Firestorm	2004-05-11	Rock	500	5.00	\$2.99	0.00	true	[null]
11	11 [null]	Summer Mix 08	[null]	[null]	1000	5.00	\$0.00	0.00	true	true
12	12 [null]	Party Mix 07	[null]	[null]	4000	5.00	\$0.00	0.00	true	true
13	13 Common	Be	2005-05-24	Rap	2000	4.50	\$0.00	15.00	true	true
14	14 T.I.	Paper Trail	2008-09-26	Rap	300	4.00	\$0.00	6.99	true	false
15	15 Children of Bodom	Children of Bodom Great...	[null]	Metal	150	3.00	\$0.00	0.00	[null]	false



**GET AN
ANSWER**



Independent Workshop: Filtering with WHERE



**ASK A
QUESTION**




row integer	artist	album	release_date	genre	plays integer	rating number (1-2)	org_price money	market_value number (1-3)	burned boolean	playable boolean
1	1 Red Hot Chili Peppers	Californication	1999-06-08	Rock	120	4.00	\$11.99	3.20	false	true
2	2 Red Hot Chili Peppers	By the Way	2002-07-09	Rock	100	3.50	\$11.99	4.00	true	false
3	3 Kanye West	College Dropout	2004-02-10	Rap	200	5.00	\$10.99	5.00	false	true
4	4 Kanye West	Late Registration	2005-08-30	Rap	300	4.00	\$9.99	7.00	false	true
5	5 Kanye West	Graduation	2007-09-11	Rap	250	4.00	\$0.00	1.70	true	true
6	6 Papa Roach	Infest	2000-04-25	Rock	75	3.50	\$11.99	5.50	false	false
7	7 Kid Cudi	Man on the Moon	2009-09-15	Rap	40	4.00	\$10.99	6.00	false	false
8	8 Ratatat	Ratatat	2004-04-20	Electro...	60	5.00	\$9.99	6.00	false	[null]
9	9 Ratatat	Classics	2006-08-22	Electro...	400	4.00	\$0.00	12.99	[null]	false
10	10 Dragonforce	Sonic Firestorm	2004-05-11	Rock	500	5.00	\$2.99	0.00	true	[null]
11	11 [null]	Summer Mix 08	[null]	[null]	1000	5.00	\$0.00	0.00	true	true
12	12 [null]	Party Mix 07	[null]	[null]	4000	5.00	\$0.00	0.00	true	true
13	13 Common	Be	2005-05-24	Rap	2000	4.50	\$0.00	15.00	true	true
14	14 T.I.	Paper Trail	2008-09-26	Rap	300	4.00	\$0.00	6.99	true	false
15	15 Children of Bodom	Children of Bodom Create...	[null]	Metal	150	3.00	\$0.00	0.00	[null]	false



**GET AN
ANSWER**

Filtering with WHERE: Key Takeaways

1. Many nuances; Syntax for filtering depends on the column data type you are working with.
2. You don't need to SELECT columns you are filtering on in the WHERE clause
3. Use TO_CHAR() function to simplify dates when filtering. Use LIKE with '%' to look for patterns.



Part 6

AGGREGATIONS AND GROUP BY

Guided Workshop: Aggregations and GROUP BY



**ASK A
QUESTION**



row integer	artist	album	release_date	genre	plays integer	rating number (1-2)	org_price money	market_value number (1-3)	burned boolean	playable boolean
1	1 Red Hot Chili Peppers	Californication	1999-06-08	Rock	120	4.00	\$11.99	3.20	false	true
2	2 Red Hot Chili Peppers	By the Way	2002-07-09	Rock	100	3.50	\$11.99	4.00	true	false
3	3 Kanye West	College Dropout	2004-02-10	Rap	200	5.00	\$10.99	5.00	false	true
4	4 Kanye West	Late Registration	2005-08-30	Rap	300	4.00	\$9.99	7.00	false	true
5	5 Kanye West	Graduation	2007-09-11	Rap	250	4.00	\$0.00	1.70	true	true
6	6 Papa Roach	Infest	2000-04-25	Rock	75	3.50	\$11.99	5.50	false	false
7	7 Kid Cudi	Man on the Moon	2009-09-15	Rap	40	4.00	\$10.99	6.00	false	false
8	8 Ratatat	Ratatat	2004-04-20	Electro...	60	5.00	\$9.99	6.00	false	[null]
9	9 Ratatat	Classics	2006-08-22	Electro...	400	4.00	\$0.00	12.99	[null]	false
10	10 Dragonforce	Sonic Firestorm	2004-05-11	Rock	500	5.00	\$2.99	0.00	true	[null]
11	11 [null]	Summer Mix 08	[null]	[null]	1000	5.00	\$0.00	0.00	true	true
12	12 [null]	Party Mix 07	[null]	[null]	4000	5.00	\$0.00	0.00	true	true
13	13 Common	Be	2005-05-24	Rap	2000	4.50	\$0.00	15.00	true	true
14	14 T.I.	Paper Trail	2008-09-26	Rap	300	4.00	\$0.00	6.99	true	false
15	15 Children of Bodom	Children of Bodom Create...	[null]	Metal	150	3.00	\$0.00	0.00	[null]	false



**GET AN
ANSWER**

Independent Workshop: Aggregations and GROUP BY



**ASK A
QUESTION**



row id	artist	album	release_date	genre	plays integer	rating number (1-5)	org_price money	market_value number (1-5)	burned boolean	playable boolean
1	1	Red Hot Chili Peppers Californication	1999-06-08	Rock	120	4.00	\$11.99	3.20	false	true
2	2	Red Hot Chili Peppers By the Way	2002-07-09	Rock	100	3.50	\$11.99	4.00	true	false
3	3	Kanye West College Dropout	2004-02-10	Rap	200	5.00	\$10.99	5.00	false	true
4	4	Kanye West Late Registration	2005-08-30	Rap	300	4.00	\$9.99	7.00	false	true
5	5	Kanye West Graduation	2007-09-11	Rap	250	4.00	\$0.00	1.70	true	true
6	6	Papa Roach Infest	2000-04-25	Rock	75	3.50	\$11.99	5.50	false	false
7	7	Kid Cudi Man on the Moon	2009-09-15	Rap	40	4.00	\$10.99	6.00	false	false
8	8	Ratatat Ratatat	2004-04-20	Electro...	60	5.00	\$9.99	6.00	false	[null]
9	9	Ratatat Classics	2006-08-22	Electro...	400	4.00	\$0.00	12.99	[null]	false
10	10	Dragonforce Sonic Firestorm	2004-05-11	Rock	500	5.00	\$2.99	0.00	true	[null]
11	11	[null] Summer Mix 08	[null]	[null]	1000	5.00	\$0.00	0.00	true	true
12	12	[null] Party Mix 07	[null]	[null]	4000	5.00	\$0.00	0.00	true	true
13	13	Common Be	2005-05-24	Rap	2000	4.50	\$0.00	15.00	true	true
14	14	T.I. Paper Trail	2008-09-26	Rap	300	4.00	\$0.00	6.99	true	false
15	15	Children of Bodom Children of Bodom Create...	[null]	Metal	150	3.00	\$0.00	0.00	[null]	false




**GET AN
ANSWER**



Aggregations and GROUP BY: Key Takeaways

1. Use GROUP BY when you want to understand aggregates (SUM/COUNT/ etc.) by specific fields/columns. *I.e. Total sales by Country/Channel.*
2. Aggregate functions and aliases, **DO NOT** go in the GROUP BY.
3. You **CAN NOT** filter on aggregate functions in the WHERE clause, can only filter in HAVING clause.



LUNCH

(1 Hour)

Return at 1:30 PM

Part 7

FIX THE CODE



GROUP Workshop 4: Fix the Code



**ASK A
QUESTION**




row id	artist	album	release_date	genre	plays integer	rating number (1-2)	org_price money	market_value number (1-3)	burned boolean	playable boolean
1	1 Red Hot Chili Peppers	Californication	1999-06-08	Rock	120	4.00	\$11.99	3.20	false	true
2	2 Red Hot Chili Peppers	By the Way	2002-07-09	Rock	100	3.50	\$11.99	4.00	true	false
3	3 Kanye West	College Dropout	2004-02-10	Rap	200	5.00	\$10.99	5.00	false	true
4	4 Kanye West	Late Registration	2005-08-30	Rap	300	4.00	\$9.99	7.00	false	true
5	5 Kanye West	Graduation	2007-09-11	Rap	250	4.00	\$0.00	1.70	true	true
6	6 Papa Roach	Infest	2000-04-25	Rock	75	3.50	\$11.99	5.50	false	false
7	7 Kid Cudi	Man on the Moon	2009-09-15	Rap	40	4.00	\$10.99	6.00	false	false
8	8 Ratatat	Ratatat	2004-04-20	Electro...	60	5.00	\$9.99	6.00	false	[null]
9	9 Ratatat	Classics	2006-08-22	Electro...	400	4.00	\$0.00	12.99	[null]	false
10	10 Dragonforce	Sonic Firestorm	2004-05-11	Rock	500	5.00	\$2.99	0.00	true	[null]
11	11 [null]	Summer Mix 08	[null]	[null]	1000	5.00	\$0.00	0.00	true	true
12	12 [null]	Party Mix 07	[null]	[null]	4000	5.00	\$0.00	0.00	true	true
13	13 Common	Be	2005-05-24	Rap	2000	4.50	\$0.00	15.00	true	true
14	14 T.I.	Paper Trail	2008-09-26	Rap	300	4.00	\$0.00	6.99	true	false
15	15 Children of Bodom	Children of Bodom Create...	[null]	Metal	150	3.00	\$0.00	0.00	[null]	false



**GET AN
ANSWER**

Fix the Code: Key Takeaways

1. **Work backwards;** draw the result-output first
2. **Remove and add back;**
Eliminate what doesn't work in the code by commenting out lines with `'--'` and `'/* */'`
3. **Ask for help;** collaborate with others



Part 8

JOINING TABLES

What is a JOIN?

Table A - Orders	
OrderID	CustomerID
12345	1
12346	2
12344	8
12355	NULL



Table B - Customers	
CustomerID	CustomerName
1	Chuckie. F
2	Tommy. P
3	Angelica P.
4	Dr. Liptshitz

Why use a JOIN? – We have a question we can't answer from a single table.

What is a JOIN?

Table A - Orders	
OrderID	CustomerID
12345	1
12346	2
12344	8
12355	NULL

**LEFT/PRIMARY
TABLE**




Table B - Customers	
CustomerID	CustomerName
1	Chuckie. F
2	Tommy. P
3	Angelica P.
4	Dr. Liptshitz

**RIGHT/SECONDARY
TABLE**



JOINED TABLE		
OrderID	CustomerID	CustomerName
BLAH	BLAH	BLAH
BLAH	BLAH	BLAH
BLAH	BLAH	BLAH

Same thing as a
VLOOKUP in Excel



What is required to join tables in SQL?

Table A - Orders		Table B - Customers	
OrderID	CustomerID	CustomerID	CustomerName
12345	1	1	Chuckie. F
12346	2	2	Tommy. P
12344	8	3	Angelica P.
12355	NULL	4	Dr. Liptshitz

1. At least 2 tables, with at least 1 column/field in common
2. Column/field(s) tables have in common, **MUST** be same data type
3. The column/field in Table B **should** be unique, otherwise duplication will occur (*more on this later*)

What is the JOIN syntax?

```

SELECT
A.ORDERID
,A.CUSTOMERID
,B.CUSTOMERNAME

FROM
ORDERS A

JOIN CUSTOMERS B

ON B.CUSTOMERID = A.CUSTOMERID

GROUP BY
A.ORDERID
,A.CUSTOMERID
,B.CUSTOMERNAME

```

1. **ASSIGN AN ALIAS** to each table and apply it to each distinct column.

2. **JOIN ON** the columns the **TWO** tables have in **common** (make sure same data type)

3. You need indicate what **STYLE of JOIN** (*more than 1 style*)

Table A - Orders

OrderID	CustomerID
12345	1
12346	2
12344	8
12355	NULL


Table B - Customers

CustomerID	CustomerName
1	Chuckie. F
2	Tommy. P
3	Angelica P.
4	Dr. Liptshitz

INNER JOIN RESULT SET (CustomerID)

OrderID	CustomerID	CustomerName
12345	1	Chuckie. F
12346	2	Tommy. P

How do we visualize an INNER JOIN?




```
SELECT <select_list>
FROM TableA A
INNER JOIN TableB B
ON A.Key = B.Key
```

JOIN → EVERYTHING TABLE A and B HAVE IN COMMON

Table A - Orders		Table B - Customers	
OrderID	CustomerID	CustomerID	CustomerName
12345	1	1	Chuckie. F
12346	2	2	Tommy. P
12344	8	3	Angelica P.
12355	NULL	4	Dr. Liptshitz

INNER JOIN RESULT SET (CustomerID)		
OrderID	CustomerID	CustomerName
12345	1	Chuckie. F
12346	2	Tommy. P

How do we visualize a LEFT JOIN?



SELECT <select_list>
FROM TableA A
LEFT JOIN TableB B
ON A.Key = B.Key


LEFT JOIN → EVERYTHING THAT's in
Table A regardless of whether it's in
Table B

Table A - Orders		Table B - Customers	
OrderID	CustomerID	CustomerID	CustomerName
12345	1	1	Chuckie. F
12346	2	2	Tommy. P
12344	8	3	Angelica P.
12355	NULL	4	Dr. Liptshitz


LEFT JOIN RESULT SET		
OrderID	CustomerID	CustomerName
12345	1	Chuckie. F
12346	2	Tommy. P
12344	8	NULL
12355	NULL	NULL

What are the other types of JOINS?


SQL JOINS




```
SELECT <select_list>
FROM TableA A
LEFT JOIN TableB B
ON A.Key = B.Key
```




```
SELECT <select_list>
FROM TableA A
RIGHT JOIN TableB B
ON A.Key = B.Key
```




```
SELECT <select_list>
FROM TableA A
LEFT JOIN TableB B
ON A.Key = B.Key
WHERE B.Key IS NULL
```




```
SELECT <select_list>
FROM TableA A
INNER JOIN TableB B
ON A.Key = B.Key
```



```
SELECT <select_list>
FROM TableA A
RIGHT JOIN TableB B
ON A.Key = B.Key
WHERE A.Key IS NULL
```



```
SELECT <select_list>
FROM TableA A
FULL OUTER JOIN TableB B
ON A.Key = B.Key
```




```
SELECT <select_list>
FROM TableA A
FULL OUTER JOIN TableB B
ON A.Key = B.Key
WHERE A.Key IS NULL
OR B.Key IS NULL
```

Group Activity: Which JOIN do I use? (20 min) 5


6

Table A: ORDERS	
ORDER_ID	CUST_ID
12345	567
12346	457
12366	123
14567	(null)
19453	(null)
15678	234




GROUP 1

Question: What is the count of customers and orders by state?




GROUP 2

Step 1: Make a joined table of order_id, cust_id, and state. Draw circles to help you.




GROUP 3

Step 2: Make a table of the count of orders and customers in each state. Remember, don't count NULL customer or order IDS.



GROUP 4

Step 3: Tell us the total order and customer count overall.




GROUP 5

Table B: CUSTOMERS	
CUST_ID	State
567	WA
367	SD
678	DE
457	MI
234	(null)

Which JOIN do I use? (Most Common Use Cases) 5

"Give me a list of total orders/customers by customer's state." 7

INNER JOIN




GROUP 1

```
SELECT <select_list>
FROM TableA A
INNER JOIN TableB B
ON A.Key = B.Key
```

WILL EXCLUDE ALL ORDERS FOR CUSTOMERS THAT AREN'T IN TABLE B

Consequence: Order count underreported

LEFT JOIN



GROUP 2


```
SELECT <select_list>
FROM TableA A
LEFT JOIN TableB B
ON A.Key = B.Key
```

WILL INCLUDE ORDERS FOR ALL CUSTOMERS, REGARDLESS OF EXISTENCE IN TABLE B.

Consequence: Some orders won't have a state assigned to them (will appear as NULL for State)

FULL OUTER JOIN

```
FT JOIN TableB B
[ A.Key = B.Key
HERE B.Key IS NULL
```



```
SELECT <select_list>
FROM TableA A
FULL OUTER JOIN TableB B
ON A.Key = B.Key
```

©CLM

WILL INCLUDE ALL ORDERS AND CUSTOMERS FROM BOTH TABLES

Consequence: Some order's won't have a state assigned to them, and some customer's won't have an order assigned to them.


Which JOIN do I use? (Fringe Use Cases)

5

8

"Give me a list of total orders/customers by customer's state."


LEFT JOIN, WHERE
CUST_ID IS NULL in
TABLE B



USE CASE: You only want to
see orders for customers
that aren't in Table B.

Tell DBA to update Customer
Attributes; Table B

FULL OUTER JOIN, WHERE
CUST_ID IS NULL in TABLE A
and B



USE CASE: You only want to see
orders from customers that don't
exist in Table B


AND

You only want to see customers
that don't exist in Table A (don't
have an order)

Can you join to more than 1 table?

5
9

```
SELECT c.field, a.field,  
b.field, a.field, c.field  
FROM table1 a  
JOIN table2 b  
ON a.field=b.field  
JOIN table3 c  
ON a.field=c.field
```



What if you want to join two tables that don't share the same column?




TABLE A: ORDERS		TABLE B: ACCOUNT_STATES	
ORDER_ID	CUST_ID	ACCOUNT_ID	STATE
1234	1	ABC	WA

TABLE C: ACCOUNT_MAPPING	
CUST_ID	ACCOUNT_ID
1	ABC

```
1  SELECT
2
3    A.ORDER_ID
4    ,A.CUST_ID
5    ,B.STATE
6
7  FROM
8
9    ORDERS A
10
11  LEFT JOIN ACCOUNT_MAPPING C ON A.CUST_ID = C.CUST_ID
12
13  LEFT JOIN ACCOUNT_STATES B ON B.ACCOUNT_ID = C.ACCOUNT_ID
```

**SOLUTION: DAISY
CHAINING**

What if you are getting duplicate records or 6 rows after performing a join?



Table A: ORDERS	
ORDER_ID	CUST_ID
12345	567
12346	457
12366	123
14567	(null)
19453	(null)
15678	234

Table B: CUSTOMERS		
CUST_ID	STATE	UPDATE_DATE
567	WA	1/2/2017
367	SD	1/2/2017
678	DE	1/2/2017
457	MI	1/2/2017
234	(null)	1/2/2017
457	OK	6/7/2018
567	MT	6/9/2018

Joining on
CUST_ID

*CUST_ID is not unique
in Table B*

INNER JOIN 1		
ORDER_ID	CUST_ID	STATE
12345	567	WA
12345	567	MT
12346	457	OK
12346	457	MI

LEFT JOIN		
ORDER_ID	CUST_ID	STATE
12345	567	WA
12345	567	MT
12346	457	OK
12346	457	MI
12366	123	(null)
14567	(null)	(null)
19453	(null)	(null)
15678	234	(null)

REQUIREMENTS FOR A JOIN BETWEEN TWO TABLES

1. At least 2 tables, with at least 1 column/field in common
2. Column/field(s) tables have in common, **MUST** be same data type
3. The column/field in Table B **should** be unique, otherwise duplication will occur (more on this later)

SOLUTIONS

Dedup TABLE B
via Subquery
or CTE.

Join on more
than column,
if possible.

Instructor Led: Write the SQL JOIN as a Class


Hey Analyst, Give me the top 10 stores in terms of sales for 2014. I want them listed by store name.

Framework for approach

1. Draw the result-output first. Determine if you need a join or not.
2. Make sure 3 JOIN requirements are met.
3. Follow 3 rules of the JOIN syntax.
4. Pick appropriate JOIN. Be ready to defend.

JOINING Tables: Key Takeaways

1. If you want to join two tables, they must have 1 column in common, and of the same data type. The rows/records in Table B should be unique, otherwise duplication. Check TABLE B with supplied code.
2. The JOIN style will determine the result-output. Think about what records/rows will be excluded. Left joins are safest.
3. Work backwards, draw result output first, then determine ingredients to writing code.



Part 9

ADVANCED SQL TOPICS

What are some advanced SQL concepts?

6


5

Part 10

CONCLUSION

Conclusion: Key Takeaways

1. The more you talk to a database, you more comfortable you'll get.
2. Today's class gave us a framework for not just talking to 'Red', but to any relational database.
3. Don't let anyone stop you from getting to know a database; push hard.



Example Email to Send To Your DBA to Get Access

Hello DBA,

*I'd to request **SELECT** access to our relational database that stores (x) data. Could you supply me the necessary credentials or Wiki for gaining access?*

Could you also let me know

- 1. Which version of SQL our organization uses? (E.g. Oracle / MySQL / Hive / PostgreSQL / IBM BIG Insights / SQL Server / etc.)*
- 2. What RDBMS (or GUI) we use as a query tool?*
- 3. Any information regarding the schema structure of the tables in the database for reference.*

Thanks,

Your Name

Q&A
(15 min)