

Cancer in Central and South America

ARGENTINA

This country profile for the Cancer in Central and South America project provides, for each participating cancer registry tables and graphics showing numbers of cases and rates by year, sex and age group for major sites of cancer together with a population pyramid. A country summary is also provided based on aggregated registry data and national mortality data from the WHO mortality database:

(http://www.who.int/healthinfo/statistics/mortality_rawdata/en/index.html)

Citation of any of these data should be in the following format:

"Sierra MS, Abriata MG, Barrios E, Bravo LE, Cueva P, Fernandez L, Pineros M, Rebelo M, de Vries E, Forman D. Editors on behalf of the Cancer in Central and South America Working Group (2016). Cancer in Central and South America. Lyon: International Agency for Research on Cancer. Available from: http://www-dep.iarc.fr/CSU_resources.htm accessed [date]."

Registry Summary Tables and Figures

ARGENTINA, BAHIA BLANCA (1993-2007)

Registry Director*: Dr. Eduardo A. Laura

Registry Staff*: Mariana Soledad Gonzalez, Pamela Lioncavallo, Julia Inés Laura, Mario Aggio, María Claudia Grimi, Jorge Blasco, María Rivadulla, Pablo Lespi, Mariana Carestía, Miguel Aimale

*Director and staff as notified at time of call for data in 2013. Current contact information for cancer registries in the region can be found at: http://www.iacr.com.fr/index.php?option=com_comprofiler&task=usersList&listid=5.

ARGENTINA, BAHIA BLANCA (1993-1997)
Number of Cases in Major Diagnosis Groups
per Calendar Year

SITE	YEAR					TOTAL n (%)
	1993 n (%)	1994 n (%)	1995 n (%)	1996 n (%)	1997 n (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	14 (2.4)	24 (4.0)	26 (4.3)	26 (4.7)	17 (3.1)	107 (3.7)
Digestive organs (C15-C26)	163 (28.4)	172 (28.9)	144 (24.0)	154 (27.7)	143 (25.9)	776 (27.0)
Respiratory organs (C30-C39)	131 (22.9)	134 (22.5)	130 (21.7)	132 (23.8)	96 (17.4)	623 (21.7)
Bone, cartilage, and skin (C40-C44)	47 (8.2)	52 (8.7)	47 (7.8)	32 (5.8)	56 (10.1)	234 (8.1)
Breast (C50)	2 (0.3)	0 (0.0)	5 (0.8)	1 (0.2)	1 (0.2)	9 (0.3)
Male genitalia (C60-C63)	69 (12.0)	68 (11.4)	103 (17.2)	80 (14.4)	98 (17.7)	418 (14.5)
Urinary organs (C64-C68)	58 (10.1)	67 (11.3)	50 (8.3)	41 (7.4)	43 (7.8)	259 (9.0)
Eye, brain, and thyroid (C69-C75)	8 (1.4)	13 (2.2)	14 (2.3)	16 (2.9)	17 (3.1)	68 (2.4)
Hematopoietic (C81-C96)	48 (8.4)	45 (7.6)	57 (9.5)	45 (8.1)	55 (9.9)	250 (8.7)
Other and unspecified	37 (6.5)	31 (5.2)	28 (4.7)	31 (5.6)	30 (5.4)	157 (5.5)
All sites	573 (100.0)	595 (100.0)	599 (100.0)	555 (100.0)	553 (100.0)	2875 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	5 (0.8)	10 (1.7)	7 (1.1)	12 (2.0)	8 (1.3)	42 (1.3)
Digestive organs (C15-C26)	136 (20.8)	135 (22.3)	105 (16.3)	111 (18.1)	120 (19.2)	607 (19.3)
Respiratory organs (C30-C39)	28 (4.3)	20 (3.3)	26 (4.0)	29 (4.7)	21 (3.4)	124 (4.0)
Bone, cartilage, and skin (C40-C44)	57 (8.7)	40 (6.6)	36 (5.6)	36 (5.9)	50 (8.0)	219 (7.0)
Breast (C50)	219 (33.5)	195 (32.2)	252 (39.2)	224 (36.6)	223 (35.7)	1113 (35.5)
Female genitalia (C51-C58)	112 (17.2)	98 (16.2)	94 (14.6)	100 (16.3)	91 (14.6)	495 (15.8)
Urinary organs (C64-C68)	20 (3.1)	16 (2.6)	14 (2.2)	19 (3.1)	18 (2.9)	87 (2.8)
Eye, brain, and thyroid (C69-C75)	11 (1.7)	19 (3.1)	24 (3.7)	18 (2.9)	15 (2.4)	87 (2.8)
Hematopoietic (C81-C96)	40 (6.1)	38 (6.3)	57 (8.9)	38 (6.2)	44 (7.1)	217 (6.9)
Other and unspecified	26 (4.0)	35 (5.8)	28 (4.4)	26 (4.2)	35 (5.6)	150 (4.8)
All sites	653 (100.0)	606 (100.0)	643 (100.0)	612 (100.0)	624 (100.0)	3138 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	19 (1.5)	34 (2.8)	33 (2.7)	38 (3.3)	25 (2.1)	149 (2.5)
Digestive organs (C15-C26)	299 (24.4)	307 (25.6)	249 (20.0)	265 (22.7)	263 (22.3)	1383 (23.0)
Respiratory organs (C30-C39)	159 (13.0)	154 (12.8)	156 (12.6)	161 (13.8)	117 (9.9)	747 (12.4)
Bone, cartilage, and skin (C40-C44)	104 (8.5)	92 (7.7)	83 (6.7)	68 (5.8)	106 (9.0)	453 (7.5)
Urinary organs (C64-C68)	78 (6.4)	83 (6.9)	64 (5.2)	60 (5.1)	61 (5.2)	346 (5.8)
Eye, brain, and thyroid (C69-C75)	19 (1.5)	32 (2.7)	38 (3.1)	34 (2.9)	32 (2.7)	155 (2.6)
Hematopoietic (C81-C96)	88 (7.2)	83 (6.9)	114 (9.2)	83 (7.1)	99 (8.4)	467 (7.8)
Other and unspecified	63 (5.1)	66 (5.5)	56 (4.5)	57 (4.9)	65 (5.5)	307 (5.1)
All sites	1226 (100.0)	1201 (100.0)	1242 (100.0)	1167 (100.0)	1177 (100.0)	6013 (100.0)

ARGENTINA, BAHIA BLANCA (1993-1997)
Age Standardized Incidence Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR					TOTAL ASR (%)
	1993 ASR (%)	1994 ASR (%)	1995 ASR (%)	1996 ASR (%)	1997 ASR (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	7.2 (2.7)	12.0 (4.3)	13.1 (4.7)	12.5 (4.8)	8.4 (3.3)	10.6 (4.0)
Digestive organs (C15-C26)	74.0 (27.6)	78.6 (28.2)	65.4 (23.4)	70.9 (27.3)	64.3 (25.1)	70.6 (26.3)
Respiratory organs (C30-C39)	63.2 (23.6)	64.6 (23.2)	61.3 (22.0)	63.6 (24.5)	46.2 (18.1)	59.8 (22.3)
Bone, cartilage, and skin (C40-C44)	22.1 (8.3)	24.9 (9.0)	22.6 (8.1)	15.1 (5.8)	24.9 (9.7)	21.9 (8.2)
Breast (C50)	1.0 (0.4)	0 (0.0)	2.5 (0.9)	0.5 (0.2)	0.5 (0.2)	0.9 (0.3)
Male genitalia (C60-C63)	31.0 (11.6)	30.7 (11.0)	45.5 (16.3)	35.2 (13.5)	42.6 (16.6)	37.0 (13.8)
Urinary organs (C64-C68)	26.6 (9.9)	30.8 (11.1)	22.6 (8.1)	19.0 (7.3)	19.8 (7.7)	23.8 (8.9)
Eye, brain, and thyroid (C69-C75)	3.6 (1.3)	6.7 (2.4)	7.2 (2.6)	7.9 (3.1)	8.5 (3.3)	6.8 (2.5)
Hematopoietic (C81-C96)	23.6 (8.8)	21.3 (7.7)	27.9 (10.0)	22.0 (8.5)	27.3 (10.7)	24.4 (9.1)
Other and unspecified	17.4 (6.5)	13.9 (5.0)	13.1 (4.7)	14.4 (5.5)	14.5 (5.7)	14.6 (5.5)
All sites	267.7 (100.0)	278.4 (100.0)	279.1 (100.0)	259.7 (100.0)	255.8 (100.0)	268.1 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	2.1 (0.9)	3.6 (1.6)	3.1 (1.3)	5.1 (2.2)	2.5 (1.1)	3.3 (1.4)
Digestive organs (C15-C26)	45.0 (19.0)	44.8 (20.0)	34.9 (14.4)	36.0 (15.7)	40.2 (17.6)	40.2 (17.3)
Respiratory organs (C30-C39)	8.2 (3.5)	6.6 (3.0)	9.0 (3.7)	10.4 (4.5)	8.2 (3.6)	8.5 (3.7)
Bone, cartilage, and skin (C40-C44)	19.0 (8.0)	13.9 (6.2)	12.6 (5.2)	14.8 (6.5)	16.6 (7.3)	15.4 (6.7)
Breast (C50)	83.7 (35.3)	74.8 (33.4)	99.9 (41.3)	85.9 (37.5)	86.8 (38.0)	86.2 (37.1)
Female genitalia (C51-C58)	44.8 (18.9)	37.8 (16.9)	36.1 (14.9)	38.6 (16.8)	36.5 (16.0)	38.8 (16.7)
Urinary organs (C64-C68)	7.2 (3.1)	5.8 (2.6)	4.6 (1.9)	6.4 (2.8)	5.6 (2.5)	5.9 (2.6)
Eye, brain, and thyroid (C69-C75)	4.2 (1.8)	8.2 (3.7)	10.5 (4.3)	9.0 (3.9)	6.3 (2.7)	7.6 (3.3)
Hematopoietic (C81-C96)	15.1 (6.4)	15.3 (6.8)	21.3 (8.8)	14.5 (6.3)	14.5 (6.3)	16.1 (6.9)
Other and unspecified	7.9 (3.3)	13.2 (5.9)	10.2 (4.2)	9.2 (4.0)	11.4 (5.0)	10.4 (4.5)
All sites	236.9 (100.0)	223.8 (100.0)	242.1 (100.0)	229.3 (100.0)	228.2 (100.0)	232.0 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	4.5 (1.8)	7.5 (3.0)	7.5 (3.0)	8.3 (3.5)	5.2 (2.2)	6.6 (2.7)
Digestive organs (C15-C26)	57.2 (23.0)	59.2 (24.1)	47.6 (18.7)	51.0 (21.3)	50.0 (21.0)	53.0 (21.6)
Respiratory organs (C30-C39)	32.9 (13.2)	32.4 (13.2)	31.8 (12.5)	34.1 (14.2)	25.0 (10.5)	31.3 (12.7)
Bone, cartilage, and skin (C40-C44)	20.6 (8.3)	19.1 (7.8)	17.1 (6.7)	14.7 (6.1)	20.0 (8.4)	18.3 (7.5)
Urinary organs (C64-C68)	15.5 (6.2)	16.5 (6.7)	12.2 (4.8)	11.8 (4.9)	11.7 (4.9)	13.5 (5.5)
Eye, brain, and thyroid (C69-C75)	3.8 (1.5)	7.5 (3.1)	8.9 (3.5)	8.3 (3.5)	7.3 (3.1)	7.2 (2.9)
Hematopoietic (C81-C96)	19.1 (7.7)	17.7 (7.2)	24.6 (9.6)	17.9 (7.5)	20.8 (8.7)	20.0 (8.2)
Other and unspecified	12.2 (4.9)	13.2 (5.4)	11.4 (4.5)	11.4 (4.7)	13.0 (5.5)	12.2 (5.0)
All sites	248.7 (100.0)	245.5 (100.0)	254.8 (100.0)	239.8 (100.0)	237.7 (100.0)	245.3 (100.0)

ARGENTINA, BAHIA BLANCA (1993-1997)
Incidence per 100,000 by Age Group (years)
Males

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	107	1	1.1	.	.	.	1.3	.	1.6	8.4	6.8	15.5	22.3	41.7	53.5	61.2	56.3	22.5	11.4	10.6	1.36	93	2	7	C00-14
Oesophagus (C15)	85	0	1.7	.	3.9	6.7	22.1	37.5	61.2	47.7	93.9	9.1	7.7	0.90	84	14	11	C15
Stomach (C16)	174	0	1.5	1.6	3.4	1.7	17.5	20.1	51.5	74.9	104.1	86.7	180.2	18.6	16.1	1.81	66	24	4	C16
Colon (C18)	239	0	4.5	1.6	3.4	10.2	17.5	29.0	56.4	93.7	116.4	177.6	255.4	25.5	21.9	2.55	72	21		C18
Rectum (C19-20)	94	0	1.7	9.7	11.2	9.8	48.2	30.6	86.7	116.4	10.0	8.5	0.99	84	12		C19-20
Colorectal (C18-20)	333	0	4.5	1.6	3.4	11.9	27.2	40.2	66.2	141.8	147.0	264.3	371.8	35.6	30.5	3.54	75	19	3	C18-20
Anus (C21)	4	0	1.9	4.3	7.5	0.4	0.4	0.03	100	0	25	C21
Colon, rectum and anus (C18-21)	337	0	4.5	1.6	3.4	11.9	29.1	40.2	66.2	141.8	147.0	268.6	379.3	36.0	30.8	3.57	76	18		C18-21
Liver (C22)	53	0	1.6	.	.	.	6.7	12.3	21.4	21.4	39.0	75.1	5.7	4.7	0.51	58	40	15	C22
Gallbladder (C23-24)	39	0	1.3	.	.	3.4	.	.	4.5	12.3	5.4	9.2	39.0	56.3	4.2	3.4	0.37	54	46	18	C23-24
Pancreas (C25)	80	0	5.1	1.9	11.2	22.1	21.4	39.8	43.3	116.4	8.5	7.1	0.72	45	48	12	C25
Nose, sinuses (C30-31)	2	0	2.2	2.5	0.2	0.2	0.02	100	0	26	C30-31
Larynx (C32)	91	0	3.4	9.7	26.8	31.9	48.2	67.4	52.0	26.3	9.7	8.9	1.20	87	4	8	C32
Lung, trachea and bronchus (C33-34)	519	0	.	.	.	1.2	.	.	1.6	8.4	17.0	40.7	160.7	164.4	219.5	263.4	389.9	315.4	55.4	49.6	6.33	71	23	1	C33-34
Melanoma of skin (C43)	28	1	.	.	.	1.2	.	3.0	4.7	3.4	.	7.8	11.2	4.9	8.0	3.1	4.3	11.3	3.0	2.9	0.27	82	18	20	C43
Mesothelioma (C45)	4	0	2.2	.	2.7	.	.	7.5	0.4	0.4	0.02	50	50	24	C45
Kaposi sarcoma (C46)	1	0	3.8	0.1	0.1	0.00	100	0	27	C46
Breast (C50)	9	0	.	.	.	1.2	.	.	.	3.4	10.7	3.1	.	3.8	1.0	0.9	0.09	89	0	23	C50
Penis (C60)	16	0	1.3	2.2	.	8.0	9.2	8.7	22.5	1.7	1.4	0.15	94	6	21	C60
Prostate (C61)	366	8	9.7	20.1	36.8	115.1	208.2	333.6	529.5	39.1	31.9	3.70	72	12	2	C61
Testis (C62)	35	0	.	.	1.1	.	12.0	6.0	3.2	11.8	5.1	.	4.5	2.5	2.7	9.2	.	7.5	3.7	3.6	0.29	91	0	17	C62
Kidney (C64)	64	0	3.3	6.7	3.4	5.8	6.7	22.1	24.1	30.6	52.0	33.8	6.8	6.2	0.77	78	13	13	C64
Bladder (C67)	166	0	1.6	.	1.7	7.8	22.3	34.3	58.9	79.6	125.6	221.6	17.7	14.8	1.66	80	13	5	C67
Brain, CNS (C70-72)	52	0	.	2.2	.	.	.	3.0	6.3	1.7	3.4	9.7	11.2	19.6	18.7	18.4	13.0	26.3	5.6	5.2	0.54	77	12	14	C70-72
Thyroid (C73)	11	0	.	.	2.2	4.7	2.7	1.5	.	6.7	.	3.9	.	2.5	2.7	3.1	.	3.8	1.2	1.1	0.10	91	9	22	C73
Hodgkin disease (C81)	43	1	.	2.2	2.2	2.2	1.3	1.5	3.2	10.1	1.7	7.8	8.9	7.4	8.0	12.2	8.7	11.3	4.6	4.3	0.41	93	5	16	C81
Non-Hodgkin lymphoma (C82-85;C96)	84	0	1.1	.	.	2.3	4.0	12.1	7.9	1.7	6.8	9.7	6.7	19.6	37.5	27.6	34.7	48.8	9.0	8.3	0.86	74	17	10	C82-85;C96
Multiple myeloma (C88-C90)	32	1	1.7	3.9	4.5	9.8	18.7	24.5	4.3	22.5	3.4	3.1	0.35	56	22	19	C88-C90
Lymphoid leukaemia (C91)	39	1	3.3	4.4	4.4	1.2	1.3	1.5	1.6	1.7	3.4	1.9	6.7	7.4	5.4	9.2	8.7	22.5	4.2	3.9	0.32	72	18		C91
Myeloid leukaemia (C92-94)	38	1	1.1	1.1	.	2.3	1.3	.	3.2	6.7	1.7	1.9	2.2	2.5	.	12.2	21.7	48.8	4.1	3.5	0.30	42	34		C92-94
Leukaemia unspecified (C95)	14	0	1.7	1.9	2.2	.	2.7	15.3	21.7	.	1.5	1.3	0.23	36	50		C95
Leukaemia (C91-95)	91	2	4.4	5.5	4.4	3.5	2.7	1.5	4.7	8.4	6.8	5.8	11.2	9.8	8.0	36.7	52.0	71.3	9.7	8.7	0.85	54	30	9	C91-95
Other and unspecified (O&U)	140	0	.	.	.	1.2	.	.	1.6	.	8.5	27.2	31.2	44.2	34.8	55.1	65.0	154.0	14.9	13.1	1.34	65	33	6	O&U
All sites but C44 (ALLbC44)	2887	14	11.1	10.0	8.8	16.4	25.4	39.2	42.6	89.2	85.1	217.3	455.3	662.3	1009.0	1316.8	1763.4	2467.1	286.9	250.8	28.91	73	19		ALLbC44
All sites (ALL)	2875	17	11.1	10.0	8.8	16.4	28.1	40.7	44.1	97.6	102.1	244.4	477.6	699.1	1051.8	1408.7	1863.1	2684.9	307.0	268.1	30.70	75	18		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only

†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, BAHIA BLANCA (1993-1997)
Incidence per 100,000 by Age Group (years)
Females

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	42	1	.	.	1.1	2.5	1.5	1.4	.	3.1	3.2	5.5	2.1	8.8	10.6	14.6	6.0	23.5	4.2	3.3	0.31	83	14	14	C00-14
Oesophagus (C15)	28	0	1.5	.	1.6	1.8	.	4.4	4.3	9.8	6.0	32.1	2.8	1.7	0.15	75	21	22	C15
Stomach (C16)	109	0	3.1	7.8	6.4	5.5	2.1	19.9	27.6	39.0	74.6	66.3	11.0	7.4	0.93	65	28	7	C16
Colon (C18)	215	2	1.4	4.6	1.6	.	16.5	26.8	48.7	48.9	78.0	104.4	158.3	21.6	14.4	1.67	72	22		C18
Rectum (C19-20)	66	0	8.1	.	8.2	13.3	17.0	21.9	17.9	59.9	6.6	4.3	0.43	85	9		C19-20
Colorectal (C18-20)	281	2	.	1.6	.	.	1.4	4.6	4.6	1.6	8.1	16.5	35.1	61.9	65.9	100.0	122.3	218.2	28.3	18.8	2.10	75	19	2	C18-20
Anus (C21)	7	0	1.4	.	1.6	.	1.8	2.1	.	2.1	.	3.0	2.1	0.7	0.6	0.06	86	14	23	C21
Colon, rectum and anus (C18-21)	288	2	2.9	4.6	3.1	8.1	18.4	37.1	61.9	68.0	100.0	125.3	220.3	29.0	19.4	2.16	75	19		C18-21
Liver (C22)	42	0	4.8	.	4.1	6.6	14.9	12.2	35.8	21.4	4.2	2.9	0.39	67	26	18	C22
Gallbladder (C23-24)	50	0	1.6	3.7	2.1	8.8	14.9	12.2	20.9	49.2	5.0	3.1	0.32	48	44	15	C23-24
Pancreas (C25)	81	0	1.4	.	.	.	5.5	8.2	2.2	21.3	34.1	38.8	74.9	8.1	5.1	0.56	35	57	10	C25
Nose, sinuses (C30-31)	6	0	1.8	2.1	.	2.1	2.4	6.0	.	0.6	0.5	0.07	100	0	24	C30-31
Larynx (C32)	5	0	3.0	8.6	0.5	0.2	0.01	60	40	25	C32
Lung, trachea and bronchus (C33-34)	107	0	1.5	3.1	4.8	7.3	20.6	15.5	21.3	41.4	59.7	70.6	10.8	7.4	0.88	74	21	8	C33-34
Melanoma of skin (C43)	41	0	1.4	1.5	6.2	.	5.5	6.2	6.6	6.4	17.1	11.9	25.7	4.1	3.0	0.31	90	2	17	C43
Mesothelioma (C45)	0	0	0.0	0.0	0.00	.	.	27	C45
Kaposi sarcoma (C46)	2	0	1.6	2.4	.	.	0.2	0.2	0.02	100	0	26	C46
Breast (C50)	1113	4	1.1	.	.	.	2.9	10.1	9.2	74.8	109.6	191.1	206.2	247.8	287.1	385.2	462.5	455.6	111.9	86.2	9.97	83	6	1	C50
Cervix uteri (C53)	167	2	.	.	.	1.2	4.4	8.7	18.4	28.1	32.2	47.8	28.9	24.3	29.8	24.4	32.8	40.6	16.8	14.7	1.42	89	5	3	C53
Corpus uteri (C54)	115	7	1.6	8.1	7.3	14.4	19.9	44.7	34.1	62.7	55.6	11.6	8.2	1.03	95	3	5	C54
Ovary (C56)	117	3	1.1	.	.	2.5	4.4	2.9	1.5	4.7	6.4	16.5	20.6	19.9	25.5	51.2	41.8	49.2	11.8	9.1	1.02	55	23	4	C56
Kidney (C64)	43	0	1.6	1.8	12.4	11.1	4.3	26.8	11.9	27.8	4.3	3.0	0.35	72	21	16	C64
Bladder (C67)	37	0	1.5	1.6	.	3.7	2.1	2.2	6.4	17.1	17.9	32.1	3.7	2.4	0.26	65	27	20	C67
Brain, CNS (C70-72)	49	0	3.4	3.3	.	.	1.5	2.9	1.5	6.2	3.2	3.7	10.3	.	17.0	17.1	20.9	8.6	4.9	4.3	0.46	82	12	12	C70-72
Thyroid (C73)	31	1	2.9	4.3	3.1	3.1	4.8	7.3	4.1	6.6	6.4	.	6.0	8.6	3.1	2.8	0.25	87	10	19	C73
Hodgkin disease (C81)	40	2	.	.	1.1	8.7	4.4	4.3	3.1	.	1.6	1.8	8.2	2.2	6.4	4.9	17.9	8.6	4.0	3.6	0.34	95	0	13	C81
Non-Hodgkin lymphoma (C82-85;C96)	60	2	1.1	.	1.1	1.2	.	1.4	4.6	1.6	1.6	7.3	10.3	11.1	8.5	14.6	23.9	36.4	6.0	4.5	0.46	75	12	11	C82-85;C96
Multiple myeloma (C88-C90)	29	0	.	1.1	1.5	1.6	1.6	.	2.1	4.4	8.5	17.1	14.9	12.8	2.9	2.1	0.26	72	7	21	C88-C90
Lymphoid leukaemia (C91)	41	1	2.2	2.2	2.2	1.2	.	.	3.1	.	.	1.8	.	.	6.4	9.8	23.9	32.1	4.1	2.8	0.27	68	7		C91
Myeloid leukaemia (C92-94)	31	2	1.1	1.4	1.5	.	.	3.7	8.2	2.2	.	4.9	11.9	27.8	3.1	2.1	0.19	29	32		C92-94
Leukaemia unspecified (C95)	16	0	3.1	.	.	.	2.1	2.2	.	4.9	11.9	12.8	1.6	1.0	0.12	13	63		C95
Leukaemia (C91-95)	88	3	3.4	2.2	2.2	1.2	.	1.4	7.7	.	.	5.5	10.3	4.4	6.4	19.5	47.7	72.7	8.8	6.0	0.58	44	26	9	C91-95
Other and unspecified (O&U)	124	1	1.4	1.5	3.1	9.7	9.2	14.4	8.8	23.4	43.9	65.6	98.4	12.5	8.2	0.91	50	46	6	O&U
All sites but C44 (ALLbC44)	2974	30	10.1	8.9	6.7	19.9	27.9	44.9	73.6	162.1	220.8	371.1	455.7	524.3	689.0	967.8	1306.9	1597.7	299.0	220.6	24.70	76	15		ALLbC44
All sites (ALL)	3138	37	14.6	8.9	6.7	19.9	27.9	44.9	73.6	165.2	227.3	382.1	472.2	566.3	725.1	1009.3	1393.4	1706.8	315.5	232.0	25.99	77	14		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only



†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, BAHIA BLANCA (1993–1997)

Age-specific incidence rates per 100,000 person-years



Incidence rate (log scale) per 100,000 person-years



ARGENTINA, BAHIA BLANCA (1993-1997)

Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years



ARGENTINA, BAHIA BLANCA (2003-2007)
Number of Cases in Major Diagnosis Groups
per Calendar Year

SITE	YEAR					TOTAL n (%)
	2003 n (%)	2004 n (%)	2005 n (%)	2006 n (%)	2007 n (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	8 (1.6)	12 (2.3)	13 (2.3)	15 (3.0)	11 (2.3)	59 (2.3)
Digestive organs (C15-C26)	132 (25.9)	129 (24.7)	132 (23.8)	136 (27.5)	118 (24.9)	647 (25.3)
Respiratory organs (C30-C39)	101 (19.8)	67 (12.8)	76 (13.7)	59 (11.9)	71 (15.0)	374 (14.6)
Bone, cartilage, and skin (C40-C44)	63 (12.4)	45 (8.6)	71 (12.8)	49 (9.9)	57 (12.0)	285 (11.2)
Breast (C50)	3 (0.6)	3 (0.6)	3 (0.5)	2 (0.4)	3 (0.6)	14 (0.5)
Male genitalia (C60-C63)	83 (16.3)	114 (21.8)	113 (20.4)	99 (20.0)	86 (18.1)	495 (19.4)
Urinary organs (C64-C68)	42 (8.3)	53 (10.1)	57 (10.3)	62 (12.6)	55 (11.6)	269 (10.5)
Eye, brain, and thyroid (C69-C75)	8 (1.6)	10 (1.9)	8 (1.4)	14 (2.8)	13 (2.7)	53 (2.1)
Hematopoietic (C81-C96)	42 (8.3)	48 (9.2)	40 (7.2)	28 (5.7)	25 (5.3)	183 (7.2)
Other and unspecified	27 (5.3)	42 (8.0)	42 (7.6)	30 (6.1)	35 (7.4)	176 (6.9)
All sites	509 (100.0)	523 (100.0)	554 (100.0)	494 (100.0)	474 (100.0)	2554 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	2 (0.3)	8 (1.5)	6 (1.1)	5 (0.9)	4 (0.8)	25 (0.9)
Digestive organs (C15-C26)	109 (19.0)	109 (20.8)	111 (19.6)	112 (20.9)	90 (17.2)	531 (19.5)
Respiratory organs (C30-C39)	25 (4.4)	14 (2.7)	26 (4.6)	24 (4.5)	25 (4.8)	114 (4.2)
Bone, cartilage, and skin (C40-C44)	59 (10.3)	49 (9.4)	61 (10.8)	36 (6.7)	57 (10.9)	262 (9.6)
Breast (C50)	155 (27.1)	143 (27.3)	176 (31.2)	155 (28.9)	162 (30.9)	791 (29.1)
Female genitalia (C51-C58)	94 (16.4)	87 (16.6)	63 (11.2)	69 (12.9)	66 (12.6)	379 (13.9)
Urinary organs (C64-C68)	21 (3.7)	13 (2.5)	22 (3.9)	21 (3.9)	22 (4.2)	99 (3.6)
Eye, brain, and thyroid (C69-C75)	18 (3.1)	20 (3.8)	30 (5.3)	21 (3.9)	25 (4.8)	114 (4.2)
Hematopoietic (C81-C96)	52 (9.1)	38 (7.3)	33 (5.8)	44 (8.2)	38 (7.3)	205 (7.5)
Other and unspecified	38 (6.6)	42 (8.0)	37 (6.5)	49 (9.1)	35 (6.7)	201 (7.4)
All sites	573 (100.0)	523 (100.0)	565 (100.0)	536 (100.0)	524 (100.0)	2721 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	10 (0.9)	20 (1.9)	19 (1.7)	20 (1.9)	15 (1.5)	84 (1.6)
Digestive organs (C15-C26)	241 (22.3)	238 (22.8)	243 (21.7)	248 (24.1)	208 (20.8)	1178 (22.3)
Respiratory organs (C30-C39)	126 (11.6)	81 (7.7)	102 (9.1)	83 (8.1)	96 (9.6)	488 (9.3)
Bone, cartilage, and skin (C40-C44)	122 (11.3)	94 (9.0)	132 (11.8)	85 (8.3)	114 (11.4)	547 (10.4)
Urinary organs (C64-C68)	63 (5.8)	66 (6.3)	79 (7.1)	83 (8.1)	77 (7.7)	368 (7.0)
Eye, brain, and thyroid (C69-C75)	26 (2.4)	30 (2.9)	38 (3.4)	35 (3.4)	38 (3.8)	167 (3.2)
Hematopoietic (C81-C96)	94 (8.7)	86 (8.2)	73 (6.5)	72 (7.0)	63 (6.3)	388 (7.4)
Other and unspecified	65 (6.0)	84 (8.0)	79 (7.1)	79 (7.7)	70 (7.0)	377 (7.1)
All sites	1082 (100.0)	1046 (100.0)	1119 (100.0)	1030 (100.0)	998 (100.0)	5275 (100.0)

ARGENTINA, BAHIA BLANCA (2003-2007)
Age Standardized Incidence Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR					TOTAL ASR (%)
	2003 ASR (%)	2004 ASR (%)	2005 ASR (%)	2006 ASR (%)	2007 ASR (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	5.1 (1.8)	6.4 (2.2)	7.9 (2.6)	9.3 (3.5)	6.6 (2.5)	7.1 (2.5)
Digestive organs (C15-C26)	72.7 (25.8)	68.3 (23.7)	74.7 (24.7)	74.2 (27.7)	63.1 (24.4)	70.6 (25.2)
Respiratory organs (C30-C39)	58.9 (20.9)	39.4 (13.6)	46.1 (15.2)	35.5 (13.2)	41.3 (16.0)	44.2 (15.8)
Bone, cartilage, and skin (C40-C44)	29.0 (10.3)	25.0 (8.7)	35.2 (11.6)	24.4 (9.1)	30.6 (11.8)	28.8 (10.3)
Breast (C50)	1.4 (0.5)	2.3 (0.8)	1.3 (0.4)	1.0 (0.4)	1.6 (0.6)	1.5 (0.5)
Male genitalia (C60-C63)	44.4 (15.7)	58.5 (20.3)	54.9 (18.1)	51.9 (19.4)	46.1 (17.8)	51.2 (18.3)
Urinary organs (C64-C68)	25.4 (9.0)	30.1 (10.4)	30.7 (10.1)	31.0 (11.5)	30.0 (11.6)	29.5 (10.5)
Eye, brain, and thyroid (C69-C75)	4.4 (1.5)	6.5 (2.2)	5.2 (1.7)	9.3 (3.5)	8.4 (3.2)	6.8 (2.4)
Hematopoietic (C81-C96)	27.4 (9.7)	28.5 (9.9)	24.8 (8.2)	15.1 (5.6)	13.4 (5.2)	21.8 (7.8)
Other and unspecified	13.3 (4.7)	23.5 (8.1)	22.4 (7.4)	15.7 (5.9)	17.9 (6.9)	18.5 (6.6)
All sites	282.0 (100.0)	288.8 (100.0)	302.9 (100.0)	268.2 (100.0)	259.1 (100.0)	280.2 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	0.7 (0.3)	3.0 (1.3)	2.5 (1.0)	2.3 (1.0)	2.0 (0.8)	2.1 (0.9)
Digestive organs (C15-C26)	36.7 (14.4)	38.9 (17.1)	38.5 (15.6)	37.9 (16.4)	35.2 (15.1)	37.4 (15.7)
Respiratory organs (C30-C39)	11.5 (4.5)	4.3 (1.9)	11.6 (4.7)	10.1 (4.4)	10.0 (4.3)	9.5 (4.0)
Bone, cartilage, and skin (C40-C44)	23.2 (9.1)	18.1 (7.9)	22.7 (9.2)	16.4 (7.1)	20.9 (9.0)	20.2 (8.5)
Breast (C50)	78.0 (30.6)	67.9 (29.8)	83.6 (33.9)	68.8 (29.7)	74.7 (32.2)	74.6 (31.3)
Female genitalia (C51-C58)	48.9 (19.2)	41.2 (18.1)	30.5 (12.4)	33.0 (14.3)	33.6 (14.5)	37.4 (15.7)
Urinary organs (C64-C68)	7.1 (2.8)	4.3 (1.9)	7.8 (3.2)	7.0 (3.0)	9.0 (3.9)	7.0 (3.0)
Eye, brain, and thyroid (C69-C75)	8.8 (3.5)	10.9 (4.8)	17.4 (7.1)	13.4 (5.8)	14.0 (6.0)	12.9 (5.4)
Hematopoietic (C81-C96)	26.5 (10.4)	18.2 (8.0)	17.7 (7.2)	23.9 (10.3)	17.0 (7.3)	20.7 (8.7)
Other and unspecified	13.6 (5.4)	20.6 (9.1)	15.1 (6.1)	18.3 (7.9)	15.6 (6.7)	16.7 (7.0)
All sites	255.0 (100.0)	227.5 (100.0)	246.5 (100.0)	231.2 (100.0)	232.2 (100.0)	238.4 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	2.7 (1.0)	4.5 (1.8)	4.9 (1.8)	5.4 (2.2)	4.0 (1.7)	4.3 (1.7)
Digestive organs (C15-C26)	52.6 (20.0)	51.5 (20.5)	54.5 (20.4)	53.9 (22.1)	46.8 (19.5)	51.9 (20.5)
Respiratory organs (C30-C39)	32.2 (12.3)	19.7 (7.8)	27.0 (10.1)	21.3 (8.7)	23.7 (9.9)	24.8 (9.8)
Bone, cartilage, and skin (C40-C44)	24.8 (9.4)	21.1 (8.4)	27.5 (10.3)	19.2 (7.9)	25.2 (10.5)	23.6 (9.3)
Urinary organs (C64-C68)	15.3 (5.8)	15.5 (6.2)	17.6 (6.6)	17.2 (7.0)	17.9 (7.4)	16.7 (6.6)
Eye, brain, and thyroid (C69-C75)	6.7 (2.6)	8.8 (3.5)	11.5 (4.3)	11.3 (4.7)	11.3 (4.7)	9.9 (3.9)
Hematopoietic (C81-C96)	26.7 (10.2)	22.9 (9.1)	20.7 (7.8)	19.4 (7.9)	15.1 (6.3)	20.9 (8.3)
Other and unspecified	13.2 (5.0)	21.6 (8.6)	18.0 (6.8)	17.0 (7.0)	16.1 (6.7)	17.2 (6.8)
All sites	263.0 (100.0)	251.1 (100.0)	267.0 (100.0)	243.7 (100.0)	240.2 (100.0)	253.0 (100.0)

ARGENTINA, BAHIA BLANCA (2003-2007)
Incidence per 100,000 by Age Group (years)
Males

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	59	1	2.2	2.4	.	13.0	20.6	28.4	34.9	26.8	44.1	32.2	8.5	7.1	0.88	100	0	10	C00-14
Oesophagus (C15)	56	0	5.2	5.1	34.8	23.3	31.2	53.9	54.7	8.0	6.0	0.77	79	21	12	C15
Stomach (C16)	134	2	2.2	2.4	7.3	13.0	25.7	37.9	66.0	84.8	88.2	147.9	19.2	14.4	1.66	88	10	6	C16
Colon (C18)	242	5	.	.	.	3.0	.	3.7	6.7	2.4	7.3	25.9	43.7	88.5	108.7	151.8	151.8	250.8	34.7	26.3	3.03	90	10		C18
Rectum (C19-20)	70	2	1.4	2.6	10.3	31.6	42.7	44.6	78.4	48.2	10.0	7.8	1.09	91	9		C19-20
Colorectal (C18-20)	312	7	.	.	.	3.0	1.4	3.7	6.7	2.4	7.3	28.5	54.0	120.1	151.4	196.4	230.2	299.1	44.7	34.2	4.12	90	10	3	C18-20
Anus (C21)	3	0	3.2	.	4.5	4.9	.	0.4	0.4	0.06	100	0	25	C21
Colon, rectum and anus (C18-21)	315	7	.	.	.	3.0	1.4	3.7	6.7	2.4	7.3	28.5	54.0	123.2	151.4	200.8	235.1	299.1	45.1	34.5	4.18	90	10		C18-21
Liver (C22)	44	2	2.4	2.6	2.6	28.4	31.1	17.9	49.0	25.7	6.3	5.1	0.70	75	25	14	C22
Gallbladder (C23-24)	31	0	2.4	2.4	2.6	5.1	3.2	7.8	22.3	29.4	38.6	4.4	3.2	0.38	58	39	17	C23-24
Pancreas (C25)	60	0	2.2	2.4	4.9	7.8	2.6	12.6	50.5	35.7	29.4	67.5	8.6	6.7	0.74	50	50	11	C25
Nose, sinuses (C30-31)	2	0	2.2	3.9	.	.	.	0.3	0.3	0.03	100	0	26	C30-31
Larynx (C32)	45	0	2.4	13.0	5.1	22.1	38.8	40.2	19.6	22.5	6.4	5.7	0.71	100	0	13	C32
Lung, trachea and bronchus (C33-34)	317	1	2.2	4.8	17.1	20.7	82.3	104.3	217.4	254.4	254.7	218.7	45.4	36.9	4.80	71	28	2	C33-34
Melanoma of skin (C43)	23	0	.	.	1.6	.	.	.	2.2	.	4.9	5.2	2.6	12.6	15.5	8.9	14.7	9.6	3.3	2.9	0.34	87	13	18	C43
Mesothelioma (C45)	7	0	2.4	5.2	.	.	3.9	.	9.8	3.2	1.0	0.9	0.11	86	14	24	C45
Kaposi sarcoma (C46)	2	1	3.2	0.3	0.1	0.00	100	0	27	C46
Breast (C50)	14	1	3.7	.	.	.	2.6	5.1	3.2	3.9	.	4.9	16.1	2.0	1.5	0.13	86	14	21	C50
Penis (C60)	11	1	2.6	.	11.6	4.5	4.9	12.9	1.6	1.2	0.13	91	9	23	C60
Prostate (C61)	450	32	2.4	5.2	36.0	75.8	159.2	343.7	509.4	498.5	64.5	45.3	6.09	90	10	1	C61
Testis (C62)	33	0	.	.	.	1.5	4.1	14.9	24.7	7.1	7.3	.	5.1	.	3.9	.	.	3.2	4.7	4.5	0.34	97	0	16	C62
Kidney (C64)	94	5	1.9	2.2	4.8	9.8	5.2	12.9	22.1	62.1	71.4	102.9	45.0	13.5	11.2	1.56	90	10	7	C64
Bladder (C67)	171	12	5.6	2.2	2.4	4.9	13.0	23.1	50.6	54.3	111.6	117.6	189.7	24.5	17.9	2.07	94	5	4	C67
Brain, CNS (C70-72)	39	0	.	5.6	1.6	1.5	.	3.7	2.2	9.5	4.9	5.2	10.3	9.5	3.9	17.9	29.4	16.1	5.6	4.9	0.53	72	28	15	C70-72
Thyroid (C73)	11	0	.	.	.	4.5	4.1	.	2.2	2.4	4.9	.	2.6	9.5	7.8	8.9	4.9	3.2	1.6	1.4	0.16	91	9	22	C73
Hodgkin disease (C81)	19	0	.	.	1.6	4.5	4.1	.	6.7	.	2.4	.	2.6	9.5	3.9	4.5	9.8	.	2.7	2.4	0.25	89	11	19	C81
Non-Hodgkin lymphoma (C82-85;C96)	77	4	4.0	3.7	.	4.5	4.1	5.6	2.2	4.8	7.3	13.0	5.1	28.4	23.3	40.2	19.6	61.1	11.0	9.3	0.87	94	6	8	C82-85;C96
Multiple myeloma (C88-C90)	18	0	2.4	.	.	.	7.8	13.4	9.8	32.2	2.6	1.7	0.17	78	22	20	C88-C90
Lymphoid leukaemia (C91)	30	4	7.9	1.9	.	1.5	2.4	5.2	.	9.5	7.8	13.4	14.7	19.3	4.3	4.0	0.37	80	13		C91
Myeloid leukaemia (C92-94)	31	5	.	1.9	4.8	4.9	.	.	.	11.6	13.4	34.3	22.5	4.4	3.5	0.42	65	26		C92-94
Leukaemia unspecified (C95)	8	0	2.4	2.4	2.6	.	3.9	4.5	.	9.6	1.1	0.9	0.08	63	0		C95
Leukaemia (C91-95)	69	9	7.9	3.7	4.8	1.5	.	.	.	2.4	9.8	5.2	2.6	9.5	23.3	31.2	49.0	51.5	9.9	8.4	0.87	71	17	9	C91-95
Other and unspecified (O&U)	150	9	.	1.9	.	1.5	.	5.6	.	7.1	2.4	10.4	28.3	25.3	66.0	53.6	127.4	173.7	21.5	15.6	1.75	77	21	5	O&U
All sites but C44 (ALLbC44)	2307	93	11.9	16.7	9.5	22.7	19.0	52.0	65.1	64.1	112.3	181.3	349.6	657.2	1090.8	1450.6	1827.1	2061.4	330.6	256.1	30.90	85	14		ALLbC44
All sites (ALL)	2554	114	11.9	16.7	9.5	22.7	20.3	52.0	67.4	73.6	119.6	186.5	372.8	701.4	1207.3	1526.4	2003.4	2412.0	366.0	280.2	33.45	86	13		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only

†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, BAHIA BLANCA (2003-2007)
Incidence per 100,000 by Age Group (years)
Females

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	25	0	4.4	4.5	.	6.9	13.8	3.3	3.5	6.8	14.8	3.3	2.1	0.22	100	0	17	C00-14
Oesophagus (C15)	25	0	1.9	13.3	3.5	.	31.3	3.3	1.4	0.09	72	28	22	C15
Stomach (C16)	82	3	1.4	1.9	2.2	6.5	4.5	6.9	6.9	11.0	26.5	24.3	30.7	60.9	10.8	6.1	0.64	74	26	11	C16
Colon (C18)	207	6	1.4	.	2.2	2.2	13.5	4.6	22.8	41.3	49.7	83.4	109.3	154.6	27.4	14.4	1.70	86	14		C18
Rectum (C19-20)	56	4	2.2	.	2.2	6.9	2.3	11.0	26.5	38.2	17.1	29.6	7.4	4.7	0.57	100	0		C19-20
Colorectal (C18-20)	263	10	1.4	.	4.5	2.2	15.7	11.6	25.1	52.3	76.2	121.7	126.3	184.2	34.8	19.1	2.27	89	11	2	C18-20
Anus (C21)	10	0	2.2	.	2.3	4.6	.	.	3.5	.	8.2	1.3	0.8	0.06	100	0	23	C21
Colon, rectum and anus (C18-21)	273	10	1.4	.	4.5	4.4	15.7	13.9	29.7	52.3	76.2	125.1	126.3	192.5	36.1	19.9	2.33	89	10		C18-21
Liver (C22)	23	0	2.3	2.3	2.8	.	10.4	17.1	19.7	3.0	1.4	0.17	65	35	21	C22
Gallbladder (C23-24)	30	0	2.2	2.2	.	2.3	11.0	9.9	13.9	3.4	24.7	4.0	2.2	0.22	60	40	16	C23-24
Pancreas (C25)	90	0	4.5	4.6	6.9	22.0	13.3	20.9	68.3	74.0	11.9	5.8	0.70	44	56	12	C25
Nose, sinuses (C30-31)	0	0	0.0	0.0	0.00	.	.	27	C30-31
Larynx (C32)	10	1	2.3	.	.	3.3	3.5	.	9.9	1.3	0.6	0.05	100	0	24	C32
Lung, trachea and bronchus (C33-34)	96	1	2.2	4.5	20.8	25.1	19.3	43.1	41.7	23.9	54.3	12.7	8.3	0.91	71	28	7	C33-34
Melanoma of skin (C43)	20	3	2.2	4.4	.	2.3	2.3	2.8	3.3	7.0	13.7	6.6	2.6	1.8	0.22	90	10	19	C43
Mesothelioma (C45)	3	0	4.9	0.4	0.1	0.00	33	67	25	C45
Kaposi sarcoma (C46)	0	0	0.0	0.0	0.00	.	.	27	C46
Breast (C50)	791	52	4.2	7.6	22.3	58.9	105.5	125.1	162.2	231.4	271.7	330.2	317.5	278.0	104.6	74.6	8.76	95	5	1	C50
Cervix uteri (C53)	109	1	3.8	22.3	26.2	29.2	27.8	27.4	30.3	39.8	31.3	10.2	19.7	14.4	12.5	1.25	97	3	5	C53
Corpus uteri (C54)	95	5	6.7	11.6	13.7	24.8	39.8	34.8	51.2	47.7	12.6	7.9	0.97	96	3	9	C54
Ovary (C56)	128	4	2.1	.	1.7	.	2.8	3.8	11.1	8.7	18.0	23.2	18.3	30.3	66.3	59.1	34.1	41.1	16.9	13.0	1.44	80	20	4	C56
Kidney (C64)	47	1	1.9	.	2.2	9.0	4.6	6.9	16.5	3.3	10.4	23.9	29.6	6.2	3.7	0.40	77	23	14	C64
Bladder (C67)	48	5	2.2	4.5	4.6	2.3	8.3	3.3	3.5	17.1	44.4	6.3	2.9	0.26	92	8	15	C67
Brain, CNS (C70-72)	53	3	4.2	3.9	1.7	1.5	.	1.9	6.7	4.4	4.5	9.3	6.9	5.5	16.6	10.4	10.2	26.3	7.0	5.4	0.46	68	28	13	C70-72
Thyroid (C73)	55	2	.	.	.	1.5	1.4	5.7	13.4	15.3	13.5	16.2	9.1	13.8	13.3	13.9	6.8	4.9	7.3	6.6	0.64	95	5	10	C73
Hodgkin disease (C81)	17	1	.	.	1.7	.	5.6	7.6	4.5	2.2	7.0	3.4	1.6	2.2	2.0	0.17	100	0	18	C81
Non-Hodgkin lymphoma (C82-85; C96)	87	3	4.2	2.0	1.7	.	1.4	3.8	8.9	8.7	9.0	9.3	16.0	24.8	46.4	10.4	27.3	32.9	11.5	8.9	0.90	94	5	6	C82-85;C96
Multiple myeloma (C88-C90)	24	1	2.2	.	.	4.6	8.3	.	10.4	13.7	16.4	3.2	1.7	0.20	79	21	20	C88-C90
Lymphoid leukaemia (C91)	31	3	10.4	5.9	3.3	1.5	.	.	.	2.2	.	2.3	.	2.8	6.6	3.5	10.2	13.2	4.1	3.9	0.27	84	16		C91
Myeloid leukaemia (C92-94)	37	5	4.2	2.0	1.7	.	.	1.9	.	.	2.2	4.6	2.3	8.3	9.9	10.4	13.7	16.4	4.9	3.7	0.35	68	30	30	C92-94
Leukaemia unspecified (C95)	9	1	2.8	3.3	3.5	.	8.2	1.2	0.6	0.05	11	78		C95
Leukaemia (C91-95)	77	9	14.6	7.8	5.0	1.5	.	1.9	.	2.2	2.2	6.9	2.3	13.8	19.9	17.4	23.9	37.8	10.2	8.1	0.68	68	30	8	C91-95
Other and unspecified (O&U)	179	16	.	.	1.7	.	4.2	3.8	6.7	8.7	11.2	13.9	27.4	41.3	56.3	45.2	78.5	97.0	23.7	14.7	1.64	70	27	3	O&U
All sites but C44 (ALLbC44)	2490	126	31.2	13.7	18.3	4.6	25.2	49.2	106.9	181.1	258.3	321.9	383.9	611.6	788.6	872.4	938.9	1225.4	329.3	221.1	24.26	85	14		ALLbC44
All sites (ALL)	2721	144	31.2	13.7	21.6	4.6	26.6	54.9	115.8	185.5	271.7	338.1	397.6	652.9	864.8	948.9	1017.4	1388.3	359.9	238.4	26.11	86	13		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only



†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, BAHIA BLANCA (2003–2007)

Age-specific incidence rates per 100,000 person-years













Incidence rate (log scale) per 100,000 person-years




ARGENTINA, BAHIA BLANCA (2003-2007)

Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years



Age in Years





ARGENTINA, BAHIA BLANCA (1993–2007)

Age standardized incidence rate (World Population) per 100,000 per calendar year

Symbols represent observed rates and lines represent the (LOWESS=0.5) smoothed trend

Age standardized incidence rate (log scale) per 100,000 person-years




ARGENTINA, BAHIA BLANCA (1993-2007)


Age standardized incidence rate (World Population) per 100,000 per calendar year

Symbols represent observed rates and lines represent the (LOWESS=0.5) smoothed trend

Age standardized incidence rate (log scale) per 100,000 person-years




Calendar Year



ARGENTINA, BAHIA BLANCA (1998-2007)


Estimated Annual Percent Change in Incidence
by Cancer Site in Males, all ages



* The estimated annual percent change is statistically different from zero ($p \leq .05$)

ARGENTINA, BAHIA BLANCA (1998-2007)


Estimated Annual Percent Change in Incidence
by Cancer Site in Females, all ages



* The estimated annual percent change is statistically different from zero ($p \leq .05$)

ARGENTINA, BAHIA BLANCA (1993-2007)

Average annual person-years



Note: Population values shown for year 2007

Registry Summary Tables and Figures

ARGENTINA, CHACO (2002-2010)

Registry Director*: Dr Guillermo Martín Roa

Registry Staff*: Dr Mabel Villord, Lic. Verónica Tabare, Silvina Martínez

*Director and staff as notified at time of call for data in 2013. Current contact information for cancer registries in the region can be found at: http://www.iacr.com.fr/index.php?option=com_comprofiler&task=usersList&listid=5.

ARGENTINA, CHACO (2002-2005)
Number of Cases in Major Diagnosis Groups
per Calendar Year

SITE	YEAR				TOTAL n (%)
	2002 n (%)	2003 n (%)	2004 n (%)	2005 n (%)	
MALES					
Lip, oral cavity, and pharynx (C00-C14)	22 (2.8)	31 (3.6)	28 (3.8)	40 (4.4)	121 (3.7)
Digestive organs (C15-C26)	212 (26.8)	242 (28.2)	182 (24.7)	278 (30.6)	914 (27.8)
Respiratory organs (C30-C39)	199 (25.2)	190 (22.2)	176 (23.9)	175 (19.3)	740 (22.5)
Bone, cartilage, and skin (C40-C44)	39 (4.9)	44 (5.1)	34 (4.6)	47 (5.2)	164 (5.0)
Breast (C50)	6 (0.8)	2 (0.2)	0 (0.0)	3 (0.3)	11 (0.3)
Male genitalia (C60-C63)	122 (15.4)	126 (14.7)	109 (14.8)	127 (14.0)	484 (14.7)
Urinary organs (C64-C68)	50 (6.3)	64 (7.5)	43 (5.8)	68 (7.5)	225 (6.8)
Eye, brain, and thyroid (C69-C75)	33 (4.2)	24 (2.8)	33 (4.5)	33 (3.6)	123 (3.7)
Hematopoietic (C81-C96)	57 (7.2)	66 (7.7)	65 (8.8)	65 (7.2)	253 (7.7)
Other and unspecified	50 (6.3)	68 (7.9)	66 (9.0)	73 (8.0)	257 (7.8)
All sites	790 (100.0)	857 (100.0)	736 (100.0)	909 (100.0)	3292 (100.0)
FEMALES					
Lip, oral cavity, and pharynx (C00-C14)	17 (2.2)	9 (1.1)	11 (1.5)	12 (1.2)	49 (1.5)
Digestive organs (C15-C26)	147 (18.6)	150 (18.3)	150 (20.1)	198 (19.6)	645 (19.2)
Respiratory organs (C30-C39)	39 (4.9)	47 (5.7)	34 (4.5)	56 (5.5)	176 (5.2)
Bone, cartilage, and skin (C40-C44)	34 (4.3)	30 (3.7)	25 (3.3)	40 (4.0)	129 (3.8)
Breast (C50)	214 (27.1)	234 (28.6)	185 (24.7)	267 (26.4)	900 (26.7)
Female genitalia (C51-C58)	174 (22.0)	192 (23.5)	199 (26.6)	246 (24.4)	811 (24.1)
Urinary organs (C64-C68)	30 (3.8)	15 (1.8)	28 (3.7)	26 (2.6)	99 (2.9)
Eye, brain, and thyroid (C69-C75)	37 (4.7)	36 (4.4)	27 (3.6)	38 (3.8)	138 (4.1)
Hematopoietic (C81-C96)	48 (6.1)	45 (5.5)	30 (4.0)	62 (6.1)	185 (5.5)
Other and unspecified	50 (6.3)	60 (7.3)	59 (7.9)	65 (6.4)	234 (7.0)
All sites	790 (100.0)	818 (100.0)	748 (100.0)	1010 (100.0)	3366 (100.0)
BOTH SEXES					
Lip, oral cavity, and pharynx (C00-C14)	39 (2.5)	40 (2.4)	39 (2.6)	52 (2.7)	170 (2.6)
Digestive organs (C15-C26)	359 (22.7)	392 (23.4)	332 (22.4)	476 (24.8)	1559 (23.4)
Respiratory organs (C30-C39)	238 (15.1)	237 (14.1)	210 (14.2)	231 (12.0)	916 (13.8)
Bone, cartilage, and skin (C40-C44)	73 (4.6)	74 (4.4)	59 (4.0)	87 (4.5)	293 (4.4)
Urinary organs (C64-C68)	80 (5.1)	79 (4.7)	71 (4.8)	94 (4.9)	324 (4.9)
Eye, brain, and thyroid (C69-C75)	70 (4.4)	60 (3.6)	60 (4.0)	71 (3.7)	261 (3.9)
Hematopoietic (C81-C96)	105 (6.6)	111 (6.6)	95 (6.4)	127 (6.6)	438 (6.6)
Other and unspecified	100 (6.3)	128 (7.6)	125 (8.4)	138 (7.2)	491 (7.4)
All sites	1580 (100.0)	1675 (100.0)	1484 (100.0)	1919 (100.0)	6658 (100.0)

ARGENTINA, CHACO (2002-2005)
Age Standardized Incidence Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR				TOTAL ASR (%)
	2002 ASR (%)	2003 ASR (%)	2004 ASR (%)	2005 ASR (%)	
MALES					
Lip, oral cavity, and pharynx (C00-C14)	5.6 (2.8)	7.6 (3.6)	6.7 (3.9)	9.6 (4.5)	7.4 (3.7)
Digestive organs (C15-C26)	54.9 (27.7)	59.5 (28.4)	43.2 (24.9)	64.9 (30.5)	55.7 (28.0)
Respiratory organs (C30-C39)	51.2 (25.8)	48.3 (23.0)	43.3 (24.9)	43.0 (20.2)	46.4 (23.4)
Bone, cartilage, and skin (C40-C44)	9.2 (4.7)	10.8 (5.2)	8.1 (4.7)	10.4 (4.9)	9.6 (4.8)
Breast (C50)	1.5 (0.7)	0.5 (0.2)	0 (0.0)	0.6 (0.3)	0.6 (0.3)
Male genitalia (C60-C63)	30.1 (15.2)	30.0 (14.3)	25.4 (14.6)	28.8 (13.5)	28.5 (14.4)
Urinary organs (C64-C68)	12.6 (6.3)	16.1 (7.7)	10.2 (5.8)	16.5 (7.8)	13.9 (7.0)
Eye, brain, and thyroid (C69-C75)	7.4 (3.7)	5.6 (2.7)	7.3 (4.2)	7.2 (3.4)	6.9 (3.5)
Hematopoietic (C81-C96)	13.2 (6.6)	14.6 (6.9)	13.6 (7.8)	14.6 (6.8)	14.0 (7.0)
Other and unspecified	12.6 (6.4)	16.8 (8.0)	15.8 (9.1)	17.0 (8.0)	15.6 (7.9)
All sites	198.2 (100.0)	209.8 (100.0)	173.6 (100.0)	212.6 (100.0)	198.5 (100.0)
FEMALES					
Lip, oral cavity, and pharynx (C00-C14)	3.6 (2.0)	2.0 (1.1)	2.1 (1.3)	2.6 (1.2)	2.6 (1.4)
Digestive organs (C15-C26)	31.6 (18.0)	31.3 (17.5)	29.8 (19.0)	39.2 (18.7)	33.1 (18.3)
Respiratory organs (C30-C39)	8.2 (4.7)	10.8 (6.0)	6.8 (4.3)	11.2 (5.3)	9.2 (5.1)
Bone, cartilage, and skin (C40-C44)	7.6 (4.3)	6.9 (3.9)	4.8 (3.1)	8.0 (3.8)	6.8 (3.8)
Breast (C50)	49.5 (28.2)	52.9 (29.5)	41.2 (26.3)	57.4 (27.4)	50.3 (27.9)
Female genitalia (C51-C58)	39.8 (22.7)	42.4 (23.6)	42.5 (27.2)	52.0 (24.8)	44.2 (24.5)
Urinary organs (C64-C68)	6.2 (3.5)	3.2 (1.8)	5.9 (3.7)	5.6 (2.7)	5.2 (2.9)
Eye, brain, and thyroid (C69-C75)	7.8 (4.4)	7.5 (4.2)	5.5 (3.5)	7.9 (3.8)	7.2 (4.0)
Hematopoietic (C81-C96)	10.5 (6.0)	9.5 (5.3)	6.2 (4.0)	12.6 (6.0)	9.7 (5.4)
Other and unspecified	10.5 (6.0)	12.6 (7.1)	11.9 (7.6)	13.1 (6.2)	12.1 (6.7)
All sites	175.3 (100.0)	179.1 (100.0)	156.6 (100.0)	209.6 (100.0)	180.4 (100.0)
BOTH SEXES					
Lip, oral cavity, and pharynx (C00-C14)	4.5 (2.5)	4.7 (2.5)	4.4 (2.7)	5.9 (2.8)	4.9 (2.6)
Digestive organs (C15-C26)	42.8 (23.1)	44.5 (23.2)	36.1 (22.1)	51.3 (24.5)	43.7 (23.4)
Respiratory organs (C30-C39)	28.6 (15.5)	28.6 (14.9)	24.3 (14.9)	26.4 (12.6)	26.9 (14.4)
Bone, cartilage, and skin (C40-C44)	8.3 (4.5)	8.7 (4.6)	6.3 (3.9)	9.0 (4.3)	8.1 (4.3)
Urinary organs (C64-C68)	9.2 (5.0)	9.3 (4.8)	7.8 (4.8)	10.7 (5.1)	9.3 (4.9)
Eye, brain, and thyroid (C69-C75)	7.6 (4.1)	6.5 (3.4)	6.3 (3.9)	7.6 (3.6)	7.0 (3.7)
Hematopoietic (C81-C96)	11.8 (6.4)	11.9 (6.2)	9.8 (6.0)	13.5 (6.5)	11.8 (6.3)
Other and unspecified	11.5 (6.2)	14.6 (7.6)	13.7 (8.4)	14.9 (7.1)	13.7 (7.3)
All sites	184.9 (100.0)	191.7 (100.0)	163.2 (100.0)	208.9 (100.0)	187.3 (100.0)

ARGENTINA, CHACO (2002-2005)
Incidence per 100,000 by Age Group (years)
Males

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	121	0	0.4	.	.	0.5	0.6	.	.	2.6	5.5	14.1	21.8	34.2	25.9	37.8	24.8	39.2	6.1	7.4	0.84	81	19	9	C00-14
Oesophagus (C15)	170	0	1.4	.	.	0.9	3.7	9.1	16.1	31.2	33.2	82.7	74.4	109.7	8.5	10.5	1.26	47	53	6	C15
Stomach (C16)	216	0	0.6	0.7	3.2	3.5	10.1	16.1	26.4	47.5	36.9	89.8	83.8	101.9	10.8	13.2	1.59	53	47	5	C16
Colon (C18)	216	0	1.7	1.4	4.9	1.7	6.4	10.1	28.7	31.2	44.3	78.0	86.9	143.7	10.8	13.0	1.48	58	42		C18
Rectum (C19-20)	57	0	1.1	0.7	0.8	1.7	5.5	6.0	6.9	4.5	20.3	14.2	18.6	18.3	2.9	3.5	0.40	79	21		C19-20
Colorectal (C18-20)	273	0	2.9	2.2	5.7	3.5	11.9	16.1	35.6	35.6	64.6	92.2	105.5	161.9	13.7	16.5	1.88	62	38	3	C18-20
Anus (C21)	9	0	0.7	.	.	1.8	3.0	1.1	.	1.8	.	3.1	.	0.5	0.5	0.06	89	11	24	C21
Colon, rectum and anus (C18-21)	282	0	2.9	2.9	5.7	3.5	13.8	19.1	36.7	35.6	66.5	92.2	108.6	161.9	14.1	17.1	1.94	63	37		C18-21
Liver (C22)	69	0	1.1	0.7	.	0.9	2.8	2.0	10.3	14.9	11.1	33.1	18.6	39.2	3.5	4.2	0.48	39	61	15	C22
Gallbladder (C23-24)	42	0	0.9	.	5.0	5.7	.	7.4	9.5	27.9	36.6	2.1	2.5	0.28	24	76	18	C23-24
Pancreas (C25)	112	0	0.8	1.7	1.8	5.0	14.9	19.3	25.9	40.2	55.8	70.5	5.6	6.8	0.83	25	75	10	C25
Nose, sinuses (C30-31)	20	0	1.7	.	2.0	4.6	8.9	3.7	.	6.2	5.2	1.0	1.2	0.14	85	15	21	C30-31
Larynx (C32)	132	0	3.5	4.6	17.1	24.1	22.3	49.9	40.2	37.2	36.6	6.6	8.3	0.99	61	39	7	C32
Lung, trachea and bronchus (C33-34)	580	0	0.7	.	4.3	16.5	38.3	75.7	118.8	199.5	219.8	245.1	240.3	29.0	36.4	4.59	48	52	1	C33-34
Melanoma of skin (C43)	36	0	0.8	0.9	2.8	6.0	3.4	4.5	3.7	4.7	12.4	28.7	1.8	2.1	0.20	67	33	20	C43
Mesothelioma (C45)	4	0	1.0	.	1.5	3.7	.	.	.	0.2	0.3	0.03	100	0	26	C45
Kaposi sarcoma (C46)	0	0	0.0	0.0	0.00	.	.	27	C46
Breast (C50)	11	0	0.8	.	.	1.0	1.1	1.5	3.7	.	3.1	10.4	0.6	0.6	0.06	45	55	23	C50
Penis (C60)	42	0	0.6	.	.	.	1.8	7.1	1.1	7.4	9.2	11.8	18.6	26.1	2.1	2.6	0.29	86	14	17	C60
Prostate (C61)	385	0	1.0	9.2	40.1	72.0	132.4	245.1	457.1	19.3	23.0	2.50	46	54	2	C61
Testis (C62)	54	0	0.4	.	0.4	1.9	6.8	3.6	7.3	5.2	3.7	2.0	3.4	.	5.5	2.4	3.1	5.2	2.7	2.8	0.23	93	7	16	C62
Kidney (C64)	132	0	1.8	.	0.4	.	.	1.4	2.4	0.9	0.9	11.1	18.4	16.3	35.1	56.7	62.0	49.6	6.6	8.2	1.04	57	43	8	C64
Bladder (C67)	91	0	0.8	0.9	0.9	5.0	10.3	13.4	12.9	40.2	49.6	65.3	4.6	5.5	0.67	77	23	13	C67
Brain, CNS (C70-72)	92	0	3.5	3.7	2.1	1.4	2.9	0.7	2.4	5.2	7.3	4.0	9.2	4.5	16.6	14.2	24.8	15.7	4.6	5.1	0.51	59	41	14	C70-72
Thyroid (C73)	14	0	0.4	2.4	0.9	.	.	2.3	.	3.7	4.7	.	7.8	0.7	0.8	0.07	79	21	22	C73
Hodgkin disease (C81)	42	0	.	3.3	0.4	2.4	1.7	2.9	3.2	1.7	1.8	4.0	2.3	1.5	.	2.4	3.1	10.4	2.1	2.1	0.15	83	14	19	C81
Non-Hodgkin lymphoma (C82-85; C96)	96	0	1.3	1.7	0.4	0.9	0.6	2.2	3.2	2.6	3.7	6.0	12.6	13.4	16.6	30.7	34.1	31.3	4.8	5.7	0.65	79	21	12	C82-85;C96
Multiple myeloma (C88-C90)	9	0	0.9	.	1.1	4.5	1.8	.	3.1	5.2	0.5	0.5	0.06	89	11	25	C88-C90
Lymphoid leukaemia (C91)	38	0	1.8	1.2	2.5	2.8	0.6	1.4	.	0.9	0.9	.	1.1	3.0	5.5	11.8	6.2	2.6	1.9	2.0	0.20	68	26		C91
Myeloid leukaemia (C92-94)	40	0	1.3	0.4	1.7	1.9	1.1	2.9	1.6	0.9	2.8	2.0	2.3	3.0	3.7	.	3.1	18.3	2.0	2.1	0.14	65	28		C92-94
Leukaemia unspecified (C95)	28	0	1.8	0.4	0.8	.	1.7	.	0.8	.	0.9	1.0	1.1	.	3.7	11.8	6.2	13.1	1.4	1.6	0.15	25	71		C95
Leukaemia (C91-95)	106	0	4.9	2.1	5.1	4.7	3.4	4.3	2.4	1.7	4.6	3.0	4.6	5.9	12.9	23.6	15.5	34.0	5.3	5.7	0.49	56	39	11	C91-95
Other and unspecified (O&U)	230	0	0.9	0.4	.	0.5	.	3.6	.	1.7	6.4	15.1	27.5	25.2	49.9	92.2	111.7	141.0	11.5	14.1	1.68	39	61	4	O&U
All sites but C44 (ALLbC44)	3191	0	18.2	12.4	11.9	14.7	22.2	28.7	38.0	48.4	96.3	194.5	348.8	485.6	722.2	1092.1	1299.7	1770.9	159.8	192.5	22.17	55	45		ALLbC44
All sites (ALL)	3292	0	18.2	12.4	11.9	14.7	23.4	28.7	38.0	49.2	98.1	200.5	354.5	504.9	736.9	1134.7	1346.2	1851.9	164.9	198.5	22.86	56	44		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only

†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, CHACO (2002-2005)
Incidence per 100,000 by Age Group (years)
Females

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	49	0	0.5	.	.	0.5	.	2.1	.	2.5	1.8	4.1	6.0	8.8	3.5	10.5	12.7	21.3	2.4	2.6	0.26	73	27	18	C00-14
Oesophagus (C15)	53	0	0.8	.	3.6	1.0	3.6	4.4	10.4	12.6	25.5	33.7	2.6	2.7	0.31	40	60	17	C15
Stomach (C16)	107	0	0.6	2.8	1.5	2.5	4.5	4.1	3.6	14.7	32.8	21.0	30.6	60.3	5.3	5.5	0.59	38	62	6	C16
Colon (C18)	174	0	1.5	0.8	8.1	12.3	12.0	29.5	41.4	37.8	61.2	95.7	8.6	9.1	1.02	56	44	.	C18
Rectum (C19-20)	45	0	0.7	0.8	1.7	1.8	5.1	3.6	8.8	6.9	8.4	15.3	19.5	2.2	2.4	0.27	76	24	.	C19-20
Colorectal (C18-20)	219	0	0.7	2.3	2.5	9.9	17.4	15.5	38.3	48.3	46.2	76.4	115.2	10.8	11.4	1.29	60	40	3	C18-20
Anus (C21)	10	0	0.8	.	.	2.4	2.9	1.7	4.2	.	3.5	0.5	0.6	0.06	70	30	24	C21
Colon, rectum and anus (C18-21)	229	0	0.7	2.3	3.3	9.9	17.4	17.9	41.2	50.1	50.4	76.4	118.7	11.3	12.0	1.35	61	39	.	C18-21
Liver (C22)	64	0	.	0.4	2.7	4.1	3.6	8.8	6.9	18.9	28.0	40.8	3.2	3.2	0.37	33	67	15	C22
Gallbladder (C23-24)	82	0	3.3	2.7	5.1	12.0	5.9	17.3	23.1	35.7	37.2	4.1	4.3	0.52	43	57	10	C23-24
Pancreas (C25)	98	0	0.8	2.7	4.1	10.8	11.8	6.9	23.1	45.9	70.9	4.9	4.8	0.53	20	80	7	C25
Nose, sinuses (C30-31)	5	0	.	.	.	0.5	0.9	.	1.2	1.5	.	.	.	1.8	0.2	0.3	0.02	100	0	25	C30-31
Larynx (C32)	12	0	2.4	1.5	5.2	4.2	5.1	3.5	0.6	0.7	0.09	25	75	23	C32
Lung, trachea and bronchus (C33-34)	152	0	0.8	3.6	12.3	17.9	14.7	39.7	37.8	56.1	83.3	7.5	8.0	0.91	39	61	5	C33-34
Melanoma of skin (C43)	33	0	0.6	0.7	0.8	0.8	3.6	2.0	3.6	5.9	5.2	16.8	5.1	5.3	1.6	1.9	0.23	79	21	20	C43
Mesothelioma (C45)	2	0	0.8	2.1	.	.	0.1	0.1	0.01	50	50	26	C45
Kaposi sarcoma (C46)	0	0	0.0	0.0	0.00	.	.	27	C46
Breast (C50)	900	0	1.1	4.1	14.6	39.6	77.5	130.8	123.1	148.8	184.7	199.4	224.2	207.3	44.6	50.3	5.74	80	20	1	C50
Cervix uteri (C53)	536	0	.	.	.	1.0	5.1	15.1	33.1	42.9	71.1	71.5	72.9	82.5	69.0	77.7	63.7	70.9	26.5	29.6	3.03	74	26	2	C53
Corpus uteri (C54)	76	0	2.5	5.4	7.2	14.3	11.8	13.8	33.6	20.4	14.2	3.8	4.3	0.54	80	20	9	C54
Ovary (C56)	83	0	0.5	.	1.8	0.5	2.3	0.7	2.3	5.0	3.6	7.2	14.3	8.8	15.5	18.9	15.3	17.7	4.1	4.5	0.48	64	36	8	C56
Kidney (C64)	61	0	1.4	.	0.4	.	0.6	.	.	1.7	0.9	4.1	7.2	8.8	10.4	23.1	15.3	24.8	3.0	3.3	0.37	48	52	14	C64
Bladder (C67)	38	0	1.7	0.9	.	2.4	5.9	6.9	21.0	.	26.6	1.9	1.9	0.19	68	32	19	C67
Brain, CNS (C70-72)	73	0	1.4	2.1	2.6	1.5	2.8	2.1	3.8	2.5	3.6	4.1	6.0	7.4	6.9	8.4	15.3	14.2	3.6	3.7	0.35	59	40	13	C70-72
Thyroid (C73)	50	0	.	.	0.4	.	1.7	2.8	6.2	4.1	6.3	6.1	6.0	5.9	1.7	6.3	5.1	1.8	2.5	2.7	0.26	96	4	16	C73
Hodgkin disease (C81)	16	0	.	.	0.4	0.5	0.6	2.1	.	1.7	0.9	1.0	.	.	.	4.2	2.5	5.3	0.8	0.8	0.07	75	25	22	C81
Non-Hodgkin lymphoma (C82-85; C96)	71	0	0.9	0.4	0.9	.	0.6	2.1	0.8	.	5.4	5.1	2.4	13.3	12.1	16.8	30.6	21.3	3.5	3.8	0.46	79	21	12	C82-85; C96
Multiple myeloma (C88-C90)	16	0	0.8	.	.	2.0	.	4.4	1.7	12.6	.	5.3	0.8	0.9	0.11	75	19	21	C88-C90
Lymphoid leukaemia (C91)	13	0	0.9	0.4	0.4	0.5	0.9	.	1.2	.	.	6.3	.	5.3	0.6	0.6	0.05	77	23	.	C91
Myeloid leukaemia (C92-94)	39	0	1.4	2.1	0.9	1.0	1.1	.	2.3	0.8	.	8.2	3.6	2.9	3.5	4.2	10.2	.	1.9	2.1	0.21	59	33	.	C92-94
Leukaemia unspecified (C95)	30	0	0.9	.	1.3	0.5	1.1	0.7	0.8	1.7	0.9	3.1	.	.	6.9	4.2	5.1	10.6	1.5	1.5	0.14	10	90	.	C95
Leukaemia (C91-95)	82	0	3.2	2.6	2.6	1.9	2.3	0.7	3.1	2.5	1.8	11.2	4.8	2.9	10.4	14.7	15.3	15.9	4.1	4.2	0.40	44	52	11	C91-95
Other and unspecified (O&U)	201	0	0.5	0.4	0.4	1.0	0.6	0.7	0.8	5.0	4.5	11.2	21.5	14.7	38.0	65.1	81.5	102.8	10.0	10.4	1.23	35	65	4	O&U
All sites but C44 (ALLbC44)	3285	0	10.1	8.1	11.0	15.5	27.8	44.0	79.2	129.6	226.9	332.2	370.5	447.8	569.6	745.1	838.3	1079.2	162.6	176.2	19.28	64	35	.	ALLbC44
All sites (ALL)	3366	0	10.6	8.1	11.0	16.0	27.8	44.7	80.0	131.3	230.5	339.3	374.1	458.1	588.6	772.4	853.6	1121.8	166.6	180.4	19.73	65	35	.	ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only



†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, CHACO (2002–2005)


Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years



ARGENTINA, CHACO (2002-2005)

Age-specific incidence rates per 100,000 person-years



ARGENTINA, CHACO (2006-2010)
Number of Cases in Major Diagnosis Groups
per Calendar Year

SITE	YEAR					TOTAL n (%)
	2006 n (%)	2007 n (%)	2008 n (%)	2009 n (%)	2010 n (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	34 (3.5)	34 (4.1)	45 (4.4)	34 (4.0)	43 (4.9)	190 (4.2)
Digestive organs (C15-C26)	292 (30.0)	220 (26.7)	283 (27.9)	247 (28.8)	224 (25.5)	1266 (27.8)
Respiratory organs (C30-C39)	208 (21.4)	170 (20.6)	204 (20.1)	156 (18.2)	187 (21.3)	925 (20.3)
Bone, cartilage, and skin (C40-C44)	60 (6.2)	42 (5.1)	48 (4.7)	50 (5.8)	68 (7.8)	268 (5.9)
Breast (C50)	3 (0.3)	2 (0.2)	3 (0.3)	5 (0.6)	5 (0.6)	18 (0.4)
Male genitalia (C60-C63)	132 (13.6)	140 (17.0)	175 (17.2)	122 (14.2)	136 (15.5)	705 (15.5)
Urinary organs (C64-C68)	83 (8.5)	61 (7.4)	76 (7.5)	74 (8.6)	71 (8.1)	365 (8.0)
Eye, brain, and thyroid (C69-C75)	35 (3.6)	35 (4.2)	38 (3.7)	31 (3.6)	22 (2.5)	161 (3.5)
Hematopoietic (C81-C96)	54 (5.5)	59 (7.2)	63 (6.2)	57 (6.6)	61 (7.0)	294 (6.5)
Other and unspecified	73 (7.5)	61 (7.4)	81 (8.0)	83 (9.7)	60 (6.8)	358 (7.9)
All sites	974 (100.0)	824 (100.0)	1016 (100.0)	859 (100.0)	877 (100.0)	4550 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	18 (1.8)	12 (1.2)	13 (1.3)	20 (1.9)	11 (1.2)	74 (1.5)
Digestive organs (C15-C26)	187 (18.4)	183 (19.0)	187 (18.9)	190 (18.3)	165 (18.1)	912 (18.5)
Respiratory organs (C30-C39)	59 (5.8)	38 (4.0)	41 (4.1)	52 (5.0)	55 (6.0)	245 (5.0)
Bone, cartilage, and skin (C40-C44)	35 (3.4)	46 (4.8)	43 (4.3)	43 (4.1)	36 (4.0)	203 (4.1)
Breast (C50)	247 (24.3)	273 (28.4)	255 (25.7)	256 (24.6)	261 (28.7)	1292 (26.3)
Female genitalia (C51-C58)	279 (27.4)	244 (25.4)	262 (26.4)	265 (25.5)	211 (23.2)	1261 (25.6)
Urinary organs (C64-C68)	25 (2.5)	33 (3.4)	30 (3.0)	39 (3.8)	29 (3.2)	156 (3.2)
Eye, brain, and thyroid (C69-C75)	61 (6.0)	49 (5.1)	42 (4.2)	53 (5.1)	42 (4.6)	247 (5.0)
Hematopoietic (C81-C96)	43 (4.2)	37 (3.9)	45 (4.5)	50 (4.8)	42 (4.6)	217 (4.4)
Other and unspecified	63 (6.2)	46 (4.8)	73 (7.4)	71 (6.8)	58 (6.4)	311 (6.3)
All sites	1017 (100.0)	961 (100.0)	991 (100.0)	1039 (100.0)	910 (100.0)	4918 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	52 (2.6)	46 (2.6)	58 (2.9)	54 (2.8)	54 (3.0)	264 (2.8)
Digestive organs (C15-C26)	479 (24.1)	403 (22.6)	470 (23.4)	437 (23.0)	389 (21.8)	2178 (23.0)
Respiratory organs (C30-C39)	267 (13.4)	208 (11.7)	245 (12.2)	208 (11.0)	242 (13.5)	1170 (12.4)
Bone, cartilage, and skin (C40-C44)	95 (4.8)	88 (4.9)	91 (4.5)	93 (4.9)	104 (5.8)	471 (5.0)
Urinary organs (C64-C68)	108 (5.4)	94 (5.3)	106 (5.3)	113 (6.0)	100 (5.6)	521 (5.5)
Eye, brain, and thyroid (C69-C75)	96 (4.8)	84 (4.7)	80 (4.0)	84 (4.4)	64 (3.6)	408 (4.3)
Hematopoietic (C81-C96)	97 (4.9)	96 (5.4)	108 (5.4)	107 (5.6)	103 (5.8)	511 (5.4)
Other and unspecified	136 (6.8)	107 (6.0)	154 (7.7)	154 (8.1)	118 (6.6)	669 (7.1)
All sites	1991 (100.0)	1785 (100.0)	2007 (100.0)	1898 (100.0)	1787 (100.0)	9468 (100.0)

ARGENTINA, CHACO (2006-2010)
Age Standardized Incidence Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR					TOTAL ASR (%)
	2006 ASR (%)	2007 ASR (%)	2008 ASR (%)	2009 ASR (%)	2010 ASR (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	7.9 (3.5)	7.6 (4.1)	10.1 (4.5)	7.7 (4.1)	9.5 (5.1)	8.6 (4.3)
Digestive organs (C15-C26)	68.6 (30.6)	49.5 (26.6)	62.5 (27.8)	54.6 (29.1)	48.2 (25.7)	56.5 (28.0)
Respiratory organs (C30-C39)	49.4 (22.0)	40.0 (21.5)	46.6 (20.7)	34.5 (18.4)	41.4 (22.1)	42.2 (21.0)
Bone, cartilage, and skin (C40-C44)	13.1 (5.8)	9.3 (5.0)	10.4 (4.6)	10.7 (5.7)	14.1 (7.5)	11.5 (5.7)
Breast (C50)	0.6 (0.3)	0.5 (0.3)	0.8 (0.3)	1.0 (0.6)	1.1 (0.6)	0.8 (0.4)
Male genitalia (C60-C63)	29.2 (13.0)	31.1 (16.7)	38.0 (16.9)	25.9 (13.8)	28.4 (15.2)	30.5 (15.1)
Urinary organs (C64-C68)	19.5 (8.7)	14.3 (7.7)	16.9 (7.5)	16.4 (8.8)	15.2 (8.1)	16.4 (8.1)
Eye, brain, and thyroid (C69-C75)	7.8 (3.5)	7.6 (4.1)	8.3 (3.7)	6.5 (3.5)	4.5 (2.4)	6.9 (3.4)
Hematopoietic (C81-C96)	11.6 (5.2)	12.4 (6.7)	13.4 (6.0)	12.1 (6.4)	12.3 (6.6)	12.4 (6.1)
Other and unspecified	16.5 (7.4)	13.6 (7.3)	18.1 (8.0)	18.0 (9.6)	12.7 (6.8)	15.7 (7.8)
All sites	224.2 (100.0)	185.8 (100.0)	225.1 (100.0)	187.4 (100.0)	187.5 (100.0)	201.6 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	3.7 (1.8)	2.5 (1.3)	2.5 (1.3)	3.7 (1.9)	2.1 (1.2)	2.9 (1.5)
Digestive organs (C15-C26)	37.0 (18.0)	35.8 (18.7)	35.4 (18.6)	34.8 (17.6)	30.7 (17.8)	34.7 (18.1)
Respiratory organs (C30-C39)	11.3 (5.5)	7.7 (4.0)	8.1 (4.2)	9.4 (4.8)	10.7 (6.2)	9.4 (4.9)
Bone, cartilage, and skin (C40-C44)	6.7 (3.2)	8.4 (4.4)	6.8 (3.6)	7.4 (3.8)	6.3 (3.6)	7.1 (3.7)
Breast (C50)	52.6 (25.6)	55.6 (29.0)	50.8 (26.7)	49.9 (25.2)	51.4 (29.7)	52.0 (27.2)
Female genitalia (C51-C58)	57.0 (27.7)	49.0 (25.5)	51.6 (27.1)	52.2 (26.4)	40.2 (23.2)	49.8 (26.0)
Urinary organs (C64-C68)	5.4 (2.6)	6.9 (3.6)	5.3 (2.8)	7.7 (3.9)	5.1 (2.9)	6.1 (3.2)
Eye, brain, and thyroid (C69-C75)	12.5 (6.1)	10.1 (5.3)	8.1 (4.3)	10.6 (5.4)	8.3 (4.8)	9.9 (5.2)
Hematopoietic (C81-C96)	8.2 (4.0)	7.2 (3.7)	9.0 (4.7)	9.2 (4.6)	7.7 (4.5)	8.3 (4.3)
Other and unspecified	11.5 (5.6)	8.9 (4.6)	12.6 (6.6)	12.7 (6.4)	10.5 (6.1)	11.2 (5.9)
All sites	205.9 (100.0)	192.0 (100.0)	190.3 (100.0)	197.5 (100.0)	172.8 (100.0)	191.5 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	5.7 (2.7)	5.0 (2.7)	6.1 (3.0)	5.6 (2.9)	5.6 (3.2)	5.6 (2.9)
Digestive organs (C15-C26)	51.6 (24.3)	42.1 (22.5)	47.7 (23.3)	44.1 (23.1)	38.6 (21.7)	44.7 (23.0)
Respiratory organs (C30-C39)	29.3 (13.8)	22.9 (12.2)	26.0 (12.7)	21.2 (11.1)	24.9 (14.0)	24.8 (12.8)
Bone, cartilage, and skin (C40-C44)	9.6 (4.5)	8.7 (4.6)	8.6 (4.2)	9.0 (4.7)	9.9 (5.6)	9.1 (4.7)
Urinary organs (C64-C68)	11.9 (5.6)	10.3 (5.5)	10.8 (5.3)	11.6 (6.1)	9.7 (5.5)	10.9 (5.6)
Eye, brain, and thyroid (C69-C75)	10.1 (4.8)	8.9 (4.7)	8.2 (4.0)	8.5 (4.5)	6.5 (3.7)	8.4 (4.3)
Hematopoietic (C81-C96)	9.8 (4.6)	9.5 (5.1)	11.0 (5.4)	10.7 (5.6)	9.9 (5.6)	10.2 (5.2)
Other and unspecified	14.0 (6.6)	11.0 (5.9)	15.2 (7.5)	15.2 (7.9)	11.5 (6.5)	13.4 (6.9)
All sites	212.2 (100.0)	187.2 (100.0)	204.7 (100.0)	191.0 (100.0)	177.6 (100.0)	194.2 (100.0)

ARGENTINA, CHACO (2006-2010)
Incidence per 100,000 by Age Group (years)
Males

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	190	0	.	.	0.3	.	.	.	0.6	3.3	6.6	13.9	34.4	30.1	35.6	54.0	28.2	28.1	7.4	8.6	1.03	89	6	8	C00-14
Oesophagus (C15)	199	0	1.3	4.4	6.2	14.3	23.1	46.1	52.2	70.5	90.0	7.7	9.0	1.09	63	19	7	C15
Stomach (C16)	318	1	.	.	.	0.4	.	1.0	1.1	0.7	8.8	16.2	26.8	50.1	52.7	81.8	84.6	136.8	12.4	14.1	1.63	64	23	4	C16
Colon (C18)	330	2	0.5	2.6	2.8	0.7	11.0	12.3	26.0	45.1	46.1	90.5	103.5	146.2	12.9	14.6	1.72	75	16		C18
Rectum (C19-20)	94	0	.	.	.	0.4	.	0.5	.	.	1.5	6.2	6.7	14.0	17.1	31.3	25.9	33.7	3.7	4.2	0.52	81	9		C19-20
Colorectal (C18-20)	424	2	.	.	.	0.4	0.5	3.1	2.8	0.7	12.5	18.5	32.7	59.2	63.3	121.8	129.3	179.9	16.5	18.9	2.23	76	14	3	C18-20
Anus (C21)	16	1	0.5	.	0.7	0.7	0.8	0.8	1.0	4.0	1.7	4.7	5.6	0.6	0.7	0.08	100	0	23	C21
Colon, rectum and anus (C18-21)	440	3	.	.	.	0.4	0.5	3.7	2.8	1.3	13.2	19.3	33.6	60.2	67.2	123.6	134.0	185.6	17.1	19.6	2.31	77	14		C18-21
Liver (C22)	101	0	0.8	.	0.3	.	.	0.5	.	.	0.7	3.9	5.9	10.0	17.1	33.1	28.2	56.2	3.9	4.5	0.50	46	37	14	C22
Gallbladder (C23-24)	45	0	1.1	0.7	0.7	2.3	2.5	5.0	4.0	13.9	21.2	18.7	1.8	2.0	0.26	56	16	19	C23-24
Pancreas (C25)	139	0	0.4	0.7	2.2	6.2	5.9	16.0	27.7	43.5	56.4	61.9	5.4	6.3	0.79	36	37	11	C25
Nose, sinuses (C30-31)	15	0	0.5	3.4	.	1.3	7.0	9.4	1.9	0.6	0.7	0.11	93	7	24	C30-31
Larynx (C32)	145	0	2.2	5.4	20.1	27.1	48.8	27.9	40.0	26.2	5.6	6.7	0.86	78	12	10	C32
Lung, trachea and bronchus (C33-34)	754	2	1.0	0.6	3.3	8.8	29.3	56.2	97.3	185.9	243.7	230.4	283.0	29.4	34.4	4.29	52	24	1	C33-34
Melanoma of skin (C43)	60	0	.	.	.	0.5	0.5	1.6	2.3	0.7	2.2	7.7	5.0	6.0	2.6	8.7	25.9	15.0	2.3	2.6	0.32	88	7	17	C43
Mesothelioma (C45)	7	0	0.7	.	0.8	.	.	1.3	1.7	2.4	3.7	0.3	0.3	0.03	57	14	27	C45
Kaposi sarcoma (C46)	11	0	.	.	.	0.5	0.5	.	2.3	0.7	2.2	.	.	.	1.3	1.7	.	.	0.4	0.4	0.04	91	0	26	C46
Breast (C50)	18	0	1.5	.	3.0	1.3	8.7	4.7	9.4	0.7	0.8	0.10	67	11	22	C50
Penis (C60)	51	1	0.5	.	.	1.5	3.9	7.6	2.0	11.9	12.2	7.1	22.5	2.0	2.3	0.24	84	10	18	C60
Prostate (C61)	561	5	1.5	6.9	15.1	45.1	97.6	148.0	221.0	429.2	21.8	24.6	2.70	71	19	2	C61
Testis (C62)	93	1	0.8	0.7	0.7	3.9	6.8	11.5	7.9	4.7	5.1	2.3	1.7	.	1.3	.	.	7.5	3.6	3.6	0.24	91	4	15	C62
Kidney (C64)	209	3	0.8	.	0.3	.	0.9	1.0	0.6	1.3	2.9	10.8	14.3	38.1	40.9	62.7	63.5	54.4	8.1	9.5	1.21	81	12	6	C64
Bladder (C67)	156	2	.	.	.	0.4	.	.	1.1	0.7	2.2	3.9	9.2	18.1	35.6	26.1	72.9	75.0	6.1	6.9	0.86	77	12	9	C67
Brain, CNS (C70-72)	120	0	3.1	2.5	1.7	0.7	2.7	2.1	2.3	3.3	3.7	10.0	6.7	15.0	17.1	13.9	16.5	18.7	4.7	5.1	0.51	68	20	13	C70-72
Thyroid (C73)	16	0	.	.	.	0.4	0.5	.	.	2.0	0.7	0.8	1.7	1.0	2.6	1.7	2.4	3.7	0.6	0.7	0.07	81	6	25	C73
Hodgkin disease (C81)	37	0	0.8	1.1	1.3	0.7	2.7	2.1	0.6	.	0.7	0.8	4.2	1.0	4.0	1.7	4.7	1.9	1.4	1.5	0.13	86	0	20	C81
Non-Hodgkin lymphoma (C82-85;C96)	148	0	3.9	3.2	2.3	1.4	1.4	2.6	2.3	4.0	4.4	5.4	5.0	25.1	15.8	20.9	25.9	39.4	5.8	6.2	0.62	88	5	12	C82-85;C96
Multiple myeloma (C88-C90)	27	0	0.7	1.5	1.7	6.0	5.3	1.7	9.4	13.1	1.1	1.2	0.13	85	11	21	C88-C90
Lymphoid leukaemia (C91)	36	0	3.9	2.1	1.7	1.1	4.0	3.5	4.7	9.4	1.4	1.5	0.10	69	11		C91
Myeloid leukaemia (C92-94)	29	0	0.8	0.4	0.7	.	0.5	1.0	1.1	.	2.9	0.8	2.5	1.0	6.6	3.5	2.4	3.7	1.1	1.3	0.12	62	17		C92-94
Leukaemia unspecified (C95)	17	0	.	0.4	.	.	0.5	1.7	1.0	5.3	.	4.7	11.2	0.7	0.7	0.07	29	29		C95
Leukaemia (C91-95)	82	0	4.7	2.9	2.3	1.1	0.9	1.0	1.1	.	2.9	0.8	4.2	2.0	15.8	7.0	11.8	24.4	3.2	3.5	0.29	59	17	16	C91-95
Other and unspecified (O&U)	296	3	.	0.7	.	0.4	0.9	2.6	2.3	4.0	6.6	6.9	19.3	33.1	59.3	73.1	82.3	144.3	11.5	13.1	1.47	50	32	5	O&U
All sites but C44 (ALLbC44)	4387	22	18.9	12.1	10.4	12.8	19.9	32.4	31.7	37.9	91.9	175.2	307.0	528.5	813.5	1098.3	1279.4	1799.4	170.9	194.5	22.46	68	18		ALLbC44
All sites (ALL)	4550	27	18.9	12.1	10.4	13.2	19.9	32.4	32.2	38.6	96.3	182.1	316.3	542.6	838.5	1131.4	1330.8	1902.5	177.2	201.6	23.22	69	18		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only

†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, CHACO (2006-2010)
Incidence per 100,000 by Age Group (years)
Females

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	74	1	0.4	.	1.6	1.3	2.1	2.3	9.2	11.0	14.0	10.9	9.4	19.5	2.8	2.9	0.31	93	4	17	C00-14
Oesophagus (C15)	80	1	0.5	.	1.4	2.3	0.8	11.0	12.7	18.7	26.2	30.5	3.0	3.0	0.37	74	15	16	C15
Stomach (C16)	148	1	2.5	0.5	4.4	6.3	6.8	10.9	13.0	27.9	21.8	31.9	45.2	5.6	5.7	0.63	62	26	8	C16
Colon (C18)	299	3	1.8	0.5	1.1	4.4	14.7	7.5	28.5	29.0	53.3	63.9	63.7	86.7	11.4	11.6	1.36	73	17		C18
Rectum (C19-20)	65	1	0.9	.	.	0.6	4.2	1.5	6.7	5.0	15.2	7.8	15.0	18.3	2.5	2.5	0.29	91	3		C19-20
Colorectal (C18-20)	364	4	2.7	0.5	1.1	5.0	18.9	9.1	35.2	34.0	68.5	71.7	78.7	105.0	13.8	14.1	1.64	76	15	3	C18-20
Anus (C21)	16	1	1.4	.	.	1.0	3.8	6.2	7.5	1.2	0.6	0.7	0.11	94	0	22	C21
Colon, rectum and anus (C18-21)	380	5	2.7	0.5	1.1	5.0	20.3	9.1	35.2	35.0	72.3	78.0	86.2	106.2	14.4	14.8	1.75	77	14		C18-21
Liver (C22)	69	0	1.3	.	3.8	4.2	4.0	8.9	12.5	22.5	31.7	2.6	2.5	0.29	32	42	18	C22
Gallbladder (C23-24)	92	1	0.6	2.8	3.8	5.0	9.0	14.0	18.7	22.5	37.8	3.5	3.4	0.39	54	21	14	C23-24
Pancreas (C25)	123	0	0.6	1.4	3.8	5.0	14.0	21.6	26.5	35.6	51.3	4.7	4.6	0.54	37	37	10	C25
Nose, sinuses (C30-31)	7	1	1.4	.	.	.	3.8	.	.	1.2	0.3	0.3	0.03	86	0	25	C30-31
Larynx (C32)	13	0	2.3	0.8	1.0	1.3	1.6	1.9	6.1	0.5	0.5	0.04	77	15	24	C32
Lung, trachea and bronchus (C33-34)	215	0	1.0	0.5	.	2.1	6.8	20.9	21.0	36.8	54.6	63.7	68.3	8.2	8.3	1.04	52	30	5	C33-34
Melanoma of skin (C43)	50	0	.	0.4	.	.	2.2	1.0	3.2	4.4	2.1	2.3	0.8	2.0	5.1	7.8	9.4	7.3	1.9	1.9	0.20	90	6	20	C43
Mesothelioma (C45)	2	0	0.4	0.8	0.1	0.1	0.01	100	0	26	C45
Kaposi sarcoma (C46)	0	0	0.0	0.0	0.00	.	.	27	C46
Breast (C50)	1292	16	.	.	.	0.4	1.3	6.9	19.8	46.4	83.4	118.5	132.3	167.8	177.7	199.6	202.5	206.3	49.1	52.0	5.86	88	6	1	C50
Cervix uteri (C53)	731	4	7.5	16.4	44.0	51.4	70.1	67.2	66.1	62.9	64.7	70.2	61.9	64.7	27.8	29.1	2.93	89	8	2	C53
Corpus uteri (C54)	150	3	.	.	.	0.4	.	1.5	1.1	1.3	8.4	11.3	20.9	17.0	36.8	24.9	16.9	19.5	5.7	6.3	0.72	89	7	7	C54
Ovary (C56)	197	3	0.4	1.8	1.0	0.7	3.1	3.5	4.8	1.3	7.0	17.4	15.1	22.0	22.8	29.6	31.9	37.8	7.5	7.7	0.82	74	13	6	C56
Kidney (C64)	98	1	1.6	1.1	.	.	.	0.5	0.5	0.6	1.4	5.3	10.0	12.0	24.1	17.1	7.5	24.4	3.7	4.0	0.41	80	12	12	C64
Bladder (C67)	58	2	0.4	.	0.5	0.6	1.4	3.0	3.3	6.0	8.9	7.8	11.2	23.2	2.2	2.1	0.22	81	9	19	C67
Brain, CNS (C70-72)	113	1	2.8	1.5	2.8	1.5	0.9	2.0	2.1	3.1	5.6	7.5	9.2	8.0	20.3	15.6	3.7	11.0	4.3	4.6	0.44	68	23	9	C70-72
Thyroid (C73)	115	1	.	.	.	1.1	1.3	4.0	5.4	5.0	7.7	13.6	9.2	14.0	5.1	14.0	9.4	12.2	4.4	4.5	0.45	91	4	11	C73
Hodgkin disease (C81)	28	0	.	1.5	0.3	1.8	0.9	1.0	1.1	1.3	2.1	.	0.8	1.0	2.5	.	.	3.7	1.1	1.0	0.07	89	4	21	C81
Non-Hodgkin lymphoma (C82-85; C96)	90	0	3.2	2.6	1.7	0.4	.	1.0	.	1.3	3.5	8.3	6.7	9.0	8.9	7.8	15.0	14.6	3.4	3.6	0.35	84	10	13	C82-85;C96
Multiple myeloma (C88-C90)	15	0	1.5	0.8	2.0	3.8	.	5.6	4.9	0.6	0.6	0.07	60	13	23	C88-C90
Lymphoid leukaemia (C91)	34	0	3.2	2.9	1.4	0.7	1.4	.	.	.	1.3	3.1	5.6	4.9	1.3	1.3	0.10	65	9		C91
Myeloid leukaemia (C92-94)	31	0	0.8	0.7	1.7	0.4	0.4	.	1.1	0.6	0.7	.	1.7	4.0	1.3	1.6	5.6	6.1	1.2	1.1	0.10	32	23		C92-94
Leukaemia unspecified (C95)	19	0	.	1.1	0.3	0.4	.	.	0.5	0.6	0.7	2.3	0.8	.	.	1.6	1.9	6.1	0.7	0.7	0.05	16	42		C95
Leukaemia (C91-95)	84	0	4.0	4.8	3.5	1.5	0.4	.	1.6	1.3	2.8	2.3	2.5	4.0	2.5	6.2	13.1	17.1	3.2	3.1	0.25	42	21	15	C91-95
Other and unspecified (O&U)	269	2	0.4	0.4	0.3	.	0.4	0.5	0.5	1.3	9.8	12.8	11.7	25.0	36.8	34.3	73.1	120.8	10.2	9.7	1.04	41	30	4	O&U
All sites but C44 (ALLbC44)	4797	45	15.4	14.7	13.5	19.2	28.7	50.1	99.8	139.7	257.3	326.7	394.4	493.4	663.7	712.5	796.7	1021.6	182.4	187.5	20.32	76	13		ALLbC44
All sites (ALL)	4918	46	15.4	14.7	13.5	19.6	28.7	50.6	100.3	139.7	258.7	331.3	398.5	499.4	675.1	729.6	824.8	1098.5	187.0	191.5	20.69	77	13		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only













†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites


ARGENTINA, CHACO (2006–2010)

Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years















Age in Years




ARGENTINA, CHACO (2006-2010)

Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years



Age in Years





ARGENTINA, CHACO (2002–2010)

Age standardized incidence rate (World Population) per 100,000 per calendar year

Symbols represent observed rates and lines represent the (LOWESS=0.5) smoothed trend

Age standardized incidence rate (log scale) per 100,000 person-years




ARGENTINA, CHACO (2002-2010)


Age standardized incidence rate (World Population) per 100,000 per calendar year

Symbols represent observed rates and lines represent the (LOWESS=0.5) smoothed trend

Age standardized incidence rate (log scale) per 100,000 person-years




Calendar Year



ARGENTINA, CHACO (2002-2010)


Estimated Annual Percent Change in Incidence
by Cancer Site in Males, all ages



* The estimated annual percent change is statistically different from zero ($p \leq .05$)

ARGENTINA, CHACO (2002-2010)

Estimated Annual Percent Change in Incidence
by Cancer Site in Females, all ages





* The estimated annual percent change is statistically different from zero ($p \leq .05$)

ARGENTINA, CHACO (2002-2010)

Average annual person-years

Males

Females



Note: Population values shown for year 2010

Registry Summary Tables and Figures

ARGENTINA, CORDOBA (2004-2007)

Registry Director*: Dr Martin Alonso

Registry Staff*: Graciela Cristina Nicolás, Rosalba Fita, Alejandro Rubio, Beatriz Carballo, Marcela Alvarez, Diego Martín Gonzalez

*Director and staff as notified at time of call for data in 2013. Current contact information for cancer registries in the region can be found at: http://www.iacr.com.fr/index.php?option=com_comprofiler&task=usersList&listid=5.

ARGENTINA, CORDOBA (2004-2007)
Number of Cases in Major Diagnosis Groups
per Calendar Year

SITE	YEAR				TOTAL n (%)
	2004 n (%)	2005 n (%)	2006 n (%)	2007 n (%)	
MALES					
Lip, oral cavity, and pharynx (C00-C14)	39 (1.9)	37 (2.0)	35 (2.1)	37 (2.3)	148 (2.1)
Digestive organs (C15-C26)	438 (21.7)	440 (23.4)	382 (22.7)	392 (24.4)	1652 (23.0)
Respiratory organs (C30-C39)	283 (14.0)	263 (14.0)	244 (14.5)	202 (12.6)	992 (13.8)
Bone, cartilage, and skin (C40-C44)	297 (14.7)	219 (11.6)	176 (10.5)	183 (11.4)	875 (12.2)
Breast (C50)	20 (1.0)	11 (0.6)	11 (0.7)	4 (0.2)	46 (0.6)
Male genitalia (C60-C63)	381 (18.9)	394 (21.0)	371 (22.1)	311 (19.3)	1457 (20.3)
Urinary organs (C64-C68)	215 (10.7)	198 (10.5)	156 (9.3)	177 (11.0)	746 (10.4)
Eye, brain, and thyroid (C69-C75)	76 (3.8)	60 (3.2)	62 (3.7)	60 (3.7)	258 (3.6)
Hematopoietic (C81-C96)	130 (6.4)	154 (8.2)	126 (7.5)	124 (7.7)	534 (7.4)
Other and unspecified	139 (6.9)	104 (5.5)	117 (7.0)	118 (7.3)	478 (6.7)
All sites	2018 (100.0)	1880 (100.0)	1680 (100.0)	1608 (100.0)	7186 (100.0)
FEMALES					
Lip, oral cavity, and pharynx (C00-C14)	27 (1.2)	20 (0.9)	16 (0.8)	18 (1.0)	81 (1.0)
Digestive organs (C15-C26)	366 (15.7)	385 (18.1)	339 (17.5)	353 (18.9)	1443 (17.5)
Respiratory organs (C30-C39)	100 (4.3)	121 (5.7)	94 (4.9)	92 (4.9)	407 (4.9)
Bone, cartilage, and skin (C40-C44)	247 (10.6)	194 (9.1)	156 (8.0)	164 (8.8)	761 (9.2)
Breast (C50)	760 (32.6)	648 (30.5)	637 (32.9)	616 (33.0)	2661 (32.2)
Female genitalia (C51-C58)	378 (16.2)	301 (14.2)	278 (14.3)	263 (14.1)	1220 (14.8)
Urinary organs (C64-C68)	85 (3.6)	73 (3.4)	80 (4.1)	61 (3.3)	299 (3.6)
Eye, brain, and thyroid (C69-C75)	110 (4.7)	113 (5.3)	107 (5.5)	90 (4.8)	420 (5.1)
Hematopoietic (C81-C96)	128 (5.5)	156 (7.3)	125 (6.4)	77 (4.1)	486 (5.9)
Other and unspecified	133 (5.7)	115 (5.4)	106 (5.5)	132 (7.1)	486 (5.9)
All sites	2334 (100.0)	2126 (100.0)	1938 (100.0)	1866 (100.0)	8264 (100.0)
BOTH SEXES					
Lip, oral cavity, and pharynx (C00-C14)	66 (1.5)	57 (1.4)	51 (1.4)	55 (1.6)	229 (1.5)
Digestive organs (C15-C26)	804 (18.5)	825 (20.6)	721 (19.9)	745 (21.4)	3095 (20.0)
Respiratory organs (C30-C39)	383 (8.8)	384 (9.6)	338 (9.3)	294 (8.5)	1399 (9.1)
Bone, cartilage, and skin (C40-C44)	544 (12.5)	413 (10.3)	332 (9.2)	347 (10.0)	1636 (10.6)
Urinary organs (C64-C68)	300 (6.9)	271 (6.8)	236 (6.5)	238 (6.9)	1045 (6.8)
Eye, brain, and thyroid (C69-C75)	186 (4.3)	173 (4.3)	169 (4.7)	150 (4.3)	678 (4.4)
Hematopoietic (C81-C96)	258 (5.9)	310 (7.7)	251 (6.9)	201 (5.8)	1020 (6.6)
Other and unspecified	272 (6.3)	219 (5.5)	223 (6.2)	250 (7.2)	964 (6.2)
All sites	4352 (100.0)	4006 (100.0)	3618 (100.0)	3474 (100.0)	15450 (100.0)

ARGENTINA, CORDOBA (2004-2007)
Age Standardized Incidence Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR				TOTAL ASR (%)
	2004 ASR (%)	2005 ASR (%)	2006 ASR (%)	2007 ASR (%)	
MALES					
Lip, oral cavity, and pharynx (C00-C14)	6.0 (2.0)	5.8 (2.1)	5.3 (2.2)	5.6 (2.4)	5.7 (2.1)
Digestive organs (C15-C26)	64.4 (21.2)	65.6 (23.5)	55.5 (22.6)	55.5 (24.1)	60.1 (22.8)
Respiratory organs (C30-C39)	44.1 (14.5)	40.3 (14.5)	36.4 (14.8)	29.6 (12.8)	37.5 (14.2)
Bone, cartilage, and skin (C40-C44)	43.5 (14.3)	31.7 (11.4)	25.3 (10.3)	26.1 (11.3)	31.6 (12.0)
Breast (C50)	2.9 (1.0)	1.7 (0.6)	1.5 (0.6)	0.6 (0.2)	1.7 (0.6)
Male genitalia (C60-C63)	54.8 (18.1)	56.1 (20.1)	52.4 (21.4)	43.0 (18.6)	51.5 (19.5)
Urinary organs (C64-C68)	33.2 (10.9)	29.8 (10.7)	22.8 (9.3)	25.0 (10.9)	27.7 (10.5)
Eye, brain, and thyroid (C69-C75)	12.0 (4.0)	9.7 (3.5)	9.7 (3.9)	9.5 (4.1)	10.2 (3.9)
Hematopoietic (C81-C96)	20.7 (6.8)	23.0 (8.2)	19.0 (7.7)	18.8 (8.2)	20.3 (7.7)
Other and unspecified	21.7 (7.1)	15.3 (5.5)	17.5 (7.1)	17.0 (7.4)	17.8 (6.8)
All sites	303.2 (100.0)	279.2 (100.0)	245.4 (100.0)	230.6 (100.0)	264.1 (100.0)
FEMALES					
Lip, oral cavity, and pharynx (C00-C14)	3.0 (1.1)	2.2 (0.9)	1.9 (0.9)	1.8 (0.9)	2.2 (0.9)
Digestive organs (C15-C26)	38.0 (14.0)	38.7 (15.9)	31.6 (14.7)	33.7 (16.4)	35.5 (15.2)
Respiratory organs (C30-C39)	11.2 (4.1)	13.2 (5.4)	10.2 (4.8)	9.1 (4.4)	10.9 (4.7)
Bone, cartilage, and skin (C40-C44)	27.7 (10.2)	21.4 (8.8)	16.8 (7.8)	17.9 (8.7)	20.9 (9.0)
Breast (C50)	91.0 (33.5)	76.8 (31.7)	73.7 (34.3)	71.1 (34.5)	78.1 (33.5)
Female genitalia (C51-C58)	47.0 (17.3)	37.1 (15.3)	32.7 (15.2)	31.4 (15.2)	36.9 (15.8)
Urinary organs (C64-C68)	9.6 (3.5)	8.0 (3.3)	8.1 (3.8)	6.6 (3.2)	8.0 (3.4)
Eye, brain, and thyroid (C69-C75)	14.2 (5.2)	14.9 (6.1)	13.4 (6.2)	11.7 (5.7)	13.5 (5.8)
Hematopoietic (C81-C96)	15.3 (5.6)	18.1 (7.5)	15.0 (7.0)	9.6 (4.7)	14.5 (6.2)
Other and unspecified	14.4 (5.3)	12.0 (5.0)	11.6 (5.4)	13.3 (6.5)	12.8 (5.5)
All sites	271.4 (100.0)	242.4 (100.0)	215.0 (100.0)	206.2 (100.0)	233.4 (100.0)
BOTH SEXES					
Lip, oral cavity, and pharynx (C00-C14)	4.4 (1.6)	3.8 (1.5)	3.4 (1.5)	3.5 (1.6)	3.7 (1.5)
Digestive organs (C15-C26)	48.6 (17.3)	50.1 (19.7)	41.7 (18.6)	42.7 (19.9)	45.7 (18.8)
Respiratory organs (C30-C39)	25.3 (9.0)	24.7 (9.7)	21.2 (9.5)	17.8 (8.3)	22.2 (9.1)
Bone, cartilage, and skin (C40-C44)	33.9 (12.1)	25.4 (10.0)	20.1 (9.0)	21.2 (9.9)	25.1 (10.3)
Urinary organs (C64-C68)	19.7 (7.0)	17.1 (6.7)	14.3 (6.4)	14.2 (6.7)	16.3 (6.7)
Eye, brain, and thyroid (C69-C75)	13.2 (4.7)	12.4 (4.9)	11.7 (5.2)	10.6 (5.0)	11.9 (4.9)
Hematopoietic (C81-C96)	17.7 (6.3)	20.1 (7.9)	16.6 (7.4)	13.8 (6.5)	17.0 (7.0)
Other and unspecified	17.8 (6.3)	13.4 (5.3)	14.1 (6.3)	15.0 (7.0)	15.1 (6.2)
All sites	280.9 (100.0)	254.3 (100.0)	224.8 (100.0)	213.9 (100.0)	243.1 (100.0)

ARGENTINA, CORDOBA (2004-2007)
Incidence per 100,000 by Age Group (years)
Males

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	148	0	.	.	0.5	.	0.8	0.4	4.2	5.5	2.9	5.3	12.3	11.9	35.3	28.6	28.8	26.5	5.8	5.7	0.68	91	7	15	C00-14
Oesophagus (C15)	167	0	0.4	1.1	0.6	2.1	4.5	12.3	21.1	23.2	25.7	54.1	62.3	6.6	6.0	0.73	78	20	14	C15
Stomach (C16)	288	0	0.9	0.5	4.3	5.0	7.5	15.6	19.2	41.9	77.1	102.8	95.4	11.4	10.6	1.37	79	18	7	C16
Colon (C18)	548	0	.	.	0.5	0.9	0.8	0.9	1.6	0.6	9.3	14.3	27.1	33.9	83.8	139.9	164.1	225.3	21.7	19.8	2.39	80	18		C18
Rectum (C19-20)	167	0	.	.	.	0.4	.	0.9	1.1	1.8	2.1	8.3	12.3	14.7	28.7	32.8	41.5	55.7	6.6	6.2	0.72	90	10		C19-20
Colorectal (C18-20)	715	0	.	.	0.5	1.3	0.8	1.7	2.6	2.5	11.4	22.5	39.4	48.6	112.5	172.8	205.5	281.0	28.3	26.0	3.11	83	17	3	C18-20
Anus (C21)	20	0	0.9	1.1	1.2	2.1	0.8	2.5	0.9	1.1	1.4	1.8	4.0	0.8	0.7	0.07	95	5	26	C21
Colon, rectum and anus (C18-21)	735	0	.	.	0.5	1.3	0.8	2.6	3.7	3.7	13.6	23.3	41.9	49.5	113.6	174.2	207.3	285.0	29.0	26.8	3.18	83	16		C18-21
Liver (C22)	121	0	0.4	0.4	0.5	1.2	.	1.5	4.9	15.6	22.1	17.1	46.9	43.7	4.8	4.4	0.55	60	31	16	C22
Gallbladder (C23-24)	94	0	0.4	.	0.6	.	2.3	4.9	10.1	13.2	18.6	25.2	43.7	3.7	3.3	0.38	65	24	18	C23-24
Pancreas (C25)	197	0	0.4	0.5	1.2	3.6	6.0	10.7	22.0	27.6	47.1	61.3	67.6	7.8	7.2	0.90	51	35	9	C25
Nose, sinuses (C30-31)	9	0	.	0.4	.	0.4	0.8	0.8	0.9	2.2	.	1.8	1.3	0.4	0.4	0.04	100	0	27	C30-31
Larynx (C32)	167	0	0.7	3.8	15.6	29.3	44.1	41.4	28.8	33.1	6.6	6.5	0.82	87	11	12	C32
Lung, trachea and bronchus (C33-34)	781	0	0.4	0.4	1.1	1.2	10.0	30.0	50.1	83.4	150.0	195.6	223.6	228.0	30.9	29.4	3.73	72	25	2	C33-34
Melanoma of skin (C43)	100	0	.	.	0.5	.	.	0.9	2.6	3.7	5.0	3.8	7.4	11.0	14.3	10.0	19.8	29.2	4.0	3.7	0.39	97	3	17	C43
Mesothelioma (C45)	21	0	0.4	.	0.6	.	1.5	1.6	4.6	5.5	7.1	.	.	0.8	0.9	0.11	100	0	25	C45
Kaposi sarcoma (C46)	42	0	3.1	3.2	4.3	6.4	3.0	3.3	2.7	.	.	3.6	.	1.7	1.6	0.15	100	0	23	C46
Breast (C50)	46	0	0.7	1.5	.	2.7	13.2	8.6	7.2	23.9	1.8	1.7	0.17	76	24	22	C50
Penis (C60)	33	0	1.2	.	.	1.6	4.6	4.4	10.0	7.2	11.9	1.3	1.2	0.15	94	3	24	C60
Prostate (C61)	1241	0	1.4	8.3	27.9	85.2	168.7	339.8	494.0	577.9	49.0	43.8	5.63	84	15	1	C61
Testis (C62)	179	0	1.3	.	0.9	2.2	11.7	14.8	24.7	9.8	12.2	6.8	4.1	2.7	4.4	1.4	1.8	2.7	7.1	6.4	0.49	99	1	13	C62
Kidney (C64)	323	0	1.8	.	0.5	.	0.8	0.4	1.6	4.3	10.0	14.3	26.3	38.5	62.9	58.5	66.7	83.5	12.8	12.3	1.43	87	12	5	C64
Bladder (C67)	407	0	0.8	.	1.1	.	2.1	9.0	21.4	51.3	69.5	88.5	128.0	145.8	16.1	14.8	1.86	89	11	4	C67
Brain, CNS (C70-72)	181	0	4.0	2.7	3.2	1.3	0.8	3.9	4.7	3.1	7.9	12.8	16.4	18.3	18.7	22.8	19.8	25.2	7.2	7.1	0.70	76	19	10	C70-72
Thyroid (C73)	43	0	.	.	.	0.4	0.4	1.7	0.5	1.2	1.4	3.8	4.9	5.5	7.7	1.4	5.4	5.3	1.7	1.7	0.17	98	2	21	C73
Hodgkin disease (C81)	63	0	0.4	1.3	2.7	2.6	2.3	1.3	3.7	0.6	.	0.8	7.4	2.7	5.5	8.6	7.2	2.7	2.5	2.4	0.24	100	0	19	C81
Non-Hodgkin lymphoma (C82-85;C96)	248	0	2.2	0.9	0.5	3.1	1.2	2.6	4.7	4.9	13.6	14.3	14.0	22.0	39.7	31.4	37.9	64.9	9.8	9.4	0.96	94	6	8	C82-85;C96
Multiple myeloma (C88-C90)	54	0	0.5	1.2	.	3.8	2.5	5.5	9.9	8.6	19.8	14.6	2.1	2.0	0.26	89	11	20	C88-C90
Lymphoid leukaemia (C91)	73	0	3.1	1.8	3.2	2.2	1.6	0.9	0.5	.	.	4.5	2.5	4.6	7.7	11.4	9.0	11.9	2.9	2.9	0.26	100	0		C91
Myeloid leukaemia (C92-94)	64	0	1.8	.	0.9	1.7	1.2	1.3	1.6	1.2	2.1	4.5	2.5	7.3	6.6	5.7	5.4	13.3	2.5	2.4	0.22	100	0		C92-94
Leukaemia unspecified (C95)	32	0	0.4	0.4	0.5	0.4	0.4	.	.	.	0.7	1.5	.	0.9	2.2	5.7	12.6	13.3	1.3	1.2	0.13	34	66		C95
Leukaemia (C91-95)	169	0	5.4	2.2	4.5	4.4	3.1	2.2	2.1	1.2	2.9	10.5	4.9	12.8	16.5	22.8	27.0	38.4	6.7	6.5	0.61	88	12	11	C91-95
Other and unspecified (O&U)	322	0	1.3	.	0.9	0.4	0.8	1.3	2.6	3.7	9.3	9.8	17.2	31.1	44.1	72.8	92.0	102.1	12.7	11.9	1.44	60	31	6	O&U
All sites but C44 (ALLbC44)	6451	0	23.3	8.5	17.6	18.3	25.8	43.2	70.4	65.2	121.6	198.1	349.0	581.7	989.2	1353.7	1774.1	2082.2	254.9	237.7	28.20	81	16		ALLbC44
All sites (ALL)	7186	1	23.3	8.5	18.0	18.3	26.9	45.8	73.5	75.0	133.7	222.2	385.2	649.5	1095.1	1487.9	1990.5	2380.4	284.0	264.1	31.27	83	15		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only
†Percent
‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, CORDOBA (2004-2007)
Incidence per 100,000 by Age Group (years)
Females

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	81	0	0.7	0.8	.	0.6	0.6	2.7	4.2	9.1	10.6	8.5	16.3	13.4	2.9	2.2	0.27	91	9	20	C00-14
Oesophagus (C15)	96	0	0.6	1.3	1.3	2.8	3.8	10.6	12.8	26.3	24.7	3.5	2.3	0.30	76	23	18	C15
Stomach (C16)	162	0	0.4	0.8	1.0	1.2	4.5	8.1	6.3	12.2	17.7	11.7	33.8	35.4	5.9	4.2	0.49	69	30	14	C16
Colon (C18)	526	0	.	.	.	0.4	0.7	1.7	1.0	4.1	7.8	19.5	23.8	30.5	53.0	61.8	90.0	137.1	19.1	13.1	1.47	77	23		C18
Rectum (C19-20)	129	0	.	.	0.5	1.7	2.6	5.4	8.4	16.8	15.9	11.7	15.0	25.4	4.7	3.5	0.39	88	11		C19-20
Colorectal (C18-20)	655	0	.	.	0.5	0.4	0.7	1.7	1.0	5.8	10.4	24.8	32.2	47.2	68.9	73.5	105.0	162.5	23.8	16.6	1.86	79	20	2	C18-20
Anus (C21)	16	0	0.6	1.3	1.4	0.8	0.9	.	6.3	2.7	0.6	0.4	0.06	100	0	25	C21
Colon, rectum and anus (C18-21)	671	0	.	.	0.5	0.4	0.7	1.7	1.0	5.8	11.0	26.2	33.6	48.0	69.8	73.5	111.3	165.2	24.3	17.0	1.92	79	20		C18-21
Liver (C22)	96	0	.	.	0.5	.	.	0.4	.	0.6	.	3.4	4.2	6.9	7.1	11.7	11.3	30.1	3.5	2.3	0.23	60	34	19	C22
Gallbladder (C23-24)	159	0	0.6	1.9	6.7	6.3	16.0	7.9	20.2	21.3	46.8	5.8	3.8	0.40	61	30	15	C23-24
Pancreas (C25)	230	1	0.5	1.2	2.6	2.0	7.0	10.7	22.1	30.9	37.5	74.2	8.3	5.2	0.57	40	47	11	C25
Nose, sinuses (C30-31)	9	0	0.6	0.7	.	.	1.8	1.1	.	2.7	0.3	0.2	0.02	89	11	27	C30-31
Larynx (C32)	24	0	1.3	.	1.4	3.8	2.6	4.3	3.8	3.3	0.9	0.7	0.09	75	25	23	C32
Lung, trachea and bronchus (C33-34)	350	0	.	.	.	0.4	0.7	.	0.5	2.9	5.2	10.1	18.9	33.5	45.0	45.8	60.0	70.2	12.7	9.3	1.12	69	25	6	C33-34
Melanoma of skin (C43)	102	0	.	.	.	0.9	1.1	3.4	2.5	3.5	3.9	5.4	8.4	3.8	8.8	14.9	10.0	10.0	3.7	3.1	0.33	98	2	17	C43
Mesothelioma (C45)	19	0	1.3	0.7	1.4	1.5	0.9	2.1	3.8	4.0	0.7	0.5	0.06	95	0	24	C45
Kaposi sarcoma (C46)	8	0	0.4	0.5	.	0.6	0.7	.	1.5	.	1.1	.	0.7	0.3	0.2	0.02	100	0	26	C46
Breast (C50)	2661	1	.	.	.	0.9	1.5	6.3	22.8	49.9	120.2	188.5	191.8	271.2	302.1	307.8	330.0	365.7	96.6	78.1	8.87	89	10	1	C50
Cervix uteri (C53)	421	0	.	.	.	0.9	3.0	12.2	24.3	27.3	30.5	34.9	30.1	35.0	37.1	18.1	17.5	17.4	15.3	13.9	1.35	97	2	3	C53
Corpus uteri (C54)	287	0	0.4	1.3	2.0	2.3	9.1	7.4	26.6	24.4	31.8	45.8	50.0	40.8	10.4	8.1	1.01	92	7	7	C54
Ovary (C56)	351	0	0.5	.	1.4	1.7	3.0	2.1	6.1	7.0	18.2	16.1	25.9	35.0	31.8	41.5	46.3	39.4	12.7	10.5	1.18	84	14	4	C56
Kidney (C64)	164	0	0.9	1.4	.	.	0.7	1.3	2.0	0.6	3.2	6.0	10.5	16.0	16.8	19.2	22.5	29.4	6.0	4.6	0.51	88	10	13	C64
Bladder (C67)	131	0	0.5	.	0.5	.	.	.	0.5	.	1.3	2.0	7.7	10.7	8.8	24.5	22.5	31.4	4.8	3.3	0.39	89	9	16	C67
Brain, CNS (C70-72)	182	0	1.4	3.7	2.3	1.3	1.5	2.1	3.5	4.6	7.1	9.4	14.0	7.6	12.4	17.0	23.8	23.4	6.6	5.6	0.56	68	24	10	C70-72
Thyroid (C73)	221	0	.	.	.	0.4	2.2	5.1	10.6	12.8	19.5	18.1	18.9	22.9	10.6	10.7	8.8	10.7	8.0	7.3	0.70	95	5	8	C73
Hodgkin disease (C81)	59	0	.	0.9	.	2.6	3.4	2.9	2.0	0.6	0.6	2.0	1.4	3.8	3.5	4.3	2.5	6.0	2.1	1.8	0.15	100	0	21	C81
Non-Hodgkin lymphoma (C82-85; C96)	228	0	1.4	0.5	0.9	1.7	1.5	2.5	2.5	4.6	3.9	8.1	9.1	19.0	23.8	32.0	37.5	34.8	8.3	6.5	0.75	93	7	9	C82-85;C96
Multiple myeloma (C88-C90)	56	0	0.6	4.7	3.5	4.6	5.3	10.7	5.0	11.4	2.0	1.5	0.17	86	14	22	C88-C90
Lymphoid leukaemia (C91)	61	0	3.3	3.3	3.7	1.3	1.5	.	.	0.6	1.9	1.3	2.8	1.5	3.5	6.4	8.8	2.0	2.2	2.3	0.20	100	0		C91
Myeloid leukaemia (C92-94)	50	0	0.5	0.5	0.5	0.4	1.1	1.7	1.0	0.6	1.9	2.0	3.5	1.5	2.6	7.5	3.8	6.7	1.8	1.5	0.15	100	0		C92-94
Leukaemia unspecified (C95)	32	0	0.9	1.4	.	.	0.4	.	.	.	0.6	.	.	1.5	0.9	5.3	.	11.4	1.2	0.8	0.06	38	63		C95
Leukaemia (C91-95)	143	0	4.7	5.1	4.2	1.7	3.0	1.7	1.0	1.2	4.5	3.4	6.3	4.6	7.1	19.2	12.5	20.1	5.2	4.6	0.40	86	14	12	C91-95
Other and unspecified (O&U)	390	2	1.9	0.5	.	0.4	1.1	1.3	2.5	4.6	8.4	10.7	14.7	22.1	35.3	46.9	77.5	92.3	14.2	10.0	1.15	59	34	5	O&U
All sites but C44 (ALLbC44)	7638	4	14.7	13.6	12.7	16.5	29.2	50.5	92.1	137.6	274.8	371.3	466.3	645.9	761.4	877.7	1037.6	1261.0	277.1	216.7	24.02	83	15		ALLbC44
All sites (ALL)	8264	5	14.7	13.6	12.7	17.0	30.0	54.3	99.2	146.9	292.3	395.5	502.0	682.5	825.9	948.0	1156.3	1386.1	299.8	233.4	25.97	84	14		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only













†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, CORDOBA (2004–2007)

Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years




Age in Years



ARGENTINA, CORDOBA (2004-2007)

Age-specific incidence rates per 100,000 person-years




ARGENTINA, CORDOBA (2004-2007)

Average annual person-years

Males

Females



100 90 80 70 60 50 40 30 20 10 0 0 10 20 30 40 50 60 70 80 90 100

Population in Thousands

CSA - 45

Registry Summary Tables and Figures

ARGENTINA, MENDOZA (2003-2007)

Registry Director*: Dr María Cristina Diumenjo

Registry Staff*: Silvia Beatriz Marchevsky, Walter Daniel Laspada, Dalinda Maria Agostini, Carlos Alejandro Vazquez Rizzetto, Juana Ortiz, Adriana Lizie Koch, Ricardo Zulian, Maria Cristina de Mollar, Rogelio Taber

*Director and staff as notified at time of call for data in 2013. Current contact information for cancer registries in the region can be found at: http://www.iacr.com.fr/index.php?option=com_comprofiler&task=usersList&listid=5.

ARGENTINA, MENDOZA (2003-2007)
Number of Cases in Major Diagnosis Groups
per Calendar Year

SITE	YEAR					TOTAL n (%)
	2003 n (%)	2004 n (%)	2005 n (%)	2006 n (%)	2007 n (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	63 (2.9)	29 (1.3)	47 (2.2)	33 (1.6)	30 (1.4)	202 (1.9)
Digestive organs (C15-C26)	494 (23.0)	515 (22.9)	533 (24.8)	564 (26.8)	585 (27.2)	2691 (24.9)
Respiratory organs (C30-C39)	282 (13.1)	312 (13.9)	283 (13.2)	250 (11.9)	281 (13.0)	1408 (13.0)
Bone, cartilage, and skin (C40-C44)	259 (12.0)	284 (12.6)	215 (10.0)	189 (9.0)	198 (9.2)	1145 (10.6)
Breast (C50)	11 (0.5)	10 (0.4)	4 (0.2)	10 (0.5)	5 (0.2)	40 (0.4)
Male genitalia (C60-C63)	414 (19.3)	471 (20.9)	504 (23.5)	482 (22.9)	483 (22.4)	2354 (21.8)
Urinary organs (C64-C68)	234 (10.9)	264 (11.7)	189 (8.8)	200 (9.5)	165 (7.7)	1052 (9.7)
Eye, brain, and thyroid (C69-C75)	59 (2.7)	64 (2.8)	62 (2.9)	56 (2.7)	67 (3.1)	308 (2.9)
Hematopoietic (C81-C96)	180 (8.4)	147 (6.5)	170 (7.9)	153 (7.3)	185 (8.6)	835 (7.7)
Other and unspecified	154 (7.2)	153 (6.8)	141 (6.6)	164 (7.8)	155 (7.2)	767 (7.1)
All sites	2150 (100.0)	2249 (100.0)	2148 (100.0)	2101 (100.0)	2154 (100.0)	10802 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	24 (1.0)	19 (0.8)	31 (1.3)	20 (0.9)	15 (0.7)	109 (0.9)
Digestive organs (C15-C26)	443 (18.1)	439 (19.1)	436 (18.6)	456 (20.0)	453 (20.4)	2227 (19.2)
Respiratory organs (C30-C39)	71 (2.9)	83 (3.6)	82 (3.5)	104 (4.6)	80 (3.6)	420 (3.6)
Bone, cartilage, and skin (C40-C44)	205 (8.4)	202 (8.8)	205 (8.7)	172 (7.6)	142 (6.4)	926 (8.0)
Breast (C50)	824 (33.6)	744 (32.3)	713 (30.4)	750 (33.0)	690 (31.1)	3721 (32.1)
Female genitalia (C51-C58)	373 (15.2)	351 (15.2)	366 (15.6)	324 (14.2)	347 (15.7)	1761 (15.2)
Urinary organs (C64-C68)	100 (4.1)	85 (3.7)	99 (4.2)	64 (2.8)	81 (3.7)	429 (3.7)
Eye, brain, and thyroid (C69-C75)	78 (3.2)	84 (3.6)	111 (4.7)	98 (4.3)	109 (4.9)	480 (4.1)
Hematopoietic (C81-C96)	178 (7.3)	135 (5.9)	165 (7.0)	144 (6.3)	143 (6.5)	765 (6.6)
Other and unspecified	154 (6.3)	162 (7.0)	140 (6.0)	144 (6.3)	156 (7.0)	756 (6.5)
All sites	2450 (100.0)	2304 (100.0)	2348 (100.0)	2276 (100.0)	2216 (100.0)	11594 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	87 (1.9)	48 (1.1)	78 (1.7)	53 (1.2)	45 (1.0)	311 (1.4)
Digestive organs (C15-C26)	937 (20.4)	954 (21.0)	969 (21.6)	1020 (23.3)	1038 (23.8)	4918 (22.0)
Respiratory organs (C30-C39)	353 (7.7)	395 (8.7)	365 (8.1)	354 (8.1)	361 (8.3)	1828 (8.2)
Bone, cartilage, and skin (C40-C44)	464 (10.1)	486 (10.7)	420 (9.3)	361 (8.2)	340 (7.8)	2071 (9.2)
Urinary organs (C64-C68)	334 (7.3)	349 (7.7)	288 (6.4)	264 (6.0)	246 (5.6)	1481 (6.6)
Eye, brain, and thyroid (C69-C75)	137 (3.0)	148 (3.3)	173 (3.8)	154 (3.5)	176 (4.0)	788 (3.5)
Hematopoietic (C81-C96)	358 (7.8)	282 (6.2)	335 (7.5)	297 (6.8)	328 (7.5)	1600 (7.1)
Other and unspecified	308 (6.7)	315 (6.9)	281 (6.3)	308 (7.0)	311 (7.1)	1523 (6.8)
All sites	4600 (100.0)	4553 (100.0)	4496 (100.0)	4377 (100.0)	4370 (100.0)	22396 (100.0)

ARGENTINA, MENDOZA (2003-2007)
Age Standardized Incidence Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR					TOTAL ASR (%)
	2003 ASR (%)	2004 ASR (%)	2005 ASR (%)	2006 ASR (%)	2007 ASR (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	7.8 (3.1)	3.5 (1.3)	5.7 (2.4)	3.8 (1.7)	3.5 (1.5)	4.8 (2.0)
Digestive organs (C15-C26)	56.7 (22.5)	59.9 (23.0)	59.6 (24.5)	59.5 (26.3)	62.2 (26.9)	59.5 (24.6)
Respiratory organs (C30-C39)	33.8 (13.4)	37.7 (14.5)	33.0 (13.6)	27.5 (12.1)	31.1 (13.4)	32.5 (13.5)
Bone, cartilage, and skin (C40-C44)	29.8 (11.8)	32.0 (12.3)	23.9 (9.8)	20.1 (8.9)	21.6 (9.3)	25.2 (10.4)
Breast (C50)	1.4 (0.5)	1.0 (0.4)	0.5 (0.2)	1.1 (0.5)	0.4 (0.2)	0.9 (0.4)
Male genitalia (C60-C63)	47.2 (18.8)	52.5 (20.2)	54.9 (22.5)	49.7 (21.9)	49.8 (21.5)	50.7 (20.9)
Urinary organs (C64-C68)	27.2 (10.8)	30.4 (11.7)	22.0 (9.0)	22.1 (9.8)	17.6 (7.6)	23.7 (9.8)
Eye, brain, and thyroid (C69-C75)	7.3 (2.9)	8.2 (3.1)	7.5 (3.1)	6.3 (2.8)	8.1 (3.5)	7.5 (3.1)
Hematopoietic (C81-C96)	22.1 (8.8)	17.9 (6.9)	20.6 (8.4)	18.2 (8.0)	21.2 (9.2)	20.0 (8.3)
Other and unspecified	18.3 (7.3)	17.2 (6.6)	15.8 (6.5)	18.3 (8.1)	16.1 (6.9)	17.1 (7.1)
All sites	251.6 (100.0)	260.3 (100.0)	243.5 (100.0)	226.6 (100.0)	231.6 (100.0)	241.8 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	2.3 (0.9)	1.9 (0.8)	3.0 (1.3)	1.8 (0.8)	1.4 (0.7)	2.1 (0.9)
Digestive organs (C15-C26)	40.7 (16.5)	38.7 (17.2)	38.4 (17.1)	38.0 (17.8)	38.3 (18.4)	38.8 (17.4)
Respiratory organs (C30-C39)	7.2 (2.9)	7.8 (3.5)	7.9 (3.5)	9.3 (4.4)	7.2 (3.5)	7.9 (3.5)
Bone, cartilage, and skin (C40-C44)	19.7 (8.0)	18.9 (8.4)	18.6 (8.3)	14.9 (7.0)	12.4 (6.0)	16.8 (7.5)
Breast (C50)	85.5 (34.7)	75.9 (33.7)	69.6 (31.0)	73.4 (34.3)	67.7 (32.6)	74.3 (33.2)
Female genitalia (C51-C58)	39.5 (16.0)	36.7 (16.3)	37.4 (16.6)	33.4 (15.6)	35.0 (16.8)	36.4 (16.3)
Urinary organs (C64-C68)	10.1 (4.1)	8.3 (3.7)	9.2 (4.1)	6.0 (2.8)	7.7 (3.7)	8.3 (3.7)
Eye, brain, and thyroid (C69-C75)	8.8 (3.6)	9.4 (4.2)	12.1 (5.4)	10.7 (5.0)	11.3 (5.4)	10.5 (4.7)
Hematopoietic (C81-C96)	18.2 (7.4)	13.5 (6.0)	15.7 (7.0)	14.4 (6.7)	13.8 (6.6)	15.1 (6.8)
Other and unspecified	14.6 (5.9)	14.4 (6.4)	12.9 (5.7)	12.0 (5.6)	13.2 (6.3)	13.4 (6.0)
All sites	246.6 (100.0)	225.5 (100.0)	224.8 (100.0)	213.9 (100.0)	208.0 (100.0)	223.5 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	4.8 (2.0)	2.6 (1.1)	4.3 (1.8)	2.7 (1.2)	2.4 (1.1)	3.3 (1.5)
Digestive organs (C15-C26)	47.6 (19.3)	48.2 (20.2)	47.7 (20.6)	47.7 (21.8)	49.1 (22.5)	48.0 (20.9)
Respiratory organs (C30-C39)	19.1 (7.8)	21.3 (8.9)	19.1 (8.3)	17.6 (8.0)	18.1 (8.3)	19.0 (8.3)
Bone, cartilage, and skin (C40-C44)	24.0 (9.7)	24.5 (10.3)	20.8 (9.0)	17.2 (7.9)	16.7 (7.7)	20.5 (8.9)
Urinary organs (C64-C68)	17.6 (7.2)	18.0 (7.5)	14.8 (6.4)	13.3 (6.1)	12.1 (5.6)	15.1 (6.6)
Eye, brain, and thyroid (C69-C75)	8.0 (3.3)	8.8 (3.7)	9.9 (4.3)	8.6 (3.9)	9.8 (4.5)	9.0 (3.9)
Hematopoietic (C81-C96)	20.0 (8.1)	15.5 (6.5)	18.0 (7.8)	16.1 (7.4)	17.3 (8.0)	17.4 (7.5)
Other and unspecified	16.3 (6.6)	15.6 (6.5)	14.0 (6.1)	15.0 (6.9)	14.5 (6.7)	15.1 (6.5)
All sites	246.5 (100.0)	238.8 (100.0)	231.2 (100.0)	218.4 (100.0)	217.7 (100.0)	230.1 (100.0)

ARGENTINA, MENDOZA (2003-2007)
Incidence per 100,000 by Age Group (years)
Males

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	202	0	0.5	.	.	.	0.8	0.3	1.5	2.1	5.5	4.8	8.0	17.8	27.3	18.7	27.5	25.5	5.1	4.8	0.57	96	3	15	C00-14
Oesophagus (C15)	294	0	0.3	0.4	0.9	1.4	6.2	5.0	14.3	33.0	35.7	45.1	83.9	7.4	6.3	0.71	82	14	12	C15
Stomach (C16)	582	0	0.3	0.9	0.7	3.4	7.3	8.6	23.1	30.4	58.2	78.5	102.3	129.7	14.6	13.0	1.57	79	18	5	C16
Colon (C18)	808	0	.	0.3	0.3	.	0.6	1.2	3.7	5.6	7.3	13.3	22.6	40.7	74.0	105.3	155.2	191.1	20.2	17.8	2.15	79	18		C18
Rectum (C19-20)	312	0	0.3	.	0.7	1.7	3.7	6.7	8.5	22.4	28.0	47.3	56.1	63.0	7.8	7.0	0.88	97	3		C19-20
Colorectal (C18-20)	1120	0	.	0.3	0.3	.	0.8	1.2	4.5	7.3	11.0	20.0	31.1	63.1	102.0	152.6	211.3	254.1	28.0	24.8	3.03	84	14	3	C18-20
Anus (C21)	21	0	1.4	0.5	0.6	1.4	1.8	6.6	4.5	0.5	0.5	0.06	95	5	26	C21
Colon, rectum and anus (C18-21)	1141	0	.	0.3	0.3	.	0.8	1.2	4.5	7.3	11.0	21.4	31.6	63.6	103.4	154.4	217.9	258.6	28.6	25.3	3.09	84	13		C18-21
Liver (C22)	163	0	0.3	0.3	.	.	0.3	0.3	.	.	1.4	5.2	7.5	9.2	13.6	22.3	23.1	36.7	4.1	3.7	0.42	69	26	16	C22
Gallbladder (C23-24)	140	0	0.4	0.5	1.9	3.5	12.0	15.1	19.6	24.2	30.7	3.5	3.1	0.39	63	28	18	C23-24
Pancreas (C25)	310	0	.	0.3	.	.	.	0.3	0.7	0.4	0.9	6.2	12.0	20.6	30.2	33.9	52.8	76.4	7.8	6.8	0.79	46	38	11	C25
Nose, sinuses (C30-31)	23	0	.	.	.	0.3	0.6	.	.	0.4	.	1.0	0.5	2.9	1.4	2.7	1.1	3.7	0.6	0.5	0.05	96	4	25	C30-31
Larynx (C32)	232	0	0.4	3.2	7.6	14.6	22.4	23.7	36.6	24.2	33.0	5.8	5.5	0.86	91	7	13	C32
Lung, trachea and bronchus (C33-34)	1122	0	0.3	0.9	1.5	3.4	10.5	22.8	40.2	78.6	134.3	165.1	198.1	199.4	28.1	25.8	3.28	73	20	2	C33-34
Melanoma of skin (C43)	130	0	.	.	0.5	0.3	0.6	1.5	0.7	3.4	4.1	3.3	5.0	7.5	15.1	9.8	24.2	12.7	3.3	3.1	0.38	99	1	17	C43
Mesothelioma (C45)	27	0	0.5	1.5	4.0	2.9	2.7	6.6	2.2	0.7	0.6	0.09	100	0	24	C45
Kaposi sarcoma (C46)	14	0	0.3	0.4	0.4	0.9	.	0.5	1.1	.	0.9	1.1	3.0	0.4	0.3	0.03	100	0	27	C46
Breast (C50)	40	0	0.3	.	0.4	.	.	0.5	1.5	2.3	4.3	1.8	11.0	9.0	1.0	0.9	0.11	93	8	23	C50
Penis (C60)	58	0	0.4	.	1.4	2.4	3.5	1.7	5.7	8.9	9.9	9.0	1.5	1.4	0.17	95	5	22	C60
Prostate (C61)	2013	0	0.4	0.9	0.5	5.2	27.6	90.0	183.9	293.5	444.6	597.4	50.4	42.4	5.23	85	13	1	C61
Testis (C62)	282	0	.	.	0.3	4.4	8.4	20.4	24.9	15.9	11.0	9.0	3.5	5.7	1.4	.	1.1	0.7	7.1	6.9	0.53	98	0	10	C62
Kidney (C64)	390	0	1.4	1.1	3.9	6.0	11.9	20.6	31.5	35.9	41.0	73.7	57.0	9.8	9.1	1.13	82	13	7	C64
Bladder (C67)	641	0	0.6	1.1	1.7	2.3	7.6	30.1	30.4	65.4	83.9	118.8	153.6	16.0	14.1	1.71	91	8	4	C67
Brain, CNS (C70-72)	203	0	4.1	3.4	1.8	1.0	1.1	2.8	1.5	5.1	4.1	4.3	11.0	13.8	10.1	18.7	12.1	18.7	5.1	5.0	0.47	72	22	14	C70-72
Thyroid (C73)	71	0	.	0.3	.	1.0	0.6	1.2	1.5	1.7	3.7	0.5	3.0	4.6	4.3	2.7	11.0	7.5	1.8	1.7	0.18	94	4	21	C73
Hodgkin disease (C81)	93	0	1.1	0.8	1.0	1.8	3.6	2.8	2.6	2.1	3.2	2.9	2.0	2.3	4.3	6.2	4.4	2.2	2.3	2.3	0.21	100	0	19	C81
Non-Hodgkin lymphoma (C82-85; C96)	343	0	0.8	0.5	0.8	1.0	2.5	4.0	4.1	4.7	11.0	13.3	14.1	14.3	30.2	41.9	44.0	39.7	8.6	8.2	0.94	99	0	8	C82-85;C96
Multiple myeloma (C88-C90)	96	0	0.4	1.4	1.4	5.5	7.5	12.9	14.3	18.7	10.5	2.4	2.3	0.31	99	1	20	C88-C90
Lymphoid leukaemia (C91)	114	0	4.6	3.7	1.3	2.9	0.8	0.6	.	1.7	1.4	2.4	2.5	3.4	5.7	10.7	7.7	9.0	2.9	2.9	0.25	100	0		C91
Myeloid leukaemia (C92-94)	147	0	1.4	0.3	1.3	0.8	1.4	1.2	3.3	2.6	3.7	3.3	6.0	6.3	7.2	10.7	22.0	21.7	3.7	3.4	0.36	100	0		C92-94
Leukaemia unspecified (C95)	42	0	.	.	.	1.0	0.6	0.3	0.4	0.9	0.5	.	.	1.1	1.4	3.6	3.3	15.0	1.1	0.8	0.07	93	7		C95
Leukaemia (C91-95)	303	0	5.9	3.9	2.5	4.7	2.8	2.2	3.7	5.1	5.5	5.7	8.5	10.9	14.4	25.0	33.0	45.7	7.6	7.1	0.67	99	1	9	C91-95
Other and unspecified (O&U)	548	0	0.5	.	0.3	1.3	0.3	1.5	1.9	3.9	6.4	6.7	21.6	29.8	52.4	58.9	94.6	128.9	13.7	12.1	1.40	48	39	6	O&U
All sites but C44 (ALLbC44)	9835	0	17.0	11.3	10.1	19.3	28.2	44.7	58.6	73.4	108.9	189.2	319.8	550.4	910.1	1203.6	1689.4	2035.6	246.2	220.9	25.97	82	14		ALLbC44
All sites (ALL)	10802	0	17.0	11.8	10.3	19.9	29.1	46.9	60.9	83.3	116.7	190.1	347.9	600.3	978.3	1310.7	1864.2	2280.7	270.4	241.8	28.44	83	13		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only

†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, MENDOZA (2003-2007)
Incidence per 100,000 by Age Group (years)
Females

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	109	0	0.3	.	.	.	0.3	0.6	0.7	1.2	0.8	3.5	5.5	4.1	10.6	9.7	6.0	16.3	2.6	2.1	0.22	94	4	20	C00-14
Oesophagus (C15)	132	0	1.3	0.9	3.7	6.1	6.2	11.9	15.5	31.0	3.2	2.1	0.23	78	20	18	C15
Stomach (C16)	290	0	0.6	1.8	1.6	1.7	7.0	9.1	10.7	23.7	20.1	38.0	53.7	6.9	5.0	0.57	72	23	12	C16
Colon (C18)	772	0	.	.	0.5	.	0.3	1.5	3.2	4.0	11.0	12.2	27.8	31.7	59.2	70.8	88.1	136.0	18.4	13.6	1.55	79	18		C18
Rectum (C19-20)	233	0	0.3	2.1	2.0	3.8	3.5	6.4	10.2	13.7	24.6	31.1	38.9	5.6	4.1	0.49	90	8		C19-20
Colorectal (C18-20)	1005	0	.	.	0.5	.	0.3	1.8	5.3	6.0	14.8	15.7	34.2	41.9	72.9	95.4	119.2	175.0	24.0	17.8	2.04	82	16	2	C18-20
Anus (C21)	33	0	0.3	.	.	.	0.8	1.3	1.4	2.0	1.9	1.5	5.2	4.4	0.8	0.6	0.07	100	0	23	C21
Colon, rectum and anus (C18-21)	1038	0	.	.	0.5	.	0.6	1.8	5.3	6.0	15.6	17.0	35.6	44.0	74.8	96.9	124.3	179.4	24.8	18.4	2.11	82	15		C18-21
Liver (C22)	119	0	0.4	2.2	2.3	3.1	12.5	17.2	12.1	22.2	2.8	2.1	0.25	60	35	19	C22
Gallbladder (C23-24)	230	0	0.3	.	.	0.8	3.4	4.8	10.0	13.3	16.2	20.9	27.6	36.5	5.5	4.1	0.49	71	23	14	C23-24
Pancreas (C25)	344	0	0.9	0.4	0.8	3.4	3.5	7.8	14.8	16.2	39.5	57.8	64.1	8.2	5.8	0.73	40	44	9	C25
Nose, sinuses (C30-31)	15	0	0.3	0.7	.	0.8	0.9	.	0.5	0.6	1.5	2.6	0.5	0.4	0.3	0.04	93	7	25	C30-31
Larynx (C32)	23	0	0.4	0.9	1.8	3.1	0.6	3.0	1.7	1.5	0.5	0.5	0.06	91	9	24	C32
Lung, trachea and bronchus (C33-34)	353	0	.	0.3	.	.	0.3	.	0.7	0.8	3.4	9.1	18.7	23.5	24.9	35.8	40.6	47.3	8.4	6.6	0.79	69	24	7	C33-34
Melanoma of skin (C43)	148	0	0.9	1.2	1.8	3.2	4.2	5.2	6.8	8.2	10.6	11.9	15.5	11.8	3.5	3.0	0.35	99	1	17	C43
Mesothelioma (C45)	10	0	0.8	0.9	0.5	.	.	.	1.7	1.5	0.2	0.2	0.02	100	0	26	C45
Kaposi sarcoma (C46)	3	0	0.5	0.5	.	.	.	0.5	0.1	0.1	0.00	100	0	27	C46
Breast (C50)	3721	0	.	.	.	0.3	1.4	7.3	22.7	47.4	100.7	171.3	191.7	222.9	267.9	306.5	353.1	379.0	88.8	74.3	8.47	94	5	1	C50
Cervix uteri (C53)	642	0	2.6	4.6	12.1	26.7	25.7	35.2	36.1	41.9	35.5	38.0	41.4	28.6	15.3	14.0	1.50	96	3	3	C53
Corpus uteri (C54)	428	0	0.3	0.3	0.4	3.2	5.9	12.6	20.1	27.6	43.0	40.3	60.4	40.9	10.2	8.4	1.07	96	4	6	C54
Ovary (C56)	448	0	0.6	1.1	1.0	1.3	3.1	3.7	3.9	6.4	8.0	17.0	24.2	28.1	34.3	45.5	37.1	28.6	10.7	9.4	1.08	88	9	4	C56
Kidney (C64)	230	0	3.4	0.3	0.3	.	.	0.3	0.4	2.4	2.1	7.0	10.5	14.8	18.7	25.4	25.0	20.7	5.5	4.7	0.55	81	12	13	C64
Bladder (C67)	189	0	0.6	.	0.3	.	0.3	.	.	.	1.7	3.5	8.2	7.2	13.7	13.4	29.4	33.0	4.5	3.3	0.39	90	10	16	C67
Brain, CNS (C70-72)	189	0	2.2	1.6	0.8	2.4	1.4	1.8	2.5	4.0	3.0	3.9	8.7	12.3	8.7	13.4	14.7	13.3	4.5	4.0	0.41	66	25	15	C70-72
Thyroid (C73)	262	0	.	.	0.3	2.4	3.4	4.3	8.5	10.8	12.2	10.0	12.8	12.8	9.3	14.9	14.7	8.9	6.3	5.8	0.58	97	3	10	C73
Hodgkin disease (C81)	69	0	.	0.3	0.8	2.4	1.4	4.6	3.2	1.2	0.4	0.4	2.7	1.5	3.1	1.5	4.3	0.5	1.6	1.6	0.14	100	0	22	C81
Non-Hodgkin lymphoma (C82-85; C96)	312	0	0.8	0.8	1.3	2.2	1.4	1.8	1.8	2.4	5.1	6.5	17.8	17.9	23.1	21.6	24.2	37.5	7.4	6.1	0.64	100	0	8	C82-85; C96
Multiple myeloma (C88-C90)	108	0	0.4	.	3.2	6.6	7.5	15.7	14.7	18.2	2.6	1.9	0.24	96	2	21	C88-C90
Lymphoid leukaemia (C91)	103	0	3.7	3.0	2.1	1.1	0.9	0.6	1.1	0.8	.	0.9	2.7	3.1	2.5	7.5	6.9	10.3	2.5	2.2	0.18	100	0		C91
Myeloid leukaemia (C92-94)	132	0	1.1	1.6	1.6	1.6	1.4	2.1	2.5	0.8	2.1	3.5	4.6	3.1	3.7	10.4	7.8	15.3	3.2	2.7	0.24	100	0		C92-94
Leukaemia unspecified (C95)	41	0	.	.	.	0.3	0.6	0.3	0.4	.	0.4	.	.	0.5	1.2	3.0	6.0	10.3	1.0	0.6	0.06	88	10		C95
Leukaemia (C91-95)	276	0	4.8	4.6	3.6	3.0	2.8	3.0	3.9	1.6	2.5	4.3	7.3	6.6	7.5	20.9	20.7	36.0	6.6	5.5	0.49	98	1	11	C91-95
Other and unspecified (O&U)	543	0	0.3	.	.	1.1	0.9	0.9	1.8	1.6	5.9	9.6	13.2	22.5	27.4	49.2	75.1	106.9	13.0	9.2	1.05	48	41	5	O&U
All sites but C44 (ALLbC44)	10861	0	16.3	10.0	10.7	18.3	25.0	43.0	75.5	132.3	217.9	355.2	481.5	586.8	730.2	927.6	1110.4	1303.1	259.2	210.7	23.70	86	12		ALLbC44
All sites (ALL)	11594	0	16.3	10.0	10.7	19.1	25.5	44.5	76.6	138.7	228.9	372.1	507.1	619.0	776.9	983.5	1189.8	1440.1	276.7	223.5	25.09	86	11		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only













†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, MENDOZA (2003–2007)


Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years




ARGENTINA, MENDOZA (2004-2007)

Age-specific incidence rates per 100,000 person-years



ARGENTINA, MENDOZA (2004-2007)

Average annual person-years



Registry Summary Tables and Figures

ARGENTINA, NEUQUÉN (2003-2007)

Registry Director*: Dr Adriana Feltri

Registry Staff*: Natalia Arias Ondicol, María MacDonnell, María Bertazzo, Adrián Lammel, Graciela Díaz, Viviana Perelli, Ana Viudez, Alejandra Cédola, Carlos Ventura

*Director and staff as notified at time of call for data in 2013. Current contact information for cancer registries in the region can be found at: http://www.iacr.com.fr/index.php?option=com_comprofiler&task=usersList&listid=5.

ARGENTINA, NEUQUEN (2003-2007)
Number of Cases in Major Diagnosis Groups
per Calendar Year

SITE	YEAR					TOTAL n (%)
	2003 n (%)	2004 n (%)	2005 n (%)	2006 n (%)	2007 n (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	20 (3.7)	7 (1.5)	16 (3.0)	12 (2.0)	11 (2.1)	66 (2.4)
Digestive organs (C15-C26)	174 (32.1)	147 (30.6)	162 (30.6)	220 (36.2)	198 (36.9)	901 (33.4)
Respiratory organs (C30-C39)	91 (16.8)	55 (11.5)	71 (13.4)	90 (14.8)	64 (11.9)	371 (13.8)
Bone, cartilage, and skin (C40-C44)	43 (7.9)	46 (9.6)	42 (7.9)	31 (5.1)	17 (3.2)	179 (6.6)
Breast (C50)	1 (0.2)	2 (0.4)	4 (0.8)	2 (0.3)	3 (0.6)	12 (0.4)
Male genitalia (C60-C63)	64 (11.8)	67 (14.0)	78 (14.7)	81 (13.3)	95 (17.7)	385 (14.3)
Urinary organs (C64-C68)	47 (8.7)	47 (9.8)	39 (7.4)	59 (9.7)	41 (7.6)	233 (8.6)
Eye, brain, and thyroid (C69-C75)	17 (3.1)	13 (2.7)	16 (3.0)	17 (2.8)	14 (2.6)	77 (2.9)
Hematopoietic (C81-C96)	48 (8.9)	67 (14.0)	69 (13.0)	57 (9.4)	58 (10.8)	299 (11.1)
Other and unspecified	37 (6.8)	30 (6.3)	34 (6.4)	39 (6.4)	37 (6.9)	177 (6.6)
All sites	542 (100.0)	480 (100.0)	530 (100.0)	607 (100.0)	536 (100.0)	2695 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	3 (0.6)	4 (0.8)	3 (0.4)	6 (1.0)	7 (1.2)	23 (0.8)
Digestive organs (C15-C26)	119 (23.3)	97 (20.3)	117 (14.0)	134 (23.0)	152 (25.8)	619 (20.6)
Respiratory organs (C30-C39)	24 (4.7)	24 (5.0)	35 (4.2)	29 (5.0)	29 (4.9)	141 (4.7)
Bone, cartilage, and skin (C40-C44)	38 (7.4)	19 (4.0)	22 (2.6)	44 (7.6)	23 (3.9)	146 (4.9)
Breast (C50)	139 (27.2)	132 (27.7)	460 (54.9)	179 (30.8)	151 (25.6)	1061 (35.4)
Female genitalia (C51-C58)	86 (16.8)	79 (16.6)	81 (9.7)	82 (14.1)	81 (13.7)	409 (13.6)
Urinary organs (C64-C68)	17 (3.3)	16 (3.4)	19 (2.3)	26 (4.5)	15 (2.5)	93 (3.1)
Eye, brain, and thyroid (C69-C75)	15 (2.9)	31 (6.5)	18 (2.1)	25 (4.3)	17 (2.9)	106 (3.5)
Hematopoietic (C81-C96)	45 (8.8)	46 (9.6)	57 (6.8)	32 (5.5)	59 (10.0)	239 (8.0)
Other and unspecified	25 (4.9)	30 (6.3)	26 (3.1)	25 (4.3)	56 (9.5)	162 (5.4)
All sites	511 (100.0)	477 (100.0)	838 (100.0)	582 (100.0)	590 (100.0)	2998 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	23 (2.2)	11 (1.1)	19 (1.4)	18 (1.5)	18 (1.6)	89 (1.6)
Digestive organs (C15-C26)	293 (27.8)	244 (25.5)	279 (20.4)	354 (29.8)	350 (31.1)	1520 (26.7)
Respiratory organs (C30-C39)	115 (10.9)	79 (8.3)	106 (7.7)	119 (10.0)	93 (8.3)	512 (9.0)
Bone, cartilage, and skin (C40-C44)	81 (7.7)	65 (6.8)	64 (4.7)	75 (6.3)	40 (3.6)	325 (5.7)
Urinary organs (C64-C68)	64 (6.1)	63 (6.6)	58 (4.2)	85 (7.1)	56 (5.0)	326 (5.7)
Eye, brain, and thyroid (C69-C75)	32 (3.0)	44 (4.6)	34 (2.5)	42 (3.5)	31 (2.8)	183 (3.2)
Hematopoietic (C81-C96)	93 (8.8)	113 (11.8)	126 (9.2)	89 (7.5)	117 (10.4)	538 (9.5)
Other and unspecified	62 (5.9)	60 (6.3)	60 (4.4)	64 (5.4)	93 (8.3)	339 (6.0)
All sites	1053 (100.0)	957 (100.0)	1368 (100.0)	1189 (100.0)	1126 (100.0)	5693 (100.0)

ARGENTINA, NEUQUEN (2003-2007)
Age Standardized Incidence Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR					TOTAL ASR (%)
	2003 ASR (%)	2004 ASR (%)	2005 ASR (%)	2006 ASR (%)	2007 ASR (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	10.6 (3.7)	3.7 (1.5)	7.3 (2.9)	5.5 (1.9)	4.6 (1.9)	6.2 (2.4)
Digestive organs (C15-C26)	95.3 (33.2)	74.2 (31.3)	77.8 (31.2)	103.3 (36.8)	88.7 (37.1)	88.0 (34.1)
Respiratory organs (C30-C39)	49.0 (17.1)	27.7 (11.7)	33.3 (13.4)	42.0 (15.0)	28.9 (12.1)	35.9 (13.9)
Bone, cartilage, and skin (C40-C44)	22.2 (7.7)	22.0 (9.3)	20.0 (8.1)	13.8 (4.9)	7.3 (3.0)	16.7 (6.5)
Breast (C50)	0.6 (0.2)	1.1 (0.5)	2.0 (0.8)	0.9 (0.3)	1.2 (0.5)	1.2 (0.5)
Male genitalia (C60-C63)	33.1 (11.5)	33.2 (14.0)	36.4 (14.6)	38.1 (13.6)	42.4 (17.8)	36.9 (14.3)
Urinary organs (C64-C68)	24.6 (8.6)	23.4 (9.9)	19.0 (7.6)	26.9 (9.6)	19.0 (7.9)	22.5 (8.7)
Eye, brain, and thyroid (C69-C75)	8.2 (2.8)	5.5 (2.3)	7.0 (2.8)	7.8 (2.8)	6.3 (2.6)	7.0 (2.7)
Hematopoietic (C81-C96)	23.8 (8.3)	31.3 (13.2)	31.2 (12.5)	25.2 (9.0)	24.9 (10.4)	27.2 (10.6)
Other and unspecified	19.7 (6.9)	14.9 (6.3)	15.5 (6.2)	17.3 (6.2)	16.3 (6.8)	16.7 (6.5)
All sites	287.1 (100.0)	236.8 (100.0)	249.0 (100.0)	280.4 (100.0)	238.7 (100.0)	258.0 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	1.5 (0.7)	1.9 (0.9)	1.0 (0.3)	2.2 (1.0)	2.8 (1.3)	1.9 (0.8)
Digestive organs (C15-C26)	53.7 (23.4)	40.8 (20.1)	47.4 (13.6)	54.1 (23.5)	57.0 (25.4)	50.7 (20.5)
Respiratory organs (C30-C39)	10.6 (4.6)	11.1 (5.5)	15.3 (4.4)	11.2 (4.9)	11.4 (5.1)	12.0 (4.8)
Bone, cartilage, and skin (C40-C44)	16.6 (7.2)	8.4 (4.1)	9.2 (2.6)	16.6 (7.2)	9.1 (4.1)	11.9 (4.8)
Breast (C50)	61.7 (26.9)	56.6 (27.9)	193.0 (55.4)	72.7 (31.6)	59.2 (26.4)	88.7 (35.9)
Female genitalia (C51-C58)	40.5 (17.6)	33.7 (16.6)	33.3 (9.6)	30.7 (13.3)	30.2 (13.5)	33.4 (13.5)
Urinary organs (C64-C68)	7.8 (3.4)	7.0 (3.4)	8.2 (2.4)	10.4 (4.5)	5.7 (2.5)	7.8 (3.2)
Eye, brain, and thyroid (C69-C75)	6.0 (2.6)	12.4 (6.1)	6.8 (1.9)	10.3 (4.5)	6.1 (2.7)	8.3 (3.4)
Hematopoietic (C81-C96)	20.0 (8.7)	20.0 (9.8)	23.1 (6.6)	12.1 (5.2)	22.4 (10.0)	19.4 (7.9)
Other and unspecified	11.1 (4.8)	11.7 (5.8)	11.1 (3.2)	9.9 (4.3)	20.3 (9.1)	12.9 (5.2)
All sites	229.4 (100.0)	203.0 (100.0)	348.1 (100.0)	230.3 (100.0)	224.3 (100.0)	247.1 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	6.0 (2.3)	2.7 (1.2)	4.1 (1.4)	3.8 (1.5)	3.6 (1.6)	4.0 (1.6)
Digestive organs (C15-C26)	72.8 (28.6)	55.8 (25.8)	61.4 (20.6)	76.8 (30.5)	71.7 (31.3)	67.8 (27.1)
Respiratory organs (C30-C39)	28.7 (11.3)	18.5 (8.6)	23.7 (8.0)	25.7 (10.2)	19.7 (8.6)	23.2 (9.3)
Bone, cartilage, and skin (C40-C44)	19.3 (7.6)	14.5 (6.7)	14.3 (4.8)	15.3 (6.1)	8.2 (3.6)	14.2 (5.7)
Urinary organs (C64-C68)	15.8 (6.2)	14.3 (6.6)	13.4 (4.5)	18.0 (7.2)	12.0 (5.2)	14.7 (5.9)
Eye, brain, and thyroid (C69-C75)	7.2 (2.8)	9.2 (4.3)	6.9 (2.3)	9.0 (3.6)	6.3 (2.8)	7.7 (3.1)
Hematopoietic (C81-C96)	21.8 (8.5)	25.2 (11.7)	27.0 (9.0)	18.4 (7.3)	23.4 (10.2)	23.1 (9.2)
Other and unspecified	15.2 (6.0)	13.3 (6.2)	13.0 (4.4)	13.4 (5.3)	18.4 (8.0)	14.7 (5.9)
All sites	255.0 (100.0)	216.0 (100.0)	298.1 (100.0)	251.9 (100.0)	229.1 (100.0)	249.8 (100.0)

ARGENTINA, NEUQUEN (2003-2007)
Incidence per 100,000 by Age Group (years)
Males

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	66	0	.	.	.	0.8	1.8	1.0	3.1	3.4	6.4	.	14.8	16.8	27.2	68.7	10.9	18.3	5.2	6.2	0.77	65	20	13	C00-14
Oesophagus (C15)	115	1	1.1	1.1	1.3	1.4	8.2	12.6	49.0	68.7	125.4	187.7	9.1	11.5	1.35	41	47	7	C15
Stomach (C16)	282	0	3.0	2.0	12.4	6.4	18.6	41.2	73.4	133.4	160.2	169.1	302.1	22.3	27.2	3.10	53	35	3	C16
Colon (C18)	168	0	1.0	1.0	3.4	5.1	11.4	23.1	37.7	70.8	87.8	130.9	210.6	13.3	16.3	1.86	33	47		C18
Rectum (C19-20)	79	0	2.0	2.0	1.1	3.8	8.6	8.2	29.4	21.8	53.4	43.6	73.2	6.2	7.5	0.87	61	18		C19-20
Colorectal (C18-20)	247	0	3.0	3.1	4.5	8.9	20.0	31.3	67.1	92.6	141.2	174.5	283.8	19.5	23.8	2.73	42	38	4	C18-20
Anus (C21)	3	0	3.8	.	9.2	0.2	0.3	0.02	100	0	26	C21
Colon, rectum and anus (C18-21)	250	0	3.0	3.1	4.5	8.9	20.0	31.3	67.1	92.6	145.0	174.5	293.0	19.8	24.1	2.75	42	37		C18-21
Liver (C22)	95	1	2.5	8.6	4.9	10.5	40.8	83.9	114.5	91.5	7.5	9.7	1.34	20	56	11	C22
Gallbladder (C23-24)	52	0	1.0	.	.	4.3	3.3	8.4	16.3	42.0	32.7	87.0	4.1	5.1	0.54	33	58	14	C23-24
Pancreas (C25)	89	0	1.0	1.1	3.8	5.7	21.4	25.2	38.1	45.8	70.9	73.2	7.0	8.6	1.07	15	65	12	C25
Nose, sinuses (C30-31)	4	0	2.7	7.6	.	4.6	0.3	0.4	0.05	75	0	25	C30-31
Larynx (C32)	48	0	2.2	.	4.3	9.9	16.8	13.6	26.7	70.9	18.3	3.8	4.7	0.72	50	35	17	C32
Lung, trachea and bronchus (C33-34)	308	0	7.9	11.5	22.8	51.1	98.5	117.1	164.1	294.5	265.5	24.4	29.8	3.84	36	50	2	C33-34
Melanoma of skin (C43)	31	1	0.8	.	.	1.6	.	2.0	.	4.5	1.3	7.1	8.2	4.2	.	7.6	5.5	22.9	2.5	2.6	0.22	81	13	19	C43
Mesothelioma (C45)	12	0	4.9	2.1	8.2	3.8	10.9	9.2	0.9	1.2	0.15	42	50	21	C45
Kaposi sarcoma (C46)	2	0	2.2	0.2	0.1	0.01	100	0	27	C46
Breast (C50)	12	0	2.5	.	.	4.2	8.2	3.8	10.9	9.2	0.9	1.2	0.15	25	33	22	C50
Penis (C60)	11	1	1.0	.	.	1.3	.	.	.	8.2	11.4	5.5	4.6	0.9	1.1	0.15	82	18	23	C60
Prostate (C61)	304	0	4.3	14.8	37.7	138.8	179.3	283.6	567.6	24.0	30.5	3.29	35	39	1	C61
Testis (C62)	67	0	.	.	0.8	1.6	11.6	12.9	10.2	10.1	6.4	4.3	6.6	4.2	8.2	3.8	5.5	.	5.3	5.1	0.43	75	9	15	C62
Kidney (C64)	118	2	2.4	2.4	2.2	8.9	7.1	16.5	31.5	43.6	87.8	87.3	73.2	9.3	11.5	1.47	50	39	8	C64
Bladder (C67)	108	0	2.0	1.1	3.8	7.1	19.8	29.4	40.8	61.0	70.9	123.6	8.5	10.4	1.18	44	28	9	C67
Brain, CNS (C70-72)	53	1	4.8	2.4	0.8	0.8	.	2.0	2.0	2.2	3.8	5.7	4.9	12.6	19.1	19.1	27.3	9.2	4.2	4.9	0.55	30	53	16	C70-72
Thyroid (C73)	10	0	.	.	.	0.8	.	1.0	2.0	.	2.5	1.4	.	2.1	.	.	.	9.2	0.8	0.8	0.05	70	20	24	C73
Hodgkin disease (C81)	22	0	.	0.8	0.8	0.8	.	.	2.0	2.2	1.3	2.9	1.6	4.2	5.4	11.4	16.4	4.6	1.7	2.0	0.25	55	5	20	C81
Non-Hodgkin lymphoma (C82-85;C96)	112	3	2.4	0.8	3.8	0.8	1.8	1.0	3.1	5.6	8.9	8.6	8.2	33.5	32.7	38.2	70.9	87.0	8.9	10.2	1.13	68	14	10	C82-85;C96
Multiple myeloma (C88-C90)	32	1	2.0	1.0	.	.	2.9	4.9	8.4	10.9	15.3	43.6	13.7	2.5	3.1	0.46	41	28	18	C88-C90
Lymphoid leukaemia (C91)	75	2	9.6	5.6	3.0	3.2	2.7	.	2.0	1.1	2.5	.	11.5	6.3	13.6	34.3	38.2	32.0	5.9	6.8	0.69	52	21		C91
Myeloid leukaemia (C92-94)	49	2	0.8	0.8	2.3	.	3.6	5.0	.	1.1	6.4	.	3.3	10.5	19.1	3.8	16.4	41.2	3.9	4.3	0.38	45	29		C92-94
Leukaemia unspecified (C95)	9	1	1.1	2.5	3.8	10.9	9.2	0.7	0.8	0.10	22	78		C95
Leukaemia (C91-95)	133	5	10.4	6.5	5.3	3.2	6.3	5.0	2.0	3.4	11.5	.	14.8	16.8	32.7	42.0	65.4	82.4	10.5	12.0	1.17	47	28	6	C91-95
Other and unspecified (O&U)	137	0	1.6	0.8	.	.	2.7	.	1.0	2.2	5.1	10.0	13.2	37.7	43.6	64.9	92.7	187.7	10.8	13.1	1.38	34	53	5	O&U
All sites but C44 (ALLbC44)	2571	18	29.7	14.5	13.6	12.1	29.5	34.7	39.8	73.1	98.0	162.7	311.8	572.4	963.7	1415.5	1892.3	2600.0	203.4	246.0	28.52	44	38		ALLbC44
All sites (ALL)	2695	26	29.7	14.5	13.6	12.9	30.4	35.6	40.8	76.5	103.1	175.6	321.7	597.6	1018.2	1491.8	1968.7	2709.9	213.2	258.0	29.94	46	36		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only

†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, NEUQUEN (2003-2007)
Incidence per 100,000 by Age Group (years)
Females

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	23	1	1.0	2.0	.	.	.	4.9	10.5	5.3	10.7	9.2	11.9	1.8	1.9	0.23	61	9	21	C00-14
Oesophagus (C15)	60	0	1.9	.	1.1	2.5	4.2	3.3	4.2	24.1	21.5	32.3	77.5	4.7	4.8	0.47	47	45	13	C15
Stomach (C16)	134	1	.	.	.	1.7	.	1.9	3.9	4.3	6.2	13.9	14.8	25.2	45.5	68.0	83.1	92.4	10.5	11.2	1.35	41	40	4	C16
Colon (C18)	151	2	0.9	.	2.0	2.1	9.9	11.1	24.6	31.4	37.4	39.4	73.9	169.8	11.8	11.8	1.18	32	45		C18
Rectum (C19-20)	45	0	2.1	2.5	4.2	8.2	12.6	21.4	17.9	23.1	26.8	3.5	3.8	0.46	44	18		C19-20
Colorectal (C18-20)	196	2	0.9	.	2.0	4.3	12.4	15.3	32.8	44.0	58.8	57.2	97.0	196.6	15.3	15.6	1.64	35	39	2	C18-20
Anus (C21)	14	1	1.2	.	1.6	6.3	2.7	3.6	9.2	11.9	1.1	1.1	0.13	50	29	23	C21
Colon, rectum and anus (C18-21)	210	3	0.9	.	2.0	4.3	13.7	15.3	34.4	50.3	61.5	60.8	106.2	208.6	16.4	16.7	1.77	36	38		C18-21
Liver (C22)	36	2	1.7	.	.	.	0.9	.	.	2.1	.	5.6	3.3	2.1	8.0	32.2	18.5	17.9	2.8	3.2	0.39	33	44	18	C22
Gallbladder (C23-24)	78	0	1.0	2.1	2.5	8.3	11.5	18.9	24.1	25.0	60.0	65.5	6.1	6.4	0.77	24	54	10	C23-24
Pancreas (C25)	84	0	1.1	3.7	5.6	3.3	23.1	16.0	57.2	73.9	74.5	6.6	7.0	0.92	7	70	9	C25
Nose, sinuses (C30-31)	4	0	2.1	.	3.6	.	3.0	0.3	0.3	0.03	50	50	27	C30-31
Larynx (C32)	6	0	1.6	2.1	.	7.2	.	6.0	0.5	0.5	0.05	67	33	24	C32
Lung, trachea and bronchus (C33-34)	122	0	1.0	2.0	2.1	9.9	12.5	16.4	29.3	58.8	57.2	60.0	74.5	9.5	10.4	1.25	43	45	6	C33-34
Melanoma of skin (C43)	33	1	.	.	1.6	.	0.9	2.9	1.0	.	2.5	8.3	6.6	.	2.7	10.7	4.6	23.8	2.6	2.6	0.22	79	9	20	C43
Mesothelioma (C45)	4	1	7.2	.	3.0	0.3	0.4	0.05	100	0	25	C45
Kaposi sarcoma (C46)	4	0	.	.	.	0.8	3.0	0.3	0.3	0.04	50	0	26	C46
Breast (C50)	1061	8	2.7	3.8	10.8	40.7	131.6	219.6	268.8	314.4	315.6	347.0	304.7	411.1	83.0	88.7	9.87	38	15	1	C50
Cervix uteri (C53)	194	2	2.7	14.3	9.9	26.8	29.8	26.4	47.5	39.8	58.8	17.9	41.6	35.8	15.2	15.5	1.59	68	17	3	C53
Corpus uteri (C54)	57	0	1.0	1.1	2.5	6.9	8.2	23.1	32.1	28.6	23.1	20.9	4.5	5.0	0.63	72	14	12	C54
Ovary (C56)	102	0	.	.	1.6	1.7	1.8	1.0	3.0	3.2	7.4	9.7	21.3	23.1	29.4	39.4	69.3	44.7	8.0	8.5	1.06	38	33	8	C56
Kidney (C64)	56	1	1.7	.	0.8	0.8	.	1.0	.	1.1	1.2	9.7	11.5	12.6	18.7	14.3	23.1	35.8	4.4	4.7	0.49	41	45	14	C64
Bladder (C67)	34	0	2.0	.	3.7	1.4	3.3	8.4	8.0	28.6	18.5	20.9	2.7	2.9	0.37	50	12	19	C67
Brain, CNS (C70-72)	55	1	2.5	4.1	3.1	0.8	0.9	4.8	4.9	2.1	5.0	1.4	8.2	4.2	8.0	7.2	9.2	26.8	4.3	4.2	0.34	40	53	15	C70-72
Thyroid (C73)	43	0	2.7	2.9	3.0	2.1	7.4	11.1	3.3	2.1	10.7	3.6	23.1	14.9	3.4	3.4	0.36	86	12	16	C73
Hodgkin disease (C81)	20	0	.	.	0.8	2.5	1.8	1.0	3.9	1.1	.	1.4	1.6	2.1	2.7	7.2	4.6	3.0	1.6	1.5	0.15	50	25	22	C81
Non-Hodgkin lymphoma (C82-85;C96)	72	4	.	1.7	0.8	.	0.9	.	2.0	1.1	3.7	4.2	21.3	25.2	16.0	17.9	27.7	38.7	5.6	5.9	0.65	60	14	11	C82-85;C96
Multiple myeloma (C88-C90)	39	1	1.0	.	2.5	2.8	4.9	14.7	2.7	32.2	9.2	32.8	3.1	3.2	0.36	28	51	17	C88-C90
Lymphoid leukaemia (C91)	43	0	5.0	3.3	1.6	1.7	0.9	1.0	1.0	.	1.2	5.6	.	6.3	8.0	3.6	18.5	29.8	3.4	3.5	0.29	56	23		C91
Myeloid leukaemia (C92-94)	51	1	2.5	2.5	0.8	0.8	3.6	.	2.0	3.2	3.7	6.9	8.2	6.3	8.0	10.7	36.9	8.9	4.0	4.2	0.49	31	27		C92-94
Leukaemia unspecified (C95)	14	0	0.8	.	0.8	.	.	.	1.0	.	1.2	1.4	.	2.1	2.7	3.6	4.6	14.9	1.1	1.1	0.09	21	57		C95
Leukaemia (C91-95)	108	1	8.4	5.8	3.1	2.5	4.6	1.0	3.9	3.2	6.2	13.9	8.2	14.7	18.7	17.9	60.0	53.6	8.5	8.8	0.87	40	30	7	C91-95
Other and unspecified (O&U)	138	1	.	0.8	0.8	.	1.8	.	.	2.1	5.0	12.5	4.9	33.5	42.8	60.8	64.6	154.9	10.8	11.1	1.16	28	53	5	O&U
All sites but C44 (ALLbC44)	2904	30	17.6	13.2	14.9	13.4	24.6	44.0	65.0	104.0	254.5	405.8	522.9	691.7	869.1	1019.6	1149.6	1671.4	227.3	239.3	26.32	42	28		ALLbC44
All sites (ALL)	2998	36	17.6	13.2	14.9	14.2	24.6	44.0	67.0	107.2	259.5	411.3	532.7	712.7	901.2	1048.2	1228.1	1733.9	234.6	247.1	27.31	44	27		ALL


UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only

†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, NEUQUEN (2003–2007)


Age-specific incidence rates per 100,000 person-years



ARGENTINA, NEUQUEN (2003-2007)


Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years



ARGENTINA, NEUQUEN (2003-2007)

Average annual person-years



Registry Summary Tables and Figures

ARGENTINA, SANTA FE (2003-2006)

Registry Director*: Dr Maria Abigail Green

Registry Staff*: Andrea Uboldi, Cecilia Moyano, Cristian Godoy, Maria Florencia Lanza, Cristian Disario, Alejandro Sosa

*Director and staff as notified at time of call for data in 2013. Current contact information for cancer registries in the region can be found at: http://www.iacr.com.fr/index.php?option=com_comprofiler&task=usersList&listid=5.

ARGENTINA, SANTA FE (2003-2006)
Number of Cases in Major Diagnosis Groups
per Calendar Year

SITE	YEAR				TOTAL n (%)
	2003 n (%)	2004 n (%)	2005 n (%)	2006 n (%)	
MALES					
Lip, oral cavity, and pharynx (C00-C14)	34 (4.1)	24 (3.1)	30 (3.6)	21 (2.7)	109 (3.4)
Digestive organs (C15-C26)	191 (23.2)	190 (24.5)	212 (25.5)	199 (25.6)	792 (24.7)
Respiratory organs (C30-C39)	124 (15.0)	109 (14.1)	103 (12.4)	119 (15.3)	455 (14.2)
Bone, cartilage, and skin (C40-C44)	124 (15.0)	110 (14.2)	158 (19.0)	147 (18.9)	539 (16.8)
Breast (C50)	3 (0.4)	2 (0.3)	2 (0.2)	4 (0.5)	11 (0.3)
Male genitalia (C60-C63)	134 (16.2)	163 (21.0)	134 (16.1)	114 (14.7)	545 (17.0)
Urinary organs (C64-C68)	85 (10.3)	61 (7.9)	64 (7.7)	52 (6.7)	262 (8.2)
Eye, brain, and thyroid (C69-C75)	18 (2.2)	13 (1.7)	13 (1.6)	15 (1.9)	59 (1.8)
Hematopoietic (C81-C96)	54 (6.5)	62 (8.0)	47 (5.7)	54 (7.0)	217 (6.8)
Other and unspecified	58 (7.0)	41 (5.3)	68 (8.2)	51 (6.6)	218 (6.8)
All sites	825 (100.0)	775 (100.0)	831 (100.0)	776 (100.0)	3207 (100.0)
FEMALES					
Lip, oral cavity, and pharynx (C00-C14)	5 (0.5)	7 (0.8)	8 (0.9)	11 (1.3)	31 (0.9)
Digestive organs (C15-C26)	148 (15.9)	172 (20.5)	175 (18.9)	152 (17.4)	647 (18.1)
Respiratory organs (C30-C39)	34 (3.7)	32 (3.8)	35 (3.8)	33 (3.8)	134 (3.8)
Bone, cartilage, and skin (C40-C44)	130 (14.0)	141 (16.8)	143 (15.4)	162 (18.6)	576 (16.1)
Breast (C50)	267 (28.7)	213 (25.4)	229 (24.7)	211 (24.2)	920 (25.8)
Female genitalia (C51-C58)	161 (17.3)	111 (13.3)	146 (15.7)	144 (16.5)	562 (15.8)
Urinary organs (C64-C68)	27 (2.9)	30 (3.6)	32 (3.5)	24 (2.8)	113 (3.2)
Eye, brain, and thyroid (C69-C75)	26 (2.8)	17 (2.0)	34 (3.7)	30 (3.4)	107 (3.0)
Hematopoietic (C81-C96)	62 (6.7)	52 (6.2)	57 (6.1)	49 (5.6)	220 (6.2)
Other and unspecified	71 (7.6)	62 (7.4)	68 (7.3)	56 (6.4)	257 (7.2)
All sites	931 (100.0)	837 (100.0)	927 (100.0)	872 (100.0)	3567 (100.0)
BOTH SEXES					
Lip, oral cavity, and pharynx (C00-C14)	39 (2.2)	31 (1.9)	38 (2.2)	32 (1.9)	140 (2.1)
Digestive organs (C15-C26)	339 (19.3)	362 (22.5)	387 (22.0)	351 (21.3)	1439 (21.2)
Respiratory organs (C30-C39)	158 (9.0)	141 (8.7)	138 (7.8)	152 (9.2)	589 (8.7)
Bone, cartilage, and skin (C40-C44)	254 (14.5)	251 (15.6)	301 (17.1)	309 (18.8)	1115 (16.5)
Urinary organs (C64-C68)	112 (6.4)	91 (5.6)	96 (5.5)	76 (4.6)	375 (5.5)
Eye, brain, and thyroid (C69-C75)	44 (2.5)	30 (1.9)	47 (2.7)	45 (2.7)	166 (2.5)
Hematopoietic (C81-C96)	116 (6.6)	114 (7.1)	104 (5.9)	103 (6.3)	437 (6.5)
Other and unspecified	129 (7.3)	103 (6.4)	136 (7.7)	107 (6.5)	475 (7.0)
All sites	1756 (100.0)	1612 (100.0)	1758 (100.0)	1648 (100.0)	6774 (100.0)

ARGENTINA, SANTA FE (2003-2006)
Age Standardized Incidence Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR				TOTAL ASR (%)
	2003 ASR (%)	2004 ASR (%)	2005 ASR (%)	2006 ASR (%)	
MALES					
Lip, oral cavity, and pharynx (C00-C14)	13.6 (4.3)	10.0 (3.4)	11.7 (3.7)	7.9 (2.7)	10.8 (3.5)
Digestive organs (C15-C26)	75.3 (23.5)	72.2 (24.3)	80.6 (25.7)	74.1 (25.7)	75.6 (24.8)
Respiratory organs (C30-C39)	49.1 (15.3)	43.7 (14.7)	39.7 (12.6)	45.6 (15.8)	44.5 (14.6)
Bone, cartilage, and skin (C40-C44)	45.6 (14.3)	40.8 (13.7)	58.8 (18.7)	53.8 (18.6)	49.8 (16.3)
Breast (C50)	1.0 (0.3)	0.9 (0.3)	0.7 (0.2)	1.3 (0.4)	1.0 (0.3)
Male genitalia (C60-C63)	49.9 (15.6)	59.8 (20.2)	49.0 (15.6)	40.2 (13.9)	49.7 (16.3)
Urinary organs (C64-C68)	33.9 (10.6)	23.4 (7.9)	24.6 (7.8)	19.4 (6.7)	25.2 (8.3)
Eye, brain, and thyroid (C69-C75)	7.5 (2.3)	4.9 (1.6)	5.2 (1.7)	5.9 (2.0)	5.9 (1.9)
Hematopoietic (C81-C96)	21.3 (6.6)	25.1 (8.5)	18.2 (5.8)	21.2 (7.3)	21.4 (7.0)
Other and unspecified	22.7 (7.1)	15.9 (5.3)	25.8 (8.2)	19.2 (6.7)	20.9 (6.9)
All sites	320.0 (100.0)	296.8 (100.0)	314.0 (100.0)	288.6 (100.0)	304.7 (100.0)
FEMALES					
Lip, oral cavity, and pharynx (C00-C14)	1.7 (0.6)	1.6 (0.7)	2.3 (0.9)	2.7 (1.1)	2.1 (0.8)
Digestive organs (C15-C26)	38.4 (14.7)	43.2 (18.4)	42.2 (16.5)	35.0 (14.6)	39.7 (16.0)
Respiratory organs (C30-C39)	8.6 (3.3)	8.9 (3.8)	9.0 (3.5)	9.3 (3.9)	8.9 (3.6)
Bone, cartilage, and skin (C40-C44)	32.1 (12.3)	38.9 (16.5)	41.2 (16.1)	43.8 (18.2)	39.0 (15.7)
Breast (C50)	79.5 (30.4)	62.2 (26.5)	65.8 (25.7)	58.2 (24.2)	66.3 (26.7)
Female genitalia (C51-C58)	50.5 (19.3)	34.8 (14.8)	44.2 (17.3)	43.6 (18.1)	43.3 (17.4)
Urinary organs (C64-C68)	7.0 (2.7)	8.9 (3.8)	7.3 (2.9)	6.5 (2.7)	7.4 (3.0)
Eye, brain, and thyroid (C69-C75)	8.2 (3.1)	5.8 (2.4)	10.2 (4.0)	11.0 (4.6)	8.8 (3.6)
Hematopoietic (C81-C96)	17.8 (6.8)	15.3 (6.5)	16.3 (6.4)	14.2 (5.9)	15.9 (6.4)
Other and unspecified	17.8 (6.8)	15.4 (6.6)	17.3 (6.8)	16.1 (6.7)	16.6 (6.7)
All sites	261.4 (100.0)	234.9 (100.0)	255.8 (100.0)	240.3 (100.0)	248.1 (100.0)
BOTH SEXES					
Lip, oral cavity, and pharynx (C00-C14)	6.9 (2.5)	5.5 (2.1)	6.4 (2.3)	4.9 (1.9)	5.9 (2.2)
Digestive organs (C15-C26)	53.4 (19.0)	55.2 (21.5)	58.2 (21.1)	51.7 (20.2)	54.6 (20.4)
Respiratory organs (C30-C39)	25.8 (9.2)	23.7 (9.2)	22.1 (8.0)	24.7 (9.7)	24.1 (9.0)
Bone, cartilage, and skin (C40-C44)	37.2 (13.2)	38.7 (15.1)	47.3 (17.2)	47.0 (18.4)	42.6 (15.9)
Urinary organs (C64-C68)	18.5 (6.6)	14.6 (5.7)	14.6 (5.3)	11.6 (4.5)	14.8 (5.5)
Eye, brain, and thyroid (C69-C75)	7.7 (2.7)	5.4 (2.1)	7.9 (2.9)	8.4 (3.3)	7.3 (2.7)
Hematopoietic (C81-C96)	19.3 (6.9)	19.9 (7.7)	17.2 (6.2)	17.1 (6.7)	18.4 (6.9)
Other and unspecified	20.1 (7.2)	15.7 (6.1)	20.8 (7.5)	17.2 (6.7)	18.4 (6.9)
All sites	281.3 (100.0)	257.1 (100.0)	275.6 (100.0)	255.9 (100.0)	267.4 (100.0)

ARGENTINA, SANTA FE (2003-2006)
Incidence per 100,000 by Age Group (years)
Males

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	109	0	3.0	1.1	2.9	5.0	8.6	13.3	23.4	53.2	55.8	46.2	50.6	36.8	10.8	10.8	1.32	84	6	8	C00-14
Oesophagus (C15)	95	0	3.3	5.2	15.2	19.5	16.2	55.8	46.2	55.2	77.4	9.4	9.3	1.08	64	22	9	C15
Stomach (C16)	139	0	1.4	.	5.2	13.3	19.5	34.7	64.6	67.5	119.5	132.6	13.8	13.2	1.63	70	25	5	C16
Colon (C18)	277	0	.	.	.	2.1	2.0	5.4	2.9	5.0	15.5	19.0	43.0	55.5	105.7	191.9	202.2	235.8	27.5	26.4	3.25	78	16		C18
Rectum (C19-20)	78	0	1.0	.	.	3.3	1.7	7.6	11.7	25.4	32.3	35.5	59.8	70.0	7.7	7.4	0.89	79	9		C19-20
Colorectal (C18-20)	355	0	.	.	2.1	2.1	3.0	5.4	2.9	8.4	17.3	26.6	54.7	81.0	138.0	227.5	262.0	305.8	35.2	33.8	4.14	79	15	3	C18-20
Anus (C21)	6	0	2.0	4.6	.	.	4.6	7.4	0.6	0.5	0.06	83	0	24	C21
Colon, rectum and anus (C18-21)	361	0	.	.	2.1	2.1	3.0	5.4	2.9	8.4	17.3	26.6	56.6	85.6	138.0	227.5	266.6	313.1	35.8	34.4	4.20	79	14		C18-21
Liver (C22)	54	0	1.1	1.1	1.4	5.0	.	9.5	3.9	25.4	17.6	10.7	27.6	55.3	5.4	5.1	0.52	46	33	14	C22
Gallbladder (C23-24)	31	0	1.0	.	.	1.7	.	3.8	7.8	9.3	2.9	14.2	18.4	36.8	3.1	2.8	0.30	74	23	18	C23-24
Pancreas (C25)	90	0	1.4	.	3.5	9.5	5.9	20.8	49.9	60.4	55.2	88.4	8.9	8.7	1.03	23	51	12	C25
Nose, sinuses (C30-31)	5	0	1.9	2.0	2.3	.	3.6	4.6	.	0.5	0.5	0.07	60	40	25	C30-31
Larynx (C32)	66	0	1.4	.	1.7	13.3	19.5	18.5	32.3	35.5	36.8	36.8	6.6	6.5	0.80	76	17	13	C32
Lung, trachea and bronchus (C33-34)	372	0	.	.	1.1	.	.	.	2.9	1.7	17.3	41.8	78.1	131.9	202.6	191.9	202.2	265.2	36.9	36.3	4.36	50	30	2	C33-34
Melanoma of skin (C43)	49	0	1.0	1.1	1.4	3.3	3.5	5.7	9.8	18.5	29.4	3.6	27.6	33.2	4.9	4.7	0.52	92	8	15	C43
Mesothelioma (C45)	2	0	1.9	2.0	0.2	0.2	0.02	100	0	27	C45
Kaposi sarcoma (C46)	3	0	1.7	1.7	1.7	.	.	.	2.9	.	.	.	0.3	0.3	0.03	100	0	26	C46
Breast (C50)	11	0	1.7	.	.	2.3	2.9	.	13.8	18.4	1.1	1.0	0.10	82	0	23	C50
Penis (C60)	23	0	1.4	1.7	3.5	1.9	5.9	.	5.9	.	13.8	36.8	2.3	2.0	0.17	78	13	19	C60
Prostate (C61)	473	0	1.0	1.1	1.4	1.7	12.1	15.2	13.7	83.3	167.3	302.1	422.9	652.0	47.0	43.3	5.11	80	15	1	C61
Testis (C62)	47	0	.	.	1.1	1.1	7.1	7.5	12.9	13.4	6.9	.	5.9	.	.	3.6	9.2	18.4	4.7	4.2	0.34	91	4	16	C62
Kidney (C64)	128	0	2.2	.	1.1	.	.	1.1	1.4	3.3	8.6	11.4	25.4	37.0	64.6	74.6	55.2	95.8	12.7	12.5	1.43	79	14	7	C64
Bladder (C67)	133	0	1.1	2.9	3.3	1.7	13.3	7.8	27.8	70.5	60.4	124.1	132.6	13.2	12.6	1.56	85	10	6	C67
Brain, CNS (C70-72)	40	0	3.3	3.4	.	1.1	6.1	1.1	1.7	1.7	1.7	3.8	5.9	13.9	5.9	7.1	27.6	11.1	4.0	3.9	0.41	48	35	17	C70-72
Thyroid (C73)	15	0	.	.	1.1	.	2.0	1.1	1.4	.	1.7	1.9	.	2.3	2.9	17.8	4.6	7.4	1.5	1.5	0.17	87	13	22	C73
Hodgkin disease (C81)	18	0	.	.	2.1	1.1	2.0	1.1	2.9	.	.	3.8	3.9	6.9	2.9	.	.	7.4	1.8	1.7	0.13	100	0	21	C81
Non-Hodgkin lymphoma (C82-85; C96)	90	0	.	.	1.1	.	2.0	6.4	2.9	6.7	5.2	13.3	7.8	18.5	32.3	60.4	41.4	58.9	8.9	8.7	0.99	80	11	11	C82-85;C96
Multiple myeloma (C88-C90)	19	0	1.7	1.7	3.8	2.0	11.6	2.9	10.7	13.8	7.4	1.9	1.9	0.24	89	5	20	C88-C90
Lymphoid leukaemia (C91)	39	0	7.6	6.7	5.4	2.1	.	.	.	5.0	.	.	11.7	.	5.9	10.7	4.6	14.7	3.9	4.1	0.30	100	0		C91
Myeloid leukaemia (C92-94)	32	0	2.2	1.1	3.2	1.1	.	.	1.4	5.0	5.2	7.6	9.8	4.6	8.8	.	13.8	3.7	3.2	3.3	0.32	100	0		C92-94
Leukaemia unspecified (C95)	19	0	3.3	.	.	1.1	1.7	1.9	2.0	2.3	2.9	7.1	4.6	25.8	1.9	1.8	0.13	32	53		C95
Leukaemia (C91-95)	90	0	13.1	7.9	8.6	4.2	.	.	1.4	10.0	6.9	9.5	23.4	6.9	17.6	17.8	23.0	44.2	8.9	9.2	0.75	86	11	10	C91-95
Other and unspecified (O&U)	185	0	1.1	1.1	.	.	1.0	3.2	1.4	3.3	12.1	13.3	33.2	46.3	85.1	120.8	110.3	140.0	18.4	17.9	2.16	55	32	4	O&U
All sites but C44 (ALLbC44)	2732	0	25.0	14.6	21.5	12.6	29.3	33.2	50.3	81.9	127.8	256.4	394.4	680.1	1130.3	1418.2	1755.8	2390.8	271.2	261.1	30.16	71	19		ALLbC44
All sites (ALL)	3207	0	25.0	14.6	21.5	13.7	30.3	38.6	54.6	100.3	162.4	288.7	462.7	795.8	1256.5	1624.3	2091.4	2972.8	318.4	304.7	34.90	75	17		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only

†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, SANTA FE (2003-2006)
Incidence per 100,000 by Age Group (years)
Females

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	31	0	1.1	4.3	.	1.6	.	5.3	8.0	4.7	12.8	8.7	15.2	2.9	2.1	0.23	84	16	20	C00-14
Oesophagus (C15)	43	0	1.4	1.6	.	3.3	10.6	8.0	7.1	7.7	11.6	32.0	4.0	2.6	0.26	63	30	17	C15
Stomach (C16)	77	0	2.1	1.1	1.4	1.6	4.9	3.3	10.6	15.9	14.2	28.3	26.1	45.5	7.1	4.9	0.55	68	22	11	C16
Colon (C18)	267	0	.	.	1.1	1.1	1.0	2.2	2.9	1.6	14.6	15.0	35.4	51.8	54.5	59.1	98.5	193.8	24.7	16.1	1.69	70	24		C18
Rectum (C19-20)	70	0	1.0	.	1.4	1.6	1.6	10.0	12.4	15.9	9.5	23.1	31.9	35.4	6.5	4.6	0.54	90	4		C19-20
Colorectal (C18-20)	337	0	.	.	1.1	1.1	2.1	2.2	4.3	3.2	16.3	24.9	47.8	67.8	64.0	82.2	130.4	229.2	31.2	20.8	2.24	74	20	3	C18-20
Anus (C21)	8	0	2.0	.	7.7	2.9	5.1	0.7	0.5	0.06	63	25	24	C21
Colon, rectum and anus (C18-21)	345	0	.	.	1.1	1.1	2.1	2.2	4.3	3.2	16.3	24.9	47.8	69.8	64.0	89.9	133.3	234.3	31.9	21.2	2.30	74	20		C18-21
Liver (C22)	34	0	1.1	1.6	1.7	1.8	4.0	4.7	7.7	20.3	27.0	3.1	1.9	0.21	50	35	22	C22
Gallbladder (C23-24)	38	0	3.3	3.3	5.3	6.0	9.5	15.4	26.1	18.5	3.5	2.4	0.33	61	32	18	C23-24
Pancreas (C25)	87	0	1.6	1.6	5.0	10.6	4.0	14.2	28.3	63.7	59.0	8.1	5.1	0.65	18	63	10	C25
Nose, sinuses (C30-31)	4	0	1.1	1.7	2.9	1.7	0.4	0.3	0.03	50	25	25	C30-31
Larynx (C32)	11	0	1.6	.	1.8	6.0	4.7	.	5.8	3.4	1.0	0.8	0.10	91	9	23	C32
Lung, trachea and bronchus (C33-34)	115	0	2.1	.	1.4	.	6.5	16.6	14.2	17.9	23.7	41.1	49.3	64.0	10.6	7.5	0.86	45	43	6	C33-34
Melanoma of skin (C43)	45	0	2.1	.	2.9	1.6	9.8	13.3	10.6	8.0	4.7	7.7	11.6	11.8	4.2	3.6	0.36	93	4	15	C43
Mesothelioma (C45)	2	0	2.4	2.6	.	.	0.2	0.2	0.02	100	0	26	C45
Breast (C50)	920	0	4.1	6.5	17.3	49.6	92.6	132.9	184.0	205.3	215.8	303.1	263.7	375.9	85.1	66.3	7.37	78	17	1	C50
Cervix uteri (C53)	267	0	.	.	.	1.1	9.3	22.8	33.2	43.2	53.6	44.9	51.3	43.9	47.4	48.8	34.8	40.5	24.7	22.3	2.17	88	7	2	C53
Corpus uteri (C54)	90	0	.	.	.	1.1	1.0	1.1	1.4	1.6	1.6	3.3	14.2	23.9	26.1	28.3	34.8	47.2	8.3	5.9	0.69	91	7	8	C54
Ovary (C56)	112	0	.	.	.	1.1	2.1	.	5.8	4.8	6.5	13.3	21.2	39.9	28.5	41.1	34.8	30.3	10.4	8.4	0.99	72	20	5	C56
Kidney (C64)	68	0	3.4	2.2	2.9	1.6	3.3	3.3	8.8	19.9	9.5	28.3	14.5	35.4	6.3	4.7	0.49	79	12	12	C64
Bladder (C67)	44	0	3.3	1.7	3.5	8.0	9.5	15.4	23.2	28.7	4.1	2.7	0.32	89	11	16	C67
Brain, CNS (C70-72)	49	0	2.3	2.3	2.2	1.1	2.1	3.3	1.4	4.8	3.3	3.3	8.8	8.0	2.4	7.7	14.5	18.5	4.5	3.7	0.34	53	31	14	C70-72
Thyroid (C73)	53	0	.	.	.	2.2	4.1	7.6	4.3	6.4	4.9	16.6	8.8	6.0	11.9	2.6	2.9	8.4	4.9	4.5	0.39	94	4	13	C73
Hodgkin disease (C81)	23	0	.	.	3.3	2.2	2.1	3.3	1.4	.	4.9	1.7	1.8	4.0	2.4	5.1	.	3.4	2.1	2.0	0.16	100	0	21	C81
Non-Hodgkin lymphoma (C82-85,C96)	80	0	.	.	3.3	1.1	2.1	2.2	4.3	3.2	6.5	6.6	8.8	12.0	21.3	12.8	29.0	40.5	7.4	5.5	0.57	78	19	9	C82-85,C96
Multiple myeloma (C88+C90)	38	0	1.6	.	1.7	3.5	6.0	9.5	10.3	23.2	25.3	3.5	2.3	0.28	76	11	19	C88+C90
Lymphoid leukaemia (C91)	43	0	6.8	5.8	3.3	3.2	1.0	1.1	1.4	1.6	.	1.7	5.3	4.0	2.4	2.6	11.6	16.9	4.0	3.6	0.26	100	0		C91
Myeloid leukaemia (C92-94)	19	0	2.1	.	.	3.2	3.3	.	1.8	2.0	2.4	2.6	14.5	6.7	1.8	1.3	0.16	100	0		C92-94
Leukaemia unspecified (C95)	17	0	2.3	1.4	1.6	1.6	1.7	.	.	2.4	5.1	.	13.5	1.6	1.2	0.08	12	65		C95
Leukaemia (C91-95)	79	0	9.1	5.8	3.3	3.2	3.1	1.1	2.9	6.4	4.9	3.3	7.1	6.0	7.1	10.3	26.1	37.1	7.3	6.1	0.50	81	14	7	C91-95
Other and unspecified (O&U)	195	0	.	.	1.1	.	2.1	.	4.3	4.8	8.1	10.0	21.2	35.9	64.0	51.4	81.1	118.0	18.0	12.5	1.42	56	32	4	O&U
All sites but C44 (ALLbC44)	3058	0	21.6	10.4	22.3	19.5	42.3	60.7	98.2	152.0	253.5	332.2	482.9	598.0	647.5	870.9	1005.4	1422.6	283.0	214.4	23.09	74	19		ALLbC44
All sites (ALL)	3567	0	22.8	10.4	22.3	20.6	44.3	62.8	108.3	175.9	300.7	375.4	551.9	705.7	761.3	1004.5	1176.3	1715.9	330.1	248.1	26.72	78	17		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only













†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites


ARGENTINA, SANTA FE (2003–2006)

Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years




Age in Years




ARGENTINA, SANTA FE (2003-2006)

Age-specific incidence rates per 100,000 person-years



ARGENTINA, SANTA FE (2003-2006)

Average annual person-years



Registry Summary Tables and Figures

ARGENTINA, TIERRA DEL FUEGO (2003-2007)

Registry Director*: Lic. Susana Graciela Ibañez

Registry Staff*: Verónica Baro, Juan José Celi, Zunilda Duarte, Abel Palmieri

*Director and staff as notified at time of call for data in 2013. Current contact information for cancer registries in the region can be found at: http://www.iacr.com.fr/index.php?option=com_comprofiler&task=usersList&listid=5.

ARGENTINA, TIERRA DEL FUEGO (2003-2007)
Number of Cases in Major Diagnosis Groups
per Calendar Year

SITE	YEAR					TOTAL n (%)
	2003 n (%)	2004 n (%)	2005 n (%)	2006 n (%)	2007 n (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	5 (5.1)	2 (2.4)	2 (2.4)	1 (1.5)	2 (1.9)	12 (2.7)
Digestive organs (C15-C26)	33 (33.3)	13 (15.7)	25 (29.8)	23 (34.8)	35 (33.0)	129 (29.5)
Respiratory organs (C30-C39)	15 (15.2)	20 (24.1)	12 (14.3)	4 (6.1)	17 (16.0)	68 (15.5)
Bone, cartilage, and skin (C40-C44)	9 (9.1)	10 (12.0)	11 (13.1)	12 (18.2)	13 (12.3)	55 (12.6)
Male genitalia (C60-C63)	11 (11.1)	10 (12.0)	11 (13.1)	9 (13.6)	13 (12.3)	54 (12.3)
Urinary organs (C64-C68)	8 (8.1)	11 (13.3)	8 (9.5)	6 (9.1)	12 (11.3)	45 (10.3)
Eye, brain, and thyroid (C69-C75)	3 (3.0)	4 (4.8)	0 (0.0)	1 (1.5)	1 (0.9)	9 (2.1)
Hematopoietic (C81-C96)	9 (9.1)	6 (7.2)	8 (9.5)	7 (10.6)	5 (4.7)	35 (8.0)
Other and unspecified	6 (6.1)	7 (8.4)	7 (8.3)	3 (4.5)	9 (8.5)	32 (7.3)
All sites	99 (100.0)	83 (100.0)	84 (100.0)	66 (100.0)	106 (100.0)	438 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	2 (2.0)	2 (2.1)	2 (2.3)	1 (1.1)		7 (1.5)
Digestive organs (C15-C26)	10 (10.2)	14 (14.9)	16 (18.6)	9 (9.8)	18 (19.8)	67 (14.5)
Respiratory organs (C30-C39)	3 (3.1)	4 (4.3)	4 (4.7)	1 (1.1)	3 (3.3)	15 (3.3)
Bone, cartilage, and skin (C40-C44)	11 (11.2)	12 (12.8)	5 (5.8)	13 (14.1)	6 (6.6)	47 (10.2)
Breast (C50)	35 (35.7)	30 (31.9)	24 (27.9)	20 (21.7)	25 (27.5)	134 (29.1)
Female genitalia (C51-C58)	14 (14.3)	14 (14.9)	20 (23.3)	17 (18.5)	12 (13.2)	77 (16.7)
Urinary organs (C64-C68)	5 (5.1)	4 (4.3)	4 (4.7)	7 (7.6)	7 (7.7)	27 (5.9)
Eye, brain, and thyroid (C69-C75)	6 (6.1)	5 (5.3)	5 (5.8)	9 (9.8)	9 (9.9)	34 (7.4)
Hematopoietic (C81-C96)	7 (7.1)	6 (6.4)	5 (5.8)	9 (9.8)	7 (7.7)	34 (7.4)
Other and unspecified	5 (5.1)	3 (3.2)	1 (1.2)	6 (6.5)	4 (4.4)	19 (4.1)
All sites	98 (100.0)	94 (100.0)	86 (100.0)	92 (100.0)	91 (100.0)	461 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	7 (3.6)	4 (2.3)	4 (2.4)	2 (1.3)	2 (1.0)	19 (2.1)
Digestive organs (C15-C26)	43 (21.8)	27 (15.3)	41 (24.1)	32 (20.3)	53 (26.9)	196 (21.8)
Respiratory organs (C30-C39)	18 (9.1)	24 (13.6)	16 (9.4)	5 (3.2)	20 (10.2)	83 (9.2)
Bone, cartilage, and skin (C40-C44)	20 (10.2)	22 (12.4)	16 (9.4)	25 (15.8)	19 (9.6)	102 (11.3)
Urinary organs (C64-C68)	13 (6.6)	15 (8.5)	12 (7.1)	13 (8.2)	19 (9.6)	72 (8.0)
Eye, brain, and thyroid (C69-C75)	9 (4.6)	9 (5.1)	5 (2.9)	10 (6.3)	10 (5.1)	43 (4.8)
Hematopoietic (C81-C96)	16 (8.1)	12 (6.8)	13 (7.6)	16 (10.1)	12 (6.1)	69 (7.7)
Other and unspecified	11 (5.6)	10 (5.6)	8 (4.7)	9 (5.7)	13 (6.6)	51 (5.7)
All sites	197 (100.0)	177 (100.0)	170 (100.0)	158 (100.0)	197 (100.0)	899 (100.0)

ARGENTINA, TIERRA DEL FUEGO (2003-2007)
Age Standardized Incidence Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR					TOTAL ASR (%)
	2003 ASR (%)	2004 ASR (%)	2005 ASR (%)	2006 ASR (%)	2007 ASR (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	10.7 (3.8)	5.5 (2.5)	7.8 (3.0)	3.3 (1.9)	3.4 (1.1)	6.2 (2.5)
Digestive organs (C15-C26)	90.1 (32.4)	39.6 (18.1)	78.0 (30.1)	62.6 (35.6)	96.4 (32.1)	73.4 (29.8)
Respiratory organs (C30-C39)	48.4 (17.4)	50.8 (23.1)	44.3 (17.1)	10.2 (5.8)	45.2 (15.1)	39.8 (16.1)
Bone, cartilage, and skin (C40-C44)	20.6 (7.4)	19.9 (9.1)	27.4 (10.6)	35.0 (19.9)	36.1 (12.0)	27.8 (11.3)
Male genitalia (C60-C63)	31.9 (11.5)	32.6 (14.9)	35.2 (13.6)	18.2 (10.4)	37.2 (12.4)	31.0 (12.6)
Urinary organs (C64-C68)	29.9 (10.8)	31.2 (14.2)	21.7 (8.4)	16.2 (9.2)	39.1 (13.0)	27.6 (11.2)
Eye, brain, and thyroid (C69-C75)	7.1 (2.6)	7.3 (3.3)	0 (0.0)	1.7 (1.0)	1.8 (0.6)	3.6 (1.5)
Hematopoietic (C81-C96)	20.5 (7.4)	9.8 (4.5)	23.3 (9.0)	19.5 (11.1)	12.2 (4.1)	17.1 (6.9)
Other and unspecified	18.7 (6.7)	22.6 (10.3)	21.3 (8.2)	9.1 (5.2)	32.8 (10.9)	20.9 (8.5)
All sites	277.8 (100.0)	219.3 (100.0)	259.0 (100.0)	175.9 (100.0)	300.1 (100.0)	246.4 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	3.4 (1.5)	5.3 (2.5)	4.9 (2.6)	1.6 (0.8)		3.0 (1.4)
Digestive organs (C15-C26)	26.0 (11.8)	38.5 (18.1)	40.9 (21.6)	21.2 (10.5)	54.4 (24.4)	36.2 (17.3)
Respiratory organs (C30-C39)	7.0 (3.2)	8.7 (4.1)	12.7 (6.7)	3.5 (1.7)	8.3 (3.7)	8.0 (3.8)
Bone, cartilage, and skin (C40-C44)	26.3 (11.9)	24.8 (11.6)	7.2 (3.8)	32.8 (16.2)	20.0 (9.0)	22.2 (10.6)
Breast (C50)	69.9 (31.7)	61.1 (28.6)	51.0 (27.0)	35.4 (17.5)	49.1 (22.1)	53.3 (25.4)
Female genitalia (C51-C58)	38.8 (17.6)	32.4 (15.2)	36.1 (19.1)	35.4 (17.5)	28.9 (13.0)	34.3 (16.4)
Urinary organs (C64-C68)	10.2 (4.6)	13.5 (6.3)	9.3 (4.9)	19.5 (9.7)	16.9 (7.6)	13.9 (6.6)
Eye, brain, and thyroid (C69-C75)	10.0 (4.5)	6.8 (3.2)	10.5 (5.5)	16.2 (8.0)	18.2 (8.2)	12.3 (5.9)
Hematopoietic (C81-C96)	16.0 (7.3)	14.2 (6.6)	14.1 (7.5)	20.2 (10.0)	17.0 (7.6)	16.3 (7.8)
Other and unspecified	13.1 (5.9)	8.0 (3.8)	2.4 (1.3)	16.2 (8.0)	10.0 (4.5)	10.0 (4.7)
All sites	220.7 (100.0)	213.3 (100.0)	189.0 (100.0)	202.1 (100.0)	222.8 (100.0)	209.6 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	7.1 (2.9)	5.3 (2.4)	6.2 (2.8)	2.4 (1.3)	1.8 (0.7)	4.6 (2.0)
Digestive organs (C15-C26)	57.4 (23.4)	38.4 (17.8)	57.8 (26.5)	41.4 (22.0)	75.8 (29.3)	54.2 (24.1)
Respiratory organs (C30-C39)	26.9 (11.0)	29.6 (13.7)	26.9 (12.4)	6.8 (3.6)	26.9 (10.4)	23.4 (10.4)
Bone, cartilage, and skin (C40-C44)	23.3 (9.5)	22.5 (10.4)	16.5 (7.6)	33.8 (18.0)	28.3 (10.9)	24.9 (11.1)
Urinary organs (C64-C68)	18.7 (7.6)	22.5 (10.4)	15.5 (7.1)	18.1 (9.6)	27.4 (10.6)	20.5 (9.1)
Eye, brain, and thyroid (C69-C75)	8.4 (3.4)	7.0 (3.3)	5.2 (2.4)	8.8 (4.7)	9.7 (3.8)	7.8 (3.5)
Hematopoietic (C81-C96)	18.1 (7.4)	12.3 (5.7)	18.9 (8.7)	19.6 (10.4)	14.4 (5.6)	16.7 (7.4)
Other and unspecified	15.7 (6.4)	15.4 (7.2)	11.6 (5.3)	13.0 (6.9)	20.4 (7.9)	15.2 (6.8)
All sites	245.7 (100.0)	215.5 (100.0)	217.7 (100.0)	188.0 (100.0)	258.8 (100.0)	225.2 (100.0)

ARGENTINA, TIERRA DEL FUEGO (2003-2007)
Incidence per 100,000 by Age Group (years)
Males

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	12	0	.	.	3.2	4.7	27.5	10.2	16.6	50.3	.	81.5	4.1	6.2	0.56	100	0	13	C00-14
Oesophagus (C15)	16	0	4.3	.	.	13.8	20.3	66.4	50.3	78.3	122.2	5.4	9.9*	1.17	81	13	8	C15
Stomach (C16)	25	0	4.3	4.0	18.7	20.7	50.9	16.6	50.3	78.3	244.4	8.5	13.3*	1.22	92	4	6	C16
Colon (C18)	32	0	4.3	15.9	9.4	34.4	71.2	66.4	176.1	39.1	40.7	10.9	15.9	2.08	81	3		C18
Rectum (C19-20)	18	0	9.4	27.5	10.2	33.2	75.5	117.4	122.2	6.1	10.7*	1.37	89	0		C19-20
Colorectal (C18-20)	50	0	4.3	15.9	18.7	62.0	81.4	99.6	251.6	156.6	162.9	17.0	26.6	3.45	84	2	2	C18-20
Anus (C21)	1	0	4.0	0.3	0.2	0.02	100	0	25	C21
Colon, rectum and anus (C18-21)	51	0	4.3	19.9	18.7	62.0	81.4	99.6	251.6	156.6	162.9	17.3	26.9	3.47	84	2		C18-21
Liver (C22)	11	0	6.9	10.2	33.2	75.5	78.3	81.5	3.7	7.5	1.02	73	9	10	C22
Gallbladder (C23-24)	11	0	4.3	4.0	4.7	6.9	10.2	16.6	.	.	203.7	3.7	6.3*	0.23	64	9	11	C23-24
Pancreas (C25)	14	0	13.8	30.5	33.2	25.2	117.4	122.2	4.7	8.8	1.10	57	7	9	C25
Nose, sinuses (C30-31)	0	0	0.0	0.0	0.00	.	.	27	C30-31
Larynx (C32)	5	0	4.7	.	10.2	33.2	25.2	.	.	1.7	2.8	0.37	80	0	18	C32
Lung, trachea and bronchus (C33-34)	61	0	15.9	14.1	48.2	111.9	132.8	251.6	156.6	570.3	20.7	36.1*	3.65	75	3	1	C33-34
Melanoma of skin (C43)	7	0	.	.	.	3.4	.	.	4.4	4.3	4.0	.	6.9	.	.	25.2	39.1	.	2.4	3.0	0.44	100	0	17	C43
Mesothelioma (C45)	1	0	25.2	.	.	0.3	0.8	0.13	100	0	22	C45
Kaposi sarcoma (C46)	1	0	16.6	.	.	.	0.3	0.7	0.08	100	0	23	C46
Breast (C50)	0	0	0.0	0.0	0.00	.	.	27	C50
Penis (C60)	2	0	10.2	.	25.2	.	.	0.7	1.2	0.18	100	0	21	C60
Prostate (C61)	35	0	13.8	40.7	83.0	251.6	274.0	285.1	11.9	24.4*	3.31	94	3	3	C61
Testis (C62)	17	0	.	.	.	6.9	13.3	4.6	8.8	13.0	4.0	18.7	.	.	.	25.2	.	.	5.8	5.5	0.47	100	0	15	C62
Kidney (C64)	24	0	7.9	14.1	6.9	50.9	49.8	125.8	78.3	122.2	8.1	13.5*	1.67	75	0	5	C64
Bladder (C67)	19	0	4.0	9.4	6.9	.	33.2	125.8	117.4	203.7	6.4	12.7	1.48	89	0	7	C67
Brain, CNS (C70-72)	6	0	3.5	.	.	.	4.4	.	.	4.3	.	.	13.8	40.7	2.0	2.5	0.13	67	0	19	C70-72
Thyroid (C73)	1	0	4.7	0.3	0.3	0.02	100	0	24	C73
Hodgkin disease (C81)	4	0	.	3.4	.	.	8.9	4.7	1.4	1.3	0.08	100	0	20	C81
Non-Hodgkin lymphoma (C82-85,C96)	10	0	4.7	6.9	10.2	33.2	50.3	78.3	40.7	3.4	6.2*	0.92	100	0	12	C82-85,C96
Multiple myeloma (C88-C90)	7	0	20.7	.	33.2	.	39.1	40.7	2.4	4.0	0.46	100	0	16	C88-C90
Lymphoid leukaemia (C91)	5	0	3.5	.	3.2	3.4	10.2	.	.	39.1	.	1.7	2.2	0.30	100	0		C91
Myeloid leukaemia (C92-94)	4	0	3.5	.	3.2	.	.	4.6	.	4.3	1.4	1.3	0.08	100	0		C92-94
Leukaemia unspecified (C95)	5	0	6.9	4.3	4.0	.	.	.	16.6	.	.	.	1.7	2.0	0.16	80	20		C95
Leukaemia (C91-95)	14	0	13.9	.	6.4	3.4	.	4.6	.	8.7	4.0	.	.	10.2	16.6	.	39.1	.	4.7	5.5	0.53	93	7	14	C91-95
Other and unspecified (O&U)	26	0	4.4	.	.	4.7	6.9	20.3	99.6	150.9	156.6	203.7	8.8	17.4	2.22	58	4	4	O&U
All sites but C44 (ALLbC44)	395	0	20.8	3.4	12.9	17.2	26.6	9.2	22.0	52.1	75.5	131.2	289.3	488.3	863.1	1635.2	1487.3	2525.5	134.0	223.1*	25.67	83	3		ALLbC44
All sites (ALL)	438	0	20.8	3.4	16.1	17.2	26.6	9.2	30.8	56.5	87.4	150.0	337.5	529.0	879.7	1811.3	1643.8	2892.1	148.6	246.4*	28.10	84	3		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only

*Slightly different from C15-X due to differences in age classification

†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA, TIERRA DEL FUEGO (2003-2007)
Incidence per 100,000 by Age Group (years)
Females

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	7	0	.	3.5	.	3.6	10.9	7.7	.	.	.	34.0	32.3	2.5	3.0	0.30	100	0	19	C00-14
Oesophagus (C15)	2	0	7.7	.	.	23.3	.	.	0.7	1.1	0.16	100	0	21	C15
Stomach (C16)	10	0	4.4	.	.	7.7	12.0	34.6	23.3	101.9	32.3	3.6	5.9*	0.92	90	10	12	C16
Colon (C18)	24	0	.	.	.	3.6	4.8	.	.	.	17.6	.	54.1	12.0	17.3	69.8	101.9	96.8	8.5	11.7*	1.41	92	4		C18
Rectum (C19-20)	6	0	4.4	.	7.7	12.0	17.3	23.3	.	32.3	2.1	3.2	0.32	83	0		C19-20
Colorectal (C18-20)	30	0	.	.	.	3.6	4.8	.	.	.	22.0	.	61.8	24.0	34.6	93.1	101.9	129.0	10.7	14.9	1.73	90	3	2	C18-20
Anus (C21)	0	0	0.0	0.0	0.00	.	.	25	C21
Colon, rectum and anus (C18-21)	30	0	.	.	.	3.6	4.8	.	.	.	22.0	.	61.8	24.0	34.6	93.1	101.9	129.0	10.7	14.9	1.73	90	3		C18-21
Liver (C22)	2	0	4.4	5.4	0.7	0.6	0.05	0	50	22	C22
Gallbladder (C23-24)	11	0	5.4	7.7	.	51.9	69.8	101.9	.	3.9	6.9	1.18	82	0	9	C23-24
Pancreas (C25)	8	0	10.9	7.7	.	17.3	46.6	34.0	32.3	2.8	4.5*	0.58	50	0	15	C25
Nose, sinuses (C30-31)	0	0	0.0	0.0	0.00	.	.	25	C30-31
Larynx (C32)	0	0	0.0	0.0	0.00	.	.	25	C32
Lung, trachea and bronchus (C33-34)	15	0	4.4	4.4	10.9	7.7	24.0	17.3	69.8	135.8	.	5.3	8.0	1.37	87	0	7	C33-34
Melanoma of skin (C43)	9	0	4.3	.	.	10.9	.	12.0	.	23.3	67.9	64.5	3.2	4.7*	0.59	100	0	13	C43
Mesothelioma (C45)	0	0	0.0	0.0	0.00	.	.	25	C45
Kaposi sarcoma (C46)	0	0	0.0	0.0	0.00	.	.	25	C46
Breast (C50)	134	0	25.7	30.8	140.7	146.8	201.0	107.8	103.9	163.0	237.7	225.8	47.6	53.3*	5.79	92	5	1	C50
Cervix uteri (C53)	35	0	9.4	17.1	26.4	30.8	27.2	7.7	35.9	69.3	23.3	67.9	.	12.4	13.5	1.57	94	0	3	C53
Corpus uteri (C54)	14	0	4.4	.	10.9	30.9	24.0	.	23.3	34.0	96.8	5.0	6.7*	0.64	86	0	10	C54
Ovary (C56)	16	0	.	.	.	3.6	.	4.7	4.3	.	4.4	5.4	30.9	.	34.6	69.8	.	64.5	5.7	7.9*	0.79	88	6	8	C56
Kidney (C64)	20	0	3.6	8.8	16.3	15.5	12.0	17.3	93.1	135.8	64.5	7.1	10.7	1.51	75	0	4	C64
Bladder (C67)	7	0	4.3	.	4.4	5.4	7.7	.	.	.	34.0	64.5	2.5	3.2*	0.28	86	14	18	C67
Brain, CNS (C70-72)	7	0	3.6	4.4	4.4	.	.	12.0	.	69.8	.	.	2.5	3.5	0.47	71	0	16	C70-72
Thyroid (C73)	27	0	.	.	3.3	.	.	9.4	17.1	4.4	48.4	21.7	7.7	12.0	17.3	23.3	.	.	9.6	8.8	0.82	100	0	5	C73
Hodgkin disease (C81)	5	0	4.3	.	.	5.4	7.7	12.0	.	.	34.0	.	1.8	2.1	0.32	100	0	20	C81
Non-Hodgkin lymphoma (C82-85,C96)	13	0	4.4	4.4	10.9	23.2	12.0	34.6	23.3	34.0	32.3	4.6	6.2	0.73	92	0	11	C82-85,C96
Multiple myeloma (C88-C90)	9	0	4.4	.	30.9	.	.	46.6	34.0	32.3	3.2	4.5*	0.58	89	11	14	C88-C90
Lymphoid leukaemia (C91)	4	0	.	3.5	12.0	17.3	.	.	32.3	1.4	2.2*	0.16	100	0		C91
Myeloid leukaemia (C92-94)	3	0	.	3.5	4.3	32.3	1.1	1.3*	0.04	100	0		C92-94
Leukaemia unspecified (C95)	0	0	0.0	0.0	0.00	.	.		C95
Leukaemia (C91-95)	7	0	.	7.0	4.3	12.0	17.3	.	.	64.5	2.5	3.4	0.20	100	0	17	C91-95
Other and unspecified (O&U)	16	0	4.7	.	4.4	8.8	5.4	.	24.0	.	46.6	169.8	64.5	5.7	8.5*	1.32	50	19	6	O&U
All sites but C44 (ALLbC44)	425	0	7.1	14.0	3.3	14.4	14.5	32.8	81.2	88.1	294.6	315.3	502.5	335.3	467.5	1024.4	1392.2	1129.0	151.0	192.8*	22.94	88	4		ALLbC44
All sites (ALL)	461	0	7.1	17.5	3.3	14.4	14.5	32.8	94.1	92.5	321.0	337.0	533.4	359.3	484.8	1117.6	1460.1	1387.1	163.8	209.6*	24.45	89	4		ALL

UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only

*Slightly different from C15-X due to differences in age classification













†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites


ARGENTINA, TIERRA DEL FUEGO (2003–2007)

Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years















Age in Years




ARGENTINA, TIERRA DEL FUEGO (2003-2007)

Age-specific incidence rates per 100,000 person-years

Incidence rate (log scale) per 100,000 person-years




Age in Years



ARGENTINA, TIERRA DEL FUEGO (2003-2007)

Average annual person-years



Country's Summary Tables and Figures

ARGENTINA^{1,2}

(2003-2007, 1998-2007³)

¹ Country's incidence rates were estimated using aggregated data from the population-based cancer registries of Bahia Blanca, Chaco, Cordoba, Mendoza, Neuquen, Santa Fe, and Tierra del Fuego

² National mortality data obtained from the WHO mortality database:
http://www.who.int/healthinfo/statistics/mortality_rawdata/en/index.html

³ Period for the analysis of trends: incidence rates were estimated using data from the population-based cancer registry of Bahia Blanca and National mortality data from the WHO mortality database

ARGENTINA* (2003-2007)
Number of Cases in Major Diagnosis Groups
per Calendar Year

SITE	YEAR					TOTAL n (%)
	2003 n (%)	2004 n (%)	2005 n (%)	2006 n (%)	2007 n (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	161 (3.2)	141 (2.1)	185 (2.7)	151 (2.3)	125 (2.2)	763 (2.4)
Digestive organs (C15-C26)	1266 (25.4)	1614 (23.5)	1782 (25.7)	1816 (27.1)	1548 (27.1)	8026 (25.7)
Respiratory organs (C30-C39)	803 (16.1)	1022 (14.9)	983 (14.2)	974 (14.5)	805 (14.1)	4587 (14.7)
Bone, cartilage, and skin (C40-C44)	542 (10.9)	826 (12.0)	763 (11.0)	664 (9.9)	510 (8.9)	3305 (10.6)
Breast (C50)	20 (0.4)	37 (0.5)	27 (0.4)	32 (0.5)	17 (0.3)	133 (0.4)
Male genitalia (C60-C63)	832 (16.7)	1315 (19.2)	1361 (19.6)	1288 (19.2)	1128 (19.8)	5924 (19.0)
Urinary organs (C64-C68)	480 (9.6)	694 (10.1)	623 (9.0)	618 (9.2)	511 (9.0)	2926 (9.4)
Eye, brain, and thyroid (C69-C75)	129 (2.6)	213 (3.1)	192 (2.8)	200 (3.0)	190 (3.3)	924 (3.0)
Hematopoietic (C81-C96)	399 (8.0)	525 (7.6)	553 (8.0)	479 (7.2)	456 (8.0)	2412 (7.7)
Other and unspecified	350 (7.0)	478 (7.0)	469 (6.8)	477 (7.1)	415 (7.3)	2189 (7.0)
All sites	4982 (100.0)	6864 (100.0)	6936 (100.0)	6698 (100.0)	5702 (100.0)	31182 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	45 (0.8)	78 (1.1)	82 (1.0)	77 (1.1)	56 (0.9)	338 (1.0)
Digestive organs (C15-C26)	979 (18.2)	1347 (18.4)	1438 (18.2)	1389 (19.0)	1249 (20.0)	6402 (18.7)
Respiratory organs (C30-C39)	204 (3.8)	291 (4.0)	359 (4.5)	344 (4.7)	267 (4.3)	1465 (4.3)
Bone, cartilage, and skin (C40-C44)	473 (8.8)	695 (9.5)	670 (8.5)	618 (8.5)	438 (7.0)	2894 (8.5)
Breast (C50)	1654 (30.7)	2207 (30.2)	2517 (31.9)	2199 (30.1)	1917 (30.7)	10494 (30.7)
Female genitalia (C51-C58)	920 (17.1)	1219 (16.7)	1223 (15.5)	1193 (16.3)	1013 (16.2)	5568 (16.3)
Urinary organs (C64-C68)	185 (3.4)	261 (3.6)	275 (3.5)	247 (3.4)	219 (3.5)	1187 (3.5)
Eye, brain, and thyroid (C69-C75)	179 (3.3)	294 (4.0)	349 (4.4)	351 (4.8)	299 (4.8)	1472 (4.3)
Hematopoietic (C81-C96)	389 (7.2)	435 (5.9)	535 (6.8)	446 (6.1)	361 (5.8)	2166 (6.3)
Other and unspecified	353 (6.6)	491 (6.7)	452 (5.7)	449 (6.1)	429 (6.9)	2174 (6.4)
All sites	5381 (100.0)	7317 (100.0)	7900 (100.0)	7313 (100.0)	6248 (100.0)	34159 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	206 (2.0)	219 (1.5)	267 (1.8)	228 (1.6)	181 (1.5)	1101 (1.7)
Digestive organs (C15-C26)	2245 (21.7)	2961 (20.9)	3220 (21.7)	3205 (22.9)	2797 (23.4)	14428 (22.1)
Respiratory organs (C30-C39)	1007 (9.7)	1313 (9.3)	1342 (9.0)	1318 (9.4)	1072 (9.0)	6052 (9.3)
Bone, cartilage, and skin (C40-C44)	1015 (9.8)	1521 (10.7)	1433 (9.7)	1282 (9.1)	948 (7.9)	6199 (9.5)
Urinary organs (C64-C68)	665 (6.4)	955 (6.7)	898 (6.1)	865 (6.2)	730 (6.1)	4113 (6.3)
Eye, brain, and thyroid (C69-C75)	308 (3.0)	507 (3.6)	541 (3.6)	551 (3.9)	489 (4.1)	2396 (3.7)
Hematopoietic (C81-C96)	788 (7.6)	960 (6.8)	1088 (7.3)	925 (6.6)	817 (6.8)	4578 (7.0)
Other and unspecified	703 (6.8)	969 (6.8)	921 (6.2)	926 (6.6)	844 (7.1)	4363 (6.7)
All sites	10363 (100.0)	14181 (100.0)	14836 (100.0)	14011 (100.0)	11950 (100.0)	65341 (100.0)

*Aggregated data from the population-based cancer registries of Bahia Blanca, Chaco, Cordoba, Mendoza, Neuquen, Santa Fe, and Tierra del Fuego

ARGENTINA* (2003-2007)
Age Standardized Incidence Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR					TOTAL ASR (%)
	2003 ASR (%)	2004 ASR (%)	2005 ASR (%)	2006 ASR (%)	2007 ASR (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	8.7 (3.4)	5.5 (2.1)	7.2 (2.8)	5.8 (2.4)	5.2 (2.3)	6.4 (2.6)
Digestive organs (C15-C26)	65.7 (25.5)	60.8 (23.4)	66.4 (25.7)	65.8 (27.1)	61.0 (27.0)	63.9 (25.7)
Respiratory organs (C30-C39)	42.8 (16.6)	40.3 (15.5)	37.9 (14.7)	36.4 (15.0)	32.9 (14.6)	37.8 (15.2)
Bone, cartilage, and skin (C40-C44)	27.2 (10.6)	30.6 (11.8)	27.9 (10.8)	23.5 (9.7)	20.0 (8.9)	25.8 (10.4)
Breast (C50)	1.0 (0.4)	1.4 (0.5)	1.0 (0.4)	1.1 (0.4)	0.6 (0.3)	1.0 (0.4)
Male genitalia (C60-C63)	41.8 (16.2)	48.2 (18.5)	48.8 (18.9)	44.9 (18.5)	43.2 (19.1)	45.6 (18.3)
Urinary organs (C64-C68)	25.1 (9.7)	26.5 (10.2)	23.8 (9.2)	22.5 (9.3)	20.3 (9.0)	23.6 (9.5)
Eye, brain, and thyroid (C69-C75)	6.8 (2.6)	8.4 (3.2)	7.5 (2.9)	7.5 (3.1)	8.0 (3.6)	7.7 (3.1)
Hematopoietic (C81-C96)	20.6 (8.0)	20.3 (7.8)	21.0 (8.1)	17.8 (7.4)	18.4 (8.2)	19.6 (7.9)
Other and unspecified	18.3 (7.1)	18.2 (7.0)	17.3 (6.7)	17.4 (7.2)	16.0 (7.1)	17.4 (7.0)
All sites	257.9 (100.0)	260.2 (100.0)	258.6 (100.0)	242.8 (100.0)	225.6 (100.0)	248.6 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	1.9 (0.8)	2.3 (1.0)	2.5 (1.0)	2.3 (1.0)	1.9 (0.9)	2.2 (1.0)
Digestive organs (C15-C26)	39.2 (16.8)	37.8 (16.7)	39.6 (16.4)	36.9 (16.9)	37.8 (18.2)	38.2 (17.0)
Respiratory organs (C30-C39)	8.8 (3.8)	8.7 (3.8)	10.7 (4.4)	9.9 (4.5)	8.4 (4.0)	9.4 (4.2)
Bone, cartilage, and skin (C40-C44)	19.2 (8.2)	20.6 (9.1)	19.5 (8.1)	17.7 (8.1)	13.8 (6.6)	18.1 (8.1)
Breast (C50)	74.5 (32.0)	70.9 (31.4)	79.9 (33.2)	68.2 (31.2)	66.4 (32.0)	71.9 (32.0)
Female genitalia (C51-C58)	42.3 (18.1)	40.2 (17.8)	39.8 (16.5)	38.0 (17.4)	35.6 (17.2)	39.0 (17.4)
Urinary organs (C64-C68)	7.8 (3.3)	8.0 (3.5)	8.0 (3.3)	7.1 (3.3)	7.3 (3.5)	7.6 (3.4)
Eye, brain, and thyroid (C69-C75)	8.2 (3.5)	10.0 (4.4)	11.7 (4.8)	11.9 (5.4)	10.9 (5.2)	10.7 (4.7)
Hematopoietic (C81-C96)	16.8 (7.2)	13.6 (6.0)	16.5 (6.8)	13.8 (6.3)	12.6 (6.0)	14.5 (6.5)
Other and unspecified	14.3 (6.1)	14.1 (6.2)	12.9 (5.3)	12.4 (5.7)	13.1 (6.3)	13.3 (5.9)
All sites	233.0 (100.0)	226.2 (100.0)	240.8 (100.0)	218.1 (100.0)	207.7 (100.0)	225.0 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	5.1 (2.1)	3.8 (1.6)	4.7 (1.9)	3.9 (1.7)	3.4 (1.6)	4.1 (1.8)
Digestive organs (C15-C26)	50.9 (21.1)	47.7 (20.0)	51.4 (20.9)	49.7 (21.9)	48.0 (22.5)	49.5 (21.3)
Respiratory organs (C30-C39)	24.2 (10.0)	22.8 (9.6)	22.8 (9.3)	21.8 (9.6)	19.5 (9.1)	22.1 (9.5)
Bone, cartilage, and skin (C40-C44)	22.5 (9.3)	24.7 (10.4)	22.9 (9.3)	20.1 (8.9)	16.5 (7.7)	21.3 (9.2)
Urinary organs (C64-C68)	15.5 (6.4)	16.1 (6.7)	14.9 (6.1)	13.9 (6.1)	13.0 (6.1)	14.7 (6.3)
Eye, brain, and thyroid (C69-C75)	7.5 (3.1)	9.2 (3.9)	9.6 (3.9)	9.7 (4.3)	9.5 (4.5)	9.2 (4.0)
Hematopoietic (C81-C96)	18.6 (7.7)	16.7 (7.0)	18.5 (7.5)	15.6 (6.9)	15.2 (7.1)	16.8 (7.2)
Other and unspecified	16.1 (6.7)	15.9 (6.7)	14.7 (6.0)	14.7 (6.5)	14.3 (6.7)	15.1 (6.5)
All sites	241.4 (100.0)	238.3 (100.0)	245.6 (100.0)	226.6 (100.0)	213.6 (100.0)	232.8 (100.0)

*Aggregated data from the population-based cancer registries of Bahia Blanca, Chaco, Cordoba, Mendoza, Neuquen, Santa Fe, and Tierra del Fuego

ARGENTINA * (2003-2007)
Incidence per 100,000 by Age Group (years)
Males

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	763	1	0.3	.	0.2	0.2	1.0	0.4	2.1	3.3	5.2	8.0	16.2	22.4	32.0	31.2	29.5	28.1	6.2	6.4	0.76	88	9	12	C00-14
Oesophagus (C15)	954	1	0.3	0.4	1.1	1.9	6.3	10.9	20.2	35.2	42.9	58.7	85.9	7.8	7.5	0.89	68	27	9	C15
Stomach (C16)	1748	2	0.2	0.8	1.2	4.4	6.5	11.5	24.7	38.0	58.8	85.7	108.2	132.8	14.2	14.0	1.70	71	25	4	C16
Colon (C18)	2363	5	.	0.1	0.2	0.5	0.8	1.8	2.9	3.2	9.3	14.0	28.2	42.2	74.2	117.9	148.9	202.0	19.2	18.7	2.23	76	21		C18
Rectum (C19-20)	806	2	.	.	.	0.2	0.4	0.6	0.8	1.6	3.2	6.7	9.5	20.0	26.6	40.7	48.7	56.0	6.5	6.5	0.80	88	8		C19-20
Colorectal (C18-20)	3169	7	.	0.1	0.2	0.7	1.1	2.4	3.7	4.8	12.5	20.7	37.8	62.1	100.8	158.6	197.7	258.0	25.7	25.2	3.02	79	17	3	C18-20
Anus (C21)	69	0	0.3	0.2	0.4	1.0	1.2	1.2	1.2	1.0	1.6	4.4	3.8	0.6	0.6	0.06	94	4	25	C21
Colon, rectum and anus (C18-21)	3238	7	.	0.1	0.2	0.7	1.1	2.7	4.0	5.2	13.5	21.9	38.9	63.3	101.8	160.1	202.0	261.8	26.3	25.7	3.08	79	17		C18-21
Liver (C22)	585	3	0.3	0.2	.	.	0.3	0.4	0.2	0.8	1.4	4.1	6.3	13.5	19.6	26.8	38.3	46.6	4.8	4.7	0.56	52	38	16	C22
Gallbladder (C23-24)	409	0	0.1	0.1	0.1	0.8	0.6	2.6	4.3	8.7	11.7	19.5	25.6	39.9	3.3	3.2	0.37	56	36	17	C23-24
Pancreas (C25)	905	0	0.1	0.1	.	.	.	0.2	0.8	0.9	2.6	6.3	11.9	20.2	32.3	41.6	55.9	74.2	7.4	7.2	0.86	39	47	11	C25
Nose, sinuses (C30-31)	62	0	.	0.1	.	0.2	0.2	.	0.1	0.4	.	0.8	1.2	2.2	2.0	2.8	1.6	2.6	0.5	0.5	0.06	89	10	27	C30-31
Larynx (C32)	705	0	0.1	0.7	2.2	7.7	15.5	22.4	33.3	35.9	30.7	30.2	5.7	5.9	0.74	82	15	13	C32
Lung, trachea and bronchus (C33-34)	3710	1	0.1	.	.	0.1	0.1	0.5	1.2	3.3	12.8	29.0	54.6	96.0	159.9	192.6	219.2	226.3	30.1	30.5	3.85	62	31	2	C33-34
Melanoma of skin (C43)	382	1	0.1	.	0.3	0.3	0.3	1.1	1.3	3.0	3.4	4.8	5.5	8.3	12.2	8.8	20.0	19.6	3.1	3.1	0.35	93	6	18	C43
Mesothelioma (C45)	77	0	0.1	.	0.1	0.1	1.2	1.5	2.8	3.7	3.2	4.4	2.1	0.6	0.7	0.09	88	9	24	C45
Kaposi sarcoma (C46)	68	1	0.8	1.2	1.5	1.9	0.6	0.8	1.0	0.5	0.3	1.2	1.5	0.6	0.5	0.05	100	0	26	C46
Breast (C50)	133	1	0.1	0.2	0.2	.	0.6	0.6	0.8	2.6	6.0	3.2	8.4	13.5	1.1	1.0	0.11	76	19	23	C50
Penis (C60)	182	2	0.1	0.1	0.2	0.4	1.3	1.8	2.7	2.6	6.7	7.9	9.6	13.8	1.5	1.5	0.17	90	8	21	C60
Prostate (C61)	5030	32	0.1	0.1	0.2	0.4	1.7	6.3	22.6	73.2	151.7	270.8	414.9	564.1	40.9	38.6	4.74	79	18	1	C61
Testis (C62)	699	0	0.4	.	0.5	2.8	8.9	14.4	18.1	10.7	8.5	5.8	4.0	3.0	3.0	1.6	2.4	4.1	5.7	5.4	0.42	95	2	14	C62
Kidney (C64)	1258	7	1.4	0.3	0.2	.	0.2	0.7	1.2	3.2	6.9	11.2	20.2	32.9	46.9	58.6	71.9	65.7	10.2	10.4	1.28	78	18	7	C64
Bladder (C67)	1616	12	0.2	0.6	1.2	1.2	2.6	8.0	20.0	33.0	57.6	76.0	107.0	140.4	13.1	12.8	1.55	86	11	6	C67
Brain, CNS (C70-72)	644	1	3.5	2.9	1.6	1.1	1.8	2.4	2.5	4.2	5.2	6.6	11.2	13.5	12.7	18.0	20.0	19.1	5.2	5.3	0.54	66	28	15	C70-72
Thyroid (C73)	168	0	0.1	0.1	0.1	0.5	0.4	1.0	1.2	1.2	2.2	1.4	2.7	3.2	4.7	4.1	6.0	6.4	1.4	1.4	0.14	92	7	22	C73
Hodgkin disease (C81)	265	0	0.6	1.0	1.4	2.0	2.7	1.7	3.0	1.3	1.4	2.3	3.2	3.2	4.2	5.7	5.6	3.5	2.2	2.1	0.20	92	3	19	C81
Non-Hodgkin lymphoma (C82-85,C96)	999	7	1.5	1.3	1.1	1.5	1.8	3.2	3.6	4.4	8.2	10.6	11.4	19.0	29.5	37.5	42.7	51.3	8.1	8.1	0.89	90	7	8	C82-85,C96
Multiple myeloma (C88-C90)	246	1	0.2	0.2	0.5	0.9	2.0	3.7	6.7	9.4	10.1	18.0	13.8	2.0	2.0	0.26	85	10	20	C88-C90
Lymphoid leukaemia (C91)	387	6	4.7	3.1	2.3	2.7	1.0	0.6	0.4	1.2	1.0	2.0	3.5	4.0	7.0	12.6	11.2	12.3	3.1	3.2	0.29	85	9		C91
Myeloid leukaemia (C92-94)	373	7	1.3	0.4	1.7	1.0	1.3	1.7	1.9	1.9	3.6	2.9	4.2	5.7	8.2	6.3	15.2	18.2	3.0	3.0	0.29	86	10		C92-94
Leukaemia unspecified (C95)	142	1	0.7	0.3	0.2	0.5	0.4	0.1	0.1	0.7	1.0	0.5	0.5	0.8	2.5	5.4	6.0	14.7	1.2	1.1	0.10	51	43		C95
Leukaemia (C91-95)	902	14	6.7	3.8	4.3	4.2	2.7	2.4	2.3	3.7	5.6	5.4	8.2	10.5	17.6	24.3	32.3	45.1	7.3	7.3	0.68	80	14	10	C91-95
Other and unspecified (O&U)	1662	9	0.7	0.3	0.2	0.7	0.7	1.8	1.8	3.4	7.0	9.0	21.2	32.9	54.1	74.1	98.6	135.4	13.5	13.2	1.54	52	39	5	O&U
All sites but C44 (ALLbC44)	28448	111	19.9	11.2	13.1	16.8	26.2	39.2	53.2	65.2	109.3	183.8	336.6	570.7	932.3	1276.3	1671.5	2086.5	231.1	227.4	26.73	74	21		ALLbC44
All sites (ALL)	31182	141	19.9	11.4	13.4	17.2	27.1	41.1	55.4	73.0	119.1	201.8	363.9	621.8	1007.0	1382.6	1848.0	2350.6	253.3	248.6	29.14	76	19		ALL

*Aggregated data from the population-based cancer registries of Bahia Blanca, Chaco, Cordoba, Mendoza, Neuquen, Santa Fe, and Tierra del Fuego
UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only
†Percent
‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA * (2003-2007)
Incidence per 100,000 by Age Group (years)
Females

SITE	ALL CASES	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASR (W)	CUM. RATE (0-74)†	MV (%)	DCO (%)	Rank‡	ICD10
Lip, oral cavity, and pharynx (C00-14)	338	1	0.2	0.1	.	0.1	0.4	0.8	1.0	1.0	1.1	2.3	5.7	7.2	9.1	9.8	9.9	15.4	2.6	2.2	0.24	89	8	20	C00-14
Oesophagus (C15)	436	0	0.3	0.3	0.4	1.5	1.6	3.9	5.0	9.7	13.1	18.8	33.1	3.4	2.5	0.27	68	29	18	C15
Stomach (C16)	902	4	.	.	.	0.2	0.4	1.3	1.7	2.6	4.1	7.2	8.2	13.6	24.8	23.4	37.9	51.6	7.0	5.5	0.63	63	32	9	C16
Colon (C18)	2204	8	.	.	0.3	0.3	0.8	1.1	2.0	3.0	10.5	12.3	25.6	33.3	53.0	63.8	89.6	140.3	17.1	13.2	1.48	73	23		C18
Rectum (C19-20)	594	4	.	.	0.1	.	0.1	0.1	0.9	1.7	2.7	5.0	6.8	12.2	14.7	18.8	23.6	30.5	4.6	3.7	0.44	86	9		C19-20
Colorectal (C18-20)	2798	12	.	.	0.3	0.3	0.9	1.2	2.9	4.7	13.2	17.3	32.4	45.4	67.7	82.5	113.2	170.8	21.7	16.9	1.92	76	20	3	C18-20
Anus (C21)	94	1	0.1	.	.	0.1	0.8	0.9	1.5	2.0	1.5	2.3	4.8	4.5	0.7	0.6	0.07	88	7	23	C21
Colon, rectum and anus (C18-21)	2892	13	.	.	0.3	0.3	1.0	1.2	2.9	4.9	14.0	18.2	33.9	47.4	69.2	84.8	118.0	175.3	22.4	17.5	1.99	76	20		C18-21
Liver (C22)	388	2	0.3	0.1	0.1	.	0.1	0.1	.	0.6	0.7	3.0	3.1	4.5	8.4	14.7	15.2	26.7	3.0	2.3	0.26	50	44	19	C22
Gallbladder (C23-24)	650	0	0.1	.	0.1	0.9	2.4	5.0	8.5	12.3	14.0	21.6	27.5	38.2	5.0	4.0	0.46	58	34	15	C23-24
Pancreas (C25)	961	1	0.3	0.2	0.9	2.8	3.6	7.9	13.8	16.4	33.7	52.0	67.3	7.4	5.5	0.66	34	53	11	C25
Nose, sinuses (C30-31)	36	0	0.1	.	0.1	0.1	.	0.1	0.2	.	0.5	0.6	0.2	0.4	0.6	1.0	1.2	1.4	0.3	0.2	0.03	83	14	26	C30-31
Larynx (C32)	89	1	0.5	0.6	1.4	2.7	2.2	3.6	3.0	3.8	0.7	0.6	0.07	76	24	24	C32
Lung, trachea and bronchus (C33-34)	1257	1	.	0.1	.	0.1	0.4	0.1	0.8	1.5	4.7	11.7	18.1	24.7	35.8	43.4	49.3	61.2	9.7	8.0	0.95	60	33	6	C33-34
Melanoma of skin (C43)	410	4	.	.	0.2	0.2	1.1	1.7	2.2	2.5	4.1	5.7	6.5	5.5	7.5	12.6	11.7	11.3	3.2	2.8	0.31	95	4	17	C43
Mesothelioma (C45)	42	1	0.1	.	.	0.1	0.5	0.4	0.6	0.4	0.4	1.5	1.5	2.2	0.3	0.3	0.03	90	7	25	C45
Kaposi sarcoma (C46)	15	0	.	.	.	0.1	.	0.1	0.1	.	0.1	0.1	0.2	0.5	0.2	0.5	.	0.5	0.1	0.1	0.01	87	0	27	C46
Breast (C50)	10494	61	.	.	.	0.3	1.8	6.1	19.7	47.9	105.3	160.5	185.8	230.6	262.6	291.2	308.9	344.6	81.3	71.9	8.15	84	10	1	C50
Cervix uteri (C53)	2379	3	.	.	.	0.4	3.9	11.6	22.6	31.1	37.4	41.5	42.0	45.8	43.8	38.6	37.0	31.9	18.4	17.5	1.78	89	9	2	C53
Corpus uteri (C54)	1096	5	.	.	.	0.1	0.3	0.6	0.8	2.6	5.9	9.7	19.8	22.7	34.7	37.8	45.1	38.9	8.5	7.4	0.90	92	7	7	C54
Ovary (C56)	1300	4	0.4	0.6	1.3	1.2	2.7	2.1	4.6	5.6	9.6	15.5	21.7	28.1	33.0	41.4	38.2	33.8	10.1	9.1	1.03	79	16	5	C56
Kidney (C64)	668	2	2.1	0.5	0.2	0.1	0.2	0.8	0.8	1.4	2.8	6.7	9.6	14.5	16.6	22.6	22.1	26.7	5.2	4.5	0.51	76	18	13	C64
Bladder (C67)	497	5	0.3	.	0.2	.	0.2	.	0.6	0.4	2.2	2.4	6.0	7.7	10.1	16.5	22.1	30.3	3.9	3.0	0.35	86	10	16	C67
Brain, CNS (C70-72)	638	4	2.2	2.5	1.9	1.7	1.5	2.2	3.4	3.7	4.6	5.4	9.0	8.6	10.3	13.6	15.5	18.3	4.9	4.5	0.43	62	30	14	C70-72
Thyroid (C73)	748	2	.	.	0.3	1.2	2.5	4.6	8.2	8.9	12.4	12.9	11.8	13.8	9.5	11.3	10.8	8.6	5.8	5.5	0.54	95	4	10	C73
Hodgkin disease (C81)	212	1	.	0.4	0.8	1.8	2.1	3.2	2.4	1.0	0.8	1.0	1.7	2.1	2.6	3.3	3.3	2.9	1.6	1.5	0.13	93	4	22	C81
Non-Hodgkin lymphoma (C82-85,C96)	880	7	1.3	1.0	1.5	1.1	1.1	1.8	2.2	2.7	4.7	7.0	13.3	17.3	21.8	21.1	27.8	34.4	6.8	5.9	0.63	90	7	8	C82-85,C96
Multiple myeloma (C88-C90)	289	2	0.1	0.2	0.7	1.6	3.6	6.4	5.2	13.9	10.8	16.3	2.2	1.8	0.21	80	15	21	C88-C90
Lymphoid leukaemia (C91)	309	3	3.6	3.0	2.1	1.3	0.8	0.4	0.6	0.6	0.8	1.4	2.2	2.7	3.2	5.9	8.4	9.8	2.4	2.2	0.19	90	7		C91
Myeloid leukaemia (C92-94)	335	6	0.9	1.4	0.8	0.9	1.4	1.2	1.7	1.1	1.9	3.7	4.0	3.4	4.1	8.0	10.2	10.6	2.6	2.3	0.23	80	12		C92-94
Leukaemia unspecified (C95)	141	1	0.6	0.4	0.3	0.2	0.4	0.1	0.3	0.2	0.7	0.7	.	0.9	1.7	4.1	2.7	11.0	1.1	0.8	0.07	42	51		C95
Leukaemia (C91-95)	785	10	5.1	4.8	3.2	2.3	2.6	1.7	2.6	2.0	3.4	5.9	6.2	7.0	9.1	18.0	21.2	31.4	6.1	5.4	0.48	77	17	12	C91-95
Other and unspecified (O&U)	1714	19	0.6	0.3	0.3	0.6	1.3	1.1	2.0	3.4	6.9	10.5	14.2	24.7	37.7	50.1	77.4	106.2	13.3	10.2	1.17	51	41	4	O&U
All sites but C44 (ALLbC44)	31831	160	15.9	11.8	13.1	17.0	28.5	47.6	85.0	134.4	243.3	356.4	459.3	590.1	727.5	888.1	1031.6	1289.0	246.7	210.8	23.37	78	17		ALLbC44
All sites (ALL)	34159	185	16.0	11.8	13.3	17.5	29.1	49.6	88.9	141.1	257.3	374.1	485.0	625.7	780.1	949.3	1120.4	1426.2	264.8	225.0	24.93	79	16		ALL

*Aggregated data from the population-based cancer registries of Bahia Blanca, Chaco, Cordoba, Mendoza, Neuquen, Santa Fe, and Tierra del Fuego
UNK, Unknown; ASR (W), Age Standardized Rate (World Population); CUM., Cumulative; MV, Microscopic Verification; DCO, Death Certificate Only
†Percent

‡Rank based on highest ASR excluding: All sites but C44 and All sites

ARGENTINA (2003-2007)
Number of Deaths in Major Diagnosis Groups
per Calendar Year

SITE	YEAR					TOTAL n (%)
	2003 n (%)	2004 n (%)	2005 n (%)	2006 n (%)	2007 n (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	650 (2.2)	630 (2.1)	600 (2.0)	598 (1.9)	609 (2.0)	3087 (2.0)
Digestive organs (C15-C26)	9331 (31.5)	9338 (31.6)	9785 (32.3)	9881 (32.1)	9933 (32.1)	48268 (31.9)
Respiratory organs (C30-C39)	7286 (24.6)	7225 (24.4)	7217 (23.8)	7393 (24.0)	7276 (23.5)	36397 (24.1)
Bone, cartilage, and skin (C40-C44)	244 (0.8)	241 (0.8)	254 (0.8)	288 (0.9)	244 (0.8)	1271 (0.8)
Male genitalia (C60-C63)	3789 (12.8)	3845 (13.0)	3922 (12.9)	4051 (13.2)	4132 (13.4)	19739 (13.1)
Urinary organs (C64-C68)	1946 (6.6)	1920 (6.5)	2061 (6.8)	2145 (7.0)	2028 (6.6)	10100 (6.7)
Eye, brain, and thyroid (C69-C75)	595 (2.0)	676 (2.3)	627 (2.1)	686 (2.2)	636 (2.1)	3220 (2.1)
Hematopoietic (C81-C96)	2029 (6.9)	1955 (6.6)	2145 (7.1)	2053 (6.7)	2096 (6.8)	10278 (6.8)
Other and unspecified	3732 (12.6)	3748 (12.7)	3699 (12.2)	3677 (11.9)	3964 (12.8)	18820 (12.4)
All sites	29602 (100.0)	29578 (100.0)	30310 (100.0)	30772 (100.0)	30918 (100.0)	151180 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	236 (0.9)	210 (0.8)	201 (0.8)	215 (0.8)	236 (0.9)	1098 (0.8)
Digestive organs (C15-C26)	7628 (30.0)	7694 (30.2)	7951 (30.5)	7958 (30.3)	8033 (30.3)	39264 (30.3)
Respiratory organs (C30-C39)	2015 (7.9)	2153 (8.5)	2203 (8.5)	2332 (8.9)	2375 (9.0)	11078 (8.5)
Bone, cartilage, and skin (C40-C44)	197 (0.8)	200 (0.8)	186 (0.7)	181 (0.7)	196 (0.7)	960 (0.7)
Breast (C50)	5456 (21.5)	5244 (20.6)	5361 (20.6)	5339 (20.4)	5368 (20.2)	26768 (20.6)
Female genitalia (C51-C58)	3438 (13.5)	3442 (13.5)	3389 (13.0)	3610 (13.8)	3624 (13.7)	17503 (13.5)
Urinary organs (C64-C68)	731 (2.9)	769 (3.0)	791 (3.0)	828 (3.2)	755 (2.8)	3874 (3.0)
Eye, brain, and thyroid (C69-C75)	538 (2.1)	580 (2.3)	586 (2.3)	616 (2.3)	602 (2.3)	2922 (2.3)
Hematopoietic (C81-C96)	1822 (7.2)	1792 (7.0)	1835 (7.0)	1735 (6.6)	1818 (6.9)	9002 (6.9)
Other and unspecified	4357 (17.1)	4366 (17.2)	4548 (17.5)	4491 (17.1)	4679 (17.6)	22441 (17.3)
All sites	25413 (100.0)	25441 (100.0)	26040 (100.0)	26221 (100.0)	26516 (100.0)	129631 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	886 (1.6)	840 (1.5)	801 (1.4)	813 (1.4)	845 (1.5)	4185 (1.5)
Digestive organs (C15-C26)	16959 (30.8)	17032 (31.0)	17736 (31.5)	17839 (31.3)	17966 (31.3)	87532 (31.2)
Respiratory organs (C30-C39)	9301 (16.9)	9378 (17.0)	9420 (16.7)	9725 (17.1)	9651 (16.8)	47475 (16.9)
Bone, cartilage, and skin (C40-C44)	441 (0.8)	441 (0.8)	440 (0.8)	469 (0.8)	440 (0.8)	2231 (0.8)
Urinary organs (C64-C68)	2677 (4.9)	2689 (4.9)	2852 (5.1)	2973 (5.2)	2783 (4.8)	13974 (5.0)
Eye, brain, and thyroid (C69-C75)	1133 (2.1)	1256 (2.3)	1213 (2.2)	1302 (2.3)	1238 (2.2)	6142 (2.2)
Hematopoietic (C81-C96)	3851 (7.0)	3747 (6.8)	3980 (7.1)	3788 (6.6)	3914 (6.8)	19280 (6.9)
Other and unspecified	8089 (14.7)	8114 (14.7)	8247 (14.6)	8168 (14.3)	8643 (15.0)	41261 (14.7)
All sites	55015 (100.0)	55019 (100.0)	56350 (100.0)	56993 (100.0)	57434 (100.0)	280811 (100.0)

ARGENTINA (2003-2007)
Age Standardized Mortality Rate (World Population) per 100,000
in Major Diagnosis Groups per Calendar Year

SITE	YEAR					TOTAL ASMR (%)
	2003 ASMR (%)	2004 ASMR (%)	2005 ASMR (%)	2006 ASMR (%)	2007 ASMR (%)	
MALES						
Lip, oral cavity, and pharynx (C00-C14)	3.3 (2.4)	3.2 (2.3)	3.0 (2.1)	2.9 (2.1)	2.9 (2.1)	3.0 (2.2)
Digestive organs (C15-C26)	43.5 (31.3)	43.0 (31.4)	44.2 (32.0)	43.9 (32.0)	43.4 (32.0)	43.6 (31.8)
Respiratory organs (C30-C39)	35.9 (25.9)	35.1 (25.6)	34.5 (25.0)	34.6 (25.2)	33.4 (24.7)	34.7 (25.3)
Bone, cartilage, and skin (C40-C44)	1.2 (0.9)	1.1 (0.8)	1.2 (0.9)	1.3 (0.9)	1.1 (0.8)	1.2 (0.9)
Male genitalia (C60-C63)	15.6 (11.3)	15.8 (11.5)	15.7 (11.4)	15.8 (11.5)	15.8 (11.7)	15.7 (11.5)
Urinary organs (C64-C68)	8.9 (6.4)	8.8 (6.4)	9.3 (6.7)	9.5 (6.9)	8.8 (6.5)	9.0 (6.6)
Eye, brain, and thyroid (C69-C75)	3.0 (2.2)	3.4 (2.5)	3.1 (2.3)	3.3 (2.4)	3.0 (2.2)	3.2 (2.3)
Hematopoietic (C81-C96)	9.7 (7.0)	9.3 (6.8)	10.1 (7.3)	9.5 (6.9)	9.5 (7.0)	9.6 (7.0)
Other and unspecified	17.7 (12.8)	17.5 (12.8)	17.0 (12.3)	16.4 (12.0)	17.5 (12.9)	17.2 (12.6)
All sites	138.8 (100.0)	137.0 (100.0)	138.0 (100.0)	137.1 (100.0)	135.4 (100.0)	137.3 (100.0)
FEMALES						
Lip, oral cavity, and pharynx (C00-C14)	0.8 (0.9)	0.7 (0.8)	0.6 (0.7)	0.7 (0.8)	0.8 (0.9)	0.7 (0.8)
Digestive organs (C15-C26)	25.0 (27.5)	24.8 (27.6)	25.2 (27.9)	24.4 (27.5)	24.6 (27.7)	24.8 (27.6)
Respiratory organs (C30-C39)	7.6 (8.4)	8.0 (8.9)	8.1 (9.0)	8.3 (9.4)	8.4 (9.4)	8.1 (9.0)
Bone, cartilage, and skin (C40-C44)	0.7 (0.8)	0.7 (0.8)	0.7 (0.7)	0.6 (0.7)	0.7 (0.8)	0.7 (0.8)
Breast (C50)	20.4 (22.4)	19.3 (21.5)	19.4 (21.5)	18.9 (21.3)	18.8 (21.2)	19.4 (21.6)
Female genitalia (C51-C58)	13.9 (15.3)	13.7 (15.3)	13.2 (14.6)	13.8 (15.5)	13.7 (15.5)	13.7 (15.2)
Urinary organs (C64-C68)	2.4 (2.7)	2.5 (2.8)	2.5 (2.8)	2.6 (2.9)	2.3 (2.6)	2.5 (2.7)
Eye, brain, and thyroid (C69-C75)	2.1 (2.3)	2.3 (2.5)	2.3 (2.5)	2.3 (2.6)	2.3 (2.6)	2.3 (2.5)
Hematopoietic (C81-C96)	6.7 (7.3)	6.5 (7.2)	6.6 (7.3)	6.1 (6.9)	6.3 (7.1)	6.4 (7.2)
Other and unspecified	15.2 (16.7)	15.0 (16.7)	15.5 (17.2)	15.0 (16.9)	15.2 (17.2)	15.2 (16.9)
All sites	91.0 (100.0)	89.8 (100.0)	90.1 (100.0)	88.8 (100.0)	88.8 (100.0)	89.7 (100.0)
BOTH SEXES						
Lip, oral cavity, and pharynx (C00-C14)	1.9 (1.7)	1.8 (1.7)	1.7 (1.5)	1.7 (1.6)	1.7 (1.6)	1.8 (1.6)
Digestive organs (C15-C26)	33.0 (29.7)	32.7 (29.8)	33.3 (30.3)	32.8 (30.2)	32.7 (30.2)	32.9 (30.1)
Respiratory organs (C30-C39)	20.1 (18.1)	20.0 (18.2)	19.8 (18.0)	19.9 (18.3)	19.4 (17.9)	19.8 (18.1)
Bone, cartilage, and skin (C40-C44)	0.9 (0.8)	0.9 (0.8)	0.9 (0.8)	0.9 (0.8)	0.9 (0.8)	0.9 (0.8)
Urinary organs (C64-C68)	5.2 (4.7)	5.2 (4.7)	5.4 (4.9)	5.5 (5.1)	5.1 (4.7)	5.3 (4.8)
Eye, brain, and thyroid (C69-C75)	2.5 (2.3)	2.8 (2.5)	2.7 (2.4)	2.8 (2.6)	2.6 (2.4)	2.7 (2.4)
Hematopoietic (C81-C96)	8.0 (7.2)	7.7 (7.1)	8.1 (7.4)	7.6 (7.0)	7.7 (7.1)	7.8 (7.2)
Other and unspecified	16.3 (14.7)	16.1 (14.7)	16.1 (14.6)	15.5 (14.3)	16.2 (15.0)	16.0 (14.6)
All sites	110.9 (100.0)	109.6 (100.0)	110.0 (100.0)	108.9 (100.0)	108.1 (100.0)	109.5 (100.0)

ARGENTINA (2003-2007)
Mortality per 100,000 by Age Group (years)
Males

SITE	ALL DEATHS	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASMR (W)	CUM. RATE (0-74)†	Rank‡	ICD10
Lip, oral cavity, & pharynx (C00-14)	3087	10	0.0	0.0	0.1	0.0	0.2	0.1	0.2	0.4	1.5	3.7	7.3	11.6	15.7	16.2	16.1	18.9	3.3	3.0	0.4	13	C00-14
Oesophagus (C15)	6647	16	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.6	1.4	4.3	9.0	15.7	25.6	36.2	49.6	74.5	7.0	6.1	0.7	6	C15
Stomach (C16)	9564	23	0.0	0.0	0.0	0.0	0.1	0.3	0.7	1.7	3.5	7.2	12.9	22.4	34.1	48.3	69.9	106.8	10.1	8.7	1.0	4	C16
Colon (C18)	14047	27	0.0	0.0	0.0	0.1	0.3	0.5	0.7	1.8	3.8	7.2	14.1	24.8	44.3	66.7	102.8	197.1	14.8	12.4	1.3		C18
Rectum (C19-C20)	0	0	0.0	0.0	0.0		C19-C20
Colorectal (C18-20)	0	0	0.0	0.0	0.0	24	C18-20
Anus (C21)	0	0	0.0	0.0	0.0	24	C21
Colon, rectum and anus (C18-21)	16441	30	0.0	0.0	0.0	0.2	0.4	0.7	0.9	2.2	4.5	8.9	16.9	29.9	52.7	80.2	119.4	224.8	17.4	14.6	1.6		C18-21
Liver (C22)	4862	11	0.0	0.0	0.1	0.0	0.1	0.1	0.3	0.4	1.3	2.7	5.6	10.0	18.0	26.0	38.5	56.7	5.1	4.4	0.5	8	C22
Gallbladder (C23-24)	2303	4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.6	1.1	2.6	4.7	7.7	10.0	18.7	30.1	2.4	2.0	0.2	15	C23-24
Pancreas (C25)	8451	15	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.8	2.1	5.5	11.3	19.2	32.7	46.2	63.4	94.1	8.9	7.7	0.9	5	C25
Nose, sinuses (C30-31)	0	0	0.0	0.0	0.0	24	C30-31
Larynx (C32)	4008	8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.1	3.7	7.5	14.8	20.5	23.7	26.2	27.6	4.2	3.9	0.5	11	C32
Lung (C33-34)	32389	53	0.0	0.1	0.1	0.1	0.3	0.4	0.9	2.6	9.0	25.6	52.9	95.4	148.4	196.5	233.0	270.4	34.2	30.8	3.8	1	C33-34
Melanoma of skin (C43)	1271	4	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.5	1.1	1.7	2.0	3.2	3.9	4.8	7.8	12.5	1.3	1.2	0.1	17	C43
Mesothelioma (C45)	0	0	0.0	0.0	0.0	24	C45
Kaposi sarcoma (C46)	0	0	0.0	0.0	0.0	24	C46
Breast (C50)	0	0	0.0	0.0	0.0	24	C50
Penis (C60)	0	0	0.0	0.0	0.0	24	C60
Prostate (C61)	18948	33	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.3	0.9	3.6	12.3	28.8	69.8	135.1	411.4	20.0	15.0	1.3	3	C61
Testis (C62)	791	0	0.0	0.0	0.0	0.4	1.6	1.7	1.7	1.5	1.1	0.8	0.7	0.4	0.8	1.0	1.0	1.6	0.8	0.8	0.1	18	C62
Kidney (C64)	4985	9	0.2	0.2	0.0	0.0	0.1	0.1	0.3	0.4	1.6	4.2	7.7	14.4	21.0	28.1	34.1	45.7	5.3	4.7	0.6	7	C64
Bladder (C67)	5115	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	1.4	3.4	7.6	13.5	23.5	39.8	85.0	5.4	4.3	0.4	10	C67
Brain, CNS (C70-72)	2913	4	0.9	1.0	0.7	0.6	0.5	0.8	1.1	1.5	2.2	2.9	5.0	8.0	10.5	12.5	14.5	16.6	3.1	2.9	0.3	14	C70-72
Thyroid (C73)	307	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.7	1.1	1.4	2.4	3.2	0.3	0.3	0.0	20	C73
Hodgkin disease (C81)	428	0	0.0	0.1	0.0	0.2	0.2	0.2	0.3	0.4	0.4	0.4	0.7	0.8	1.3	1.5	2.0	2.7	0.5	0.4	0.0	19	C81
Non-Hodgkin lymphoma (C82-85,C96)	3761	9	0.2	0.3	0.3	0.6	0.7	0.7	1.2	1.5	2.9	3.1	5.4	9.3	10.7	16.5	22.1	35.3	4.0	3.5	0.4	12	C82-85,C96
Multiple myeloma (C88+C90)	1399	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	1.0	1.5	3.3	5.5	7.5	10.5	15.4	1.5	1.3	0.2	16	C88-C90
Lymphoid leukaemia (C91)	0	0	0.0	0.0	0.0		C91
Myeloid leukaemia (C92-94)	0	0	0.0	0.0	0.0		C92-94
Leukaemia unspecified (C95)	0	0	0.0	0.0	0.0		C95
Leukaemia (C91-95)	4690	15	1.8	1.4	1.9	2.4	2.0	1.5	1.5	2.0	2.7	2.9	4.8	6.3	11.2	15.6	26.2	45.2	5.0	4.4	0.4	9	C91-95
Other and unspecified (O&U)	18820	46	1.1	0.8	1.2	1.7	1.9	2.3	3.2	4.9	7.8	13.8	24.3	39.2	62.1	87.0	126.3	210.2	19.9	17.2	1.9	2	O&U
All sites (ALL)	151180	302	4.3	3.9	4.5	6.4	8.4	9.5	13.6	22.5	46.2	95.8	185.7	329.2	525.7	752.6	1056.5	1788.6	159.8	137.3	15.4		ALL

UNK, Unknown; ASMR (W), Age Standardized Mortality Rate (World Population); CUM., Cumulative

†Percent

‡Rank based on highest ASMR excluding: All sites but C44

ARGENTINA (2003-2007)
Mortality per 100,000 by Age Group (years)
Females

SITE	ALL DEATHS	UNK AGE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	CRUDE RATE	ASMR (W)	CUM. RATE (0-74)†	Rank‡	ICD10
Lip, oral cavity, & pharynx (C00-14)	1098	1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.8	1.4	1.9	2.4	3.4	4.4	9.4	1.1	0.7	0.1	18	C00-14
Oesophagus (C15)	2887	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.3	2.1	3.8	6.4	8.9	12.7	28.8	2.9	1.8	0.2	13	C15
Stomach (C16)	5088	6	0.0	0.0	0.0	0.0	0.2	0.3	0.8	1.3	2.4	3.3	5.3	7.0	10.9	16.1	22.7	43.8	5.2	3.3	0.4	7	C16
Colon (C18)	12677	16	0.0	0.0	0.0	0.1	0.3	0.4	0.7	1.6	3.0	6.5	11.0	16.6	26.1	34.9	56.7	125.3	12.8	7.7	0.8		C18
Rectum (C19-C20)	0	0	0.0	0.0	0.0		C19-C20
Colorectal (C18-20)	0	0	0.0	0.0	0.0	25	C18-20
Anus (C21)	0	0	0.0	0.0	0.0	25	C21
Colon, rectum and anus (C18-21)	14571	18	0.0	0.0	0.0	0.1	0.4	0.4	1.0	2.1	3.7	7.6	12.8	20.0	30.0	40.3	64.8	142.1	14.8	8.9	0.9		C18-21
Liver (C22)	3799	3	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.6	1.2	2.0	3.8	5.7	9.1	12.9	19.2	31.8	3.8	2.5	0.3	10	C22
Gallbladder (C23-24)	3924	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.5	1.2	2.7	5.1	7.4	11.1	14.9	18.5	29.2	4.0	2.7	0.3	9	C23-24
Pancreas (C25)	8995	8	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.7	1.4	3.5	7.3	13.2	20.3	32.2	48.2	81.0	9.1	5.6	0.6	5	C25
Nose, sinuses (C30-31)	0	0	0.0	0.0	0.0	25	C30-31
Larynx (C32)	480	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.6	1.1	1.7	2.1	2.4	2.9	0.5	0.3	0.0	21	C32
Lung (C33-34)	10598	23	0.0	0.0	0.0	0.0	0.1	0.1	0.6	1.5	4.8	11.4	20.0	24.9	31.4	38.8	44.6	65.1	10.7	7.8	0.9	4	C33-34
Melanoma of skin (C43)	960	1	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.6	0.8	1.1	1.3	1.3	2.2	2.4	3.1	7.2	1.0	0.7	0.1	19	C43
Mesothelioma (C45)	0	0	0.0	0.0	0.0	25	C45
Kaposi sarcoma (C46)	0	0	0.0	0.0	0.0	25	C46
Breast (C50)	28768	31	0.0	0.0	0.0	0.0	0.1	0.8	3.4	8.5	17.7	29.4	45.8	62.2	72.2	83.5	101.7	176.0	27.1	19.4	2.1	1	C50
Cervix uteri (C53)	9734	26	0.0	0.0	0.0	0.0	0.5	2.1	5.0	9.5	13.8	18.7	20.8	21.7	23.9	25.6	27.6	39.0	9.9	8.0	0.8	3	C53
Corpus uteri (C54)	2305	1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.5	0.9	2.9	4.3	6.9	8.9	11.4	17.6	2.3	1.6	0.2	15	C54
Ovary (C56)	5464	6	0.0	0.0	0.0	0.1	0.3	0.4	0.8	1.4	3.2	5.5	9.2	13.6	17.4	19.9	24.4	29.9	5.5	4.1	0.5	6	C56
Kidney (C64)	2343	8	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.5	1.8	2.9	4.2	6.9	8.0	11.4	17.2	2.4	1.6	0.2	14	C64
Bladder (C67)	1531	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.8	1.5	2.3	4.0	6.3	18.0	1.5	0.8	0.1	17	C67
Brain, CNS (C70-72)	2372	4	0.7	0.7	0.7	0.3	0.4	0.4	0.8	1.3	1.6	2.3	3.6	5.1	5.4	7.9	9.9	10.7	2.4	1.9	0.2	12	C70-72
Thyroid (C73)	550	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.5	0.9	1.0	2.1	3.0	4.6	0.6	0.4	0.0	20	C73
Hodgkin disease (C81)	366	0	0.0	0.0	0.1	0.2	0.3	0.2	0.3	0.2	0.1	0.2	0.4	0.5	0.6	1.1	1.2	2.0	0.4	0.3	0.0	22	C81
Non-Hodgkin lymphoma (C82-85,C96)	3167	2	0.1	0.2	0.2	0.4	0.4	0.8	0.8	1.0	1.0	2.1	3.1	5.3	7.2	9.9	14.7	23.3	3.2	2.2	0.2	11	C82-85,C96
Multiple myeloma (C88+C90)	1477	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.6	1.4	2.5	3.9	6.3	8.8	11.3	1.5	1.0	0.1	16	C88-C90
Lymphoid leukaemia (C91)	0	0	0.0	0.0	0.0		C91
Myeloid leukaemia (C92-94)	0	0	0.0	0.0	0.0		C92-94
Leukaemia unspecified (C95)	0	0	0.0	0.0	0.0		C95
Leukaemia (C91-95)	3992	3	1.5	1.2	1.4	1.5	1.5	1.0	1.6	1.6	2.0	3.0	3.5	4.9	6.3	9.2	14.0	27.3	4.0	3.0	0.3	8	C91-95
Other and unspecified (O&U)	22441	34	0.9	0.5	0.7	1.2	1.2	1.8	4.1	7.2	11.3	17.0	27.1	36.6	49.1	67.8	91.5	179.1	22.7	15.2	1.6	2	O&U
All sites (ALL)	129631	176	3.6	2.9	3.4	4.0	5.5	8.8	18.6	36.1	64.4	109.7	172.0	238.9	314.8	410.2	546.9	966.2	131.2	89.7	9.7		ALL


UNK, Unknown; ASMR (W), Age Standardized Mortality Rate (World Population); CUM., Cumulative

†Percent

‡Rank based on highest ASMR excluding: All sites but C44

ARGENTINA (2003–2007)


Age-specific incidence* and mortality rates per 100,000 person-years



*Aggregated data from the population-based cancer registries of Bahia Blanca, Chaco, Cordoba, Mendoza, Neuquen, Santa Fe, and Tierra del Fuego

ARGENTINA (2003-2007)

Age-specific incidence* and mortality rates per 100,000 person-years




*Aggregated data from the population-based cancer registries of Bahia Blanca, Chaco, Cordoba, Mendoza, Neuquen, Santa Fe, and Tierra del Fuego

ARGENTINA (1993–2007)

Trends in cancer incidence* and mortality by sex, all ages

Symbols represent observed rates and lines represent the (LOWESS=0.5) smoothed trend




*Incidence rates were estimated using data from the population-based cancer registry of Bahia Blanca

ARGENTINA (1993-2007)

Trends in cancer incidence* and mortality by sex, all ages

Symbols represent observed rates and lines represent the (LOWESS=0.5) smoothed trend


Age standardized rates (log scale) per 100,000 person-years



*Incidence rates were estimated using data from the population-based cancer registry of Bahia Blanca

ARGENTINA (1998-2007)

Estimated Annual Percent Change in Incidence and Mortality Rates
by Cancer Site in Males, all ages




* The estimated annual percent change is statistically different from zero ($p \leq .05$)

Note: Incidence rates were estimated using data from the registry of Bahia Blanca

ARGENTINA (1998–2007)

Estimated Annual Percent Change in Incidence and Mortality Rates
by Cancer Site in Females, all ages




* The estimated annual percent change is statistically different from zero ($p \leq .05$)

Note: Incidence rates were estimated using data from the registry of Bahia Blanca

ARGENTINA* (2003-2007)

Average annual person-years



*Agregated population from Bahia Blanca, Chaco, Cordoba, Mendoza, Neuquen, Santa Fe, and Tierra del Fuego