




Griesgletscher Length Change Over Time




Griesgletscher Cumulative Length Change Over Time




Griesgletscher Annual Mass Balance Over Time



Griesgletscher Cumulative Annual Mass Balance Over Time



Annual Mass Balance for each Elevation Bin over Time - Griesgletscher




Sion Summer Mean Temperature



Sion Winter Total Precipitation



Griesgletscher Summer Mass Balance with relation to Temperature



Regression: Monthly 1961-1990

MONTHLY DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS

MONTHLY DEVIATIONS for Griesgletscher (1961-1990 norms)

Number of observations: 64

Regression Summary:

OLS Regression Results			
Dep. Variable:	annual mass balance (mm w.e.)	R-squared:	0.773
Model:	OLS	Adj. R-squared:	0.719
Method:	Least Squares	F-statistic:	14.46
Date:	Sun, 07 Dec 2025	Prob (F-statistic):	1.74e-12
Time:	23:22:29	Log-Likelihood:	-480.43
No. Observations:	64	AIC:	986.9
Df Residuals:	51	BIC:	1015.
Df Model:	12		
Covariance Type:	nonrobust		

	coef	std err	t	P> t	[0.025	0.975]
const	2.162e+04	1910.255	11.320	0.000	1.78e+04	2.55e+04
may_td	-152.9150	51.327	-2.979	0.004	-255.957	-49.873
june_td	-142.2344	47.185	-3.014	0.004	-236.963	-47.506
july_td	-106.0656	49.078	-2.161	0.035	-204.593	-7.538
august_td	-148.2455	58.751	-2.523	0.015	-266.194	-30.297
september_td	-119.6194	47.846	-2.500	0.016	-215.674	-23.565
october_pd	2.3939	2.245	1.066	0.291	-2.113	6.900
november_pd	3.3629	1.687	1.994	0.052	-0.023	6.749
december_pd	1.1490	1.424	0.807	0.424	-1.710	4.008
january_pd	2.1679	1.700	1.275	0.208	-1.245	5.581
february_pd	0.2412	1.452	0.166	0.869	-2.673	3.156
march_pd	-0.1632	1.979	-0.082	0.935	-4.137	3.811
april_pd	0.8314	3.074	0.270	0.788	-5.341	7.004

Omnibus:	0.563	Durbin-Watson:	1.566
Prob(Omnibus):	0.755	Jarque-Bera (JB):	0.705
Skew:	0.160	Prob(JB):	0.703
Kurtosis:	2.597	Cond. No.	2.43e+03

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.
[2] The condition number is large, 2.43e+03. This might indicate that there are strong multicollinearity or other numerical problems.

Coefficient Interpretation:
Intercept (normal mass balance): 21624.11 (p=0.0000)
may_td: -152.91 (p=0.0044)
june_td: -142.23 (p=0.0040)
july_td: -106.07 (p=0.0354)
august_td: -148.25 (p=0.0148)
september_td: -119.62 (p=0.0157)
october_pd: 2.39 (p=0.2912)
november_pd: 3.36 (p=0.0515)

Regression: Optimal 1961-1990

=====

OPTIMAL SEASONAL DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS

=====

=====

OPTIMAL SEASONAL DEVIATIONS for Griesgletscher (1961-1990 norms)

=====

Number of observations: 64

Regression Summary:

OLS Regression Results			
Dep. Variable:	annual mass balance (mm w.e.)	R-squared:	0.726
Model:	OLS	Adj. R-squared:	0.717
Method:	Least Squares	F-statistic:	80.80
Date:	Sun, 07 Dec 2025	Prob (F-statistic):	7.13e-18
Time:	23:22:29	Log-Likelihood:	-486.44
No. Observations:	64	AIC:	978.9
Df Residuals:	61	BIC:	985.4
Df Model:	2		
Covariance Type:	nonrobust		

	coef	std err	t	P> t	[0.025	0.975]
const	2.029e+04	1735.344	11.690	0.000	1.68e+04	2.38e+04
opt_season_td	-607.3401	49.746	-12.209	0.000	-706.814	-507.866
opt_season_pd	1.4129	0.746	1.893	0.063	-0.080	2.906

Omnibus:	0.395	Durbin-Watson:	1.611
Prob(Omnibus):	0.821	Jarque-Bera (JB):	0.462
Skew:	-0.176	Prob(JB):	0.794
Kurtosis:	2.778	Cond. No.	2.38e+03

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

[2] The condition number is large, 2.38e+03. This might indicate that there are strong multicollinearity or other numerical problems.

Coefficient Interpretation:

Intercept (normal mass balance): 20286.48 (p=0.0000)

opt_season_td: -607.34 (p=0.0000)

opt_season_pd: 1.41 (p=0.0632)

Variance Inflation Factors (VIF):		
	Variable	VIF
0	const	784.748728
1	opt_season_td	1.017886
2	opt_season_pd	1.017886

R-squared: 0.7260

Adjusted R-squared: 0.7170

Regression: Seasonal 1961-1990

=====
SUMMER/WINTER SEASONAL DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS
=====

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Griesgletscher (1961-1990 norms)
=====

Number of observations: 64

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.755
Model: OLS Adj. R-squared: 0.747
Method: Least Squares F-statistic: 93.97
Date: Sun, 07 Dec 2025 Prob (F-statistic): 2.35e-19
Time: 23:22:29 Log-Likelihood: -482.86
No. Observations: 64 AIC: 971.7
Df Residuals: 61 BIC: 978.2
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, summer_td, and winter_pd.

Omnibus: 0.779 Durbin-Watson: 1.702
Prob(Omnibus): 0.677 Jarque-Bera (JB): 0.586
Skew: -0.234 Prob(JB): 0.746
Kurtosis: 2.961 Cond. No. 2.81e+03

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.
[2] The condition number is large, 2.81e+03. This might indicate that there are strong multicollinearity or other numerical problems.

Coefficient Interpretation:
Intercept (normal mass balance): 21578.67 (p=0.0000)
summer_td: -663.04 (p=0.0000)
winter_pd: 1.37 (p=0.0318)

Variance Inflation Factors (VIF):
Variable VIF
0 const 847.583626
1 summer_td 1.014369
2 winter_pd 1.014369

R-squared: 0.7550
Adjusted R-squared: 0.7469

Regression: Monthly 1991-2020

=====
MONTHLY DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS
=====

=====
MONTHLY DEVIATIONS for Griesgletscher (1991-2020 norms)
=====

Number of observations: 64

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.773
Model: OLS Adj. R-squared: 0.719
Method: Least Squares F-statistic: 14.46
Date: Sun, 07 Dec 2025 Prob (F-statistic): 1.74e-12
Time: 23:22:29 Log-Likelihood: -480.43
No. Observations: 64 AIC: 986.9
Df Residuals: 51 BIC: 1015.
Df Model: 12
Covariance Type: nonrobust

Table with 7 columns: coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, may_td, june_td, july_td, august_td, september_td, october_pd, november_pd, december_pd, january_pd, february_pd, march_pd, april_pd.

Omnibus: 0.563 Durbin-Watson: 1.566
Prob(Omnibus): 0.755 Jarque-Bera (JB): 0.705
Skew: 0.160 Prob(JB): 0.703
Kurtosis: 2.597 Cond. No. 57.9

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:
Intercept (normal mass balance): -1418.30 (p=0.0000)
may_td: -152.91 (p=0.0044)
june_td: -142.23 (p=0.0040)
july_td: -106.07 (p=0.0354)
august_td: -148.25 (p=0.0148)
september_td: -119.62 (p=0.0157)
october_pd: 2.39 (p=0.2912)
november_pd: 3.36 (p=0.0515)
december_pd: 1.15 (p=0.4235)
january_pd: 2.17 (p=0.2080)

Regression: Optimal 1991-2020

=====

OPTIMAL SEASONAL DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS

=====

=====

OPTIMAL SEASONAL DEVIATIONS for Griesgletscher (1991-2020 norms)

=====

Number of observations: 64

Regression Summary:

OLS Regression Results			
Dep. Variable:	annual mass balance (mm w.e.)	R-squared:	0.728
Model:	OLS	Adj. R-squared:	0.719
Method:	Least Squares	F-statistic:	81.73
Date:	Sun, 07 Dec 2025	Prob (F-statistic):	5.53e-18
Time:	23:22:29	Log-Likelihood:	-486.17
No. Observations:	64	AIC:	978.3
Df Residuals:	61	BIC:	984.8
Df Model:	2		
Covariance Type:	nonrobust		

	coef	std err	t	P> t	[0.025	0.975]
const	-1387.5375	71.772	-19.333	0.000	-1531.054	-1244.021
opt_season_td	-608.4661	49.547	-12.281	0.000	-707.542	-509.391
opt_season_pd	1.3504	0.744	1.815	0.074	-0.137	2.838

Omnibus:	0.389	Durbin-Watson:	1.612
Prob(Omnibus):	0.823	Jarque-Bera (JB):	0.461
Skew:	-0.175	Prob(JB):	0.794
Kurtosis:	2.774	Cond. No.	107.

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:

Intercept (normal mass balance): -1387.54 (p=0.0000)

opt_season_td: -608.47 (p=0.0000)

opt_season_pd: 1.35 (p=0.0744)

Variance Inflation Factors (VIF):

	Variable	VIF
0	const	1.353603
1	opt_season_td	1.019714
2	opt_season_pd	1.019714

R-squared: 0.7282

Adjusted R-squared: 0.7193

Regression: Seasonal 1991-2020

=====
SUMMER/WINTER SEASONAL DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS
=====

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Griesgletscher (1991-2020 norms)
=====

Number of observations: 64

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.761
Model: OLS Adj. R-squared: 0.753
Method: Least Squares F-statistic: 97.21
Date: Sun, 07 Dec 2025 Prob (F-statistic): 1.07e-19
Time: 23:22:29 Log-Likelihood: -482.04
No. Observations: 64 AIC: 970.1
Df Residuals: 61 BIC: 976.6
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, summer_td, and winter_pd.

Omnibus: 0.605 Durbin-Watson: 1.692
Prob(Omnibus): 0.739 Jarque-Bera (JB): 0.494
Skew: -0.211 Prob(JB): 0.781
Kurtosis: 2.912 Cond. No. 124.

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:
Intercept (normal mass balance): -1402.58 (p=0.0000)
summer_td: -664.40 (p=0.0000)
winter_pd: 1.40 (p=0.0271)

Variance Inflation Factors (VIF):
Variable VIF
0 const 1.365389
1 summer_td 1.013572
2 winter_pd 1.013572

R-squared: 0.7612
Adjusted R-squared: 0.7533