




Griesgletscher Length Change Over Time




Griesgletscher Cumulative Length Change Over Time




Griesgletscher Annual Mass Balance Over Time



Griesgletscher Cumulative Annual Mass Balance Over Time



Annual Mass Balance for each Elevation Bin over Time - Griesgletscher




Sion Summer Mean Temperature



Sion Winter Total Precipitation




Griesgletscher Summer Mass Balance with relation to Temperature





Griesgletscher Winter Mass Balance with relation to Precipitation



Regression: Monthly 1961-1990

=====
MONTHLY DEVIATIONS for Griesgletscher using 1961-1990 climate norms
=====

Correlation Analysis with Significance Testing:
Skipping constant column: const
Table with 5 columns: Variable, Correlation Coefficient, P-value, Significant (p < 0.05), and an index column. Rows include months from June to December.

Number of observations: 64

Regression Summary:

OLS Regression Results
Table with 2 columns: Label and Value. Rows include Dep. Variable, Model, Method, Date, Time, No. Observations, Df Residuals, Df Model, Covariance Type, R-squared, Adj. R-squared, F-statistic, Prob (F-statistic), Log-Likelihood, AIC, and BIC.

Table with 7 columns: Variable, coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const and months from May to April.

Table with 4 columns: Statistic, Value, Statistic, Value. Rows include Omnibus, Prob(Omnibus), Skew, Kurtosis, Durbin-Watson, Jarque-Bera (JB), Prob(JB), and Cond. No.

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Regression: Optimal 1961-1990

=====

OPTIMAL SEASONAL DEVIATIONS for Griesgletscher using 1961-1990 climate norms

=====

Correlation Analysis with Significance Testing:  
Skipping constant column: const

	Variable	Correlation Coefficient	P-value	Significant (p < 0.05)
0	opt_season_td	-0.842259	2.741200e-18	True
1	opt_season_pd	0.237420	5.888798e-02	False

Number of observations: 64

Regression Summary:

OLS Regression Results						
=====						
Dep. Variable:	annual mass balance (mm w.e.)			R-squared:	0.726	
Model:	OLS			Adj. R-squared:	0.717	
Method:	Least Squares			F-statistic:	80.84	
Date:	Fri, 19 Dec 2025			Prob (F-statistic):	7.04e-18	
Time:	16:02:31			Log-Likelihood:	-486.43	
No. Observations:	64			AIC:	978.9	
Df Residuals:	61			BIC:	985.3	
Df Model:	2					
Covariance Type:	nonrobust					
=====						
	coef	std err	t	P> t	[0.025	0.975]
-----						
const	-274.3677	80.189	-3.422	0.001	-434.715	-114.020
opt_season_td	-602.0175	49.297	-12.212	0.000	-700.593	-503.442
opt_season_pd	1.4376	0.746	1.927	0.059	-0.054	2.930
=====						
Omnibus:	0.547		Durbin-Watson:		1.614	
Prob(Omnibus):	0.761		Jarque-Bera (JB):		0.597	
Skew:	-0.208		Prob(JB):		0.742	
Kurtosis:	2.773		Cond. No.		119.	
=====						

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Regression: Seasonal 1961-1990

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Griesgletscher using 1961-1990 climate norms
=====

Correlation Analysis with Significance Testing:
Skipping constant column: const
Variable Correlation Coefficient P-value Significant (p < 0.05)
0 summer\_td -0.855394 2.273303e-19 True
1 winter\_pd 0.240352 5.574003e-02 False

Number of observations: 64

Regression Summary:

OLS Regression Results						
Dep. Variable:	annual mass balance (mm w.e.)			R-squared:	0.753	
Model:	OLS			Adj. R-squared:	0.745	
Method:	Least Squares			F-statistic:	93.11	
Date:	Fri, 19 Dec 2025			Prob (F-statistic):	2.91e-19	
Time:	16:02:31			Log-Likelihood:	-483.09	
No. Observations:	64			AIC:	972.2	
Df Residuals:	61			BIC:	978.6	
Df Model:	2					
Covariance Type:	nonrobust					
	coef	std err	t	P> t	[0.025	0.975]
const	-262.7624	75.959	-3.459	0.001	-414.651	-110.874
summer_td	-659.9391	50.330	-13.112	0.000	-760.580	-559.298
winter_pd	1.4463	0.627	2.308	0.024	0.193	2.699
Omnibus:	0.715		Durbin-Watson:		1.725	
Prob(Omnibus):	0.699		Jarque-Bera (JB):		0.563	
Skew:	-0.227		Prob(JB):		0.755	
Kurtosis:	2.934		Cond. No.		137.	

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

# Regression: Monthly 1991-2020

=====

MONTHLY DEVIATIONS for Griesgletscher using 1991-2020 climate norms

=====

Correlation Analysis with Significance Testing:

Skipping constant column: const

	Variable	Correlation Coefficient	P-value	Significant (p < 0.05)
1	june_td	-0.698060	1.443175e-10	True
3	august_td	-0.655278	4.221977e-09	True
0	may_td	-0.625149	3.351914e-08	True
2	july_td	-0.616048	6.005828e-08	True
4	september_td	-0.508344	1.799456e-05	True
9	february_pd	0.192294	1.279396e-01	False
6	november_pd	0.156378	2.172118e-01	False
5	october_pd	0.140020	2.697968e-01	False
10	march_pd	0.131427	3.005778e-01	False
8	january_pd	0.085564	5.014223e-01	False
11	april_pd	-0.075242	5.545815e-01	False
7	december_pd	-0.068362	5.914439e-01	False

Number of observations: 64

Regression Summary:

OLS Regression Results			
Dep. Variable:	annual mass balance (mm w.e.)	R-squared:	0.773
Model:	OLS	Adj. R-squared:	0.719
Method:	Least Squares	F-statistic:	14.46
Date:	Fri, 19 Dec 2025	Prob (F-statistic):	1.74e-12
Time:	16:02:31	Log-Likelihood:	-480.43
No. Observations:	64	AIC:	986.9
Df Residuals:	51	BIC:	1015.
Df Model:	12		
Covariance Type:	nonrobust		

	coef	std err	t	P> t	[0.025	0.975]
const	-1418.2957	73.361	-19.333	0.000	-1565.574	-1271.017
may_td	-152.9150	51.327	-2.979	0.004	-255.957	-49.873
june_td	-142.2344	47.185	-3.014	0.004	-236.963	-47.506
july_td	-106.0656	49.078	-2.161	0.035	-204.593	-7.538
august_td	-148.2455	58.751	-2.523	0.015	-266.194	-30.297
september_td	-119.6194	47.846	-2.500	0.016	-215.674	-23.565
october_pd	2.3939	2.245	1.066	0.291	-2.113	6.900
november_pd	3.3629	1.687	1.994	0.052	-0.023	6.749
december_pd	1.1490	1.424	0.807	0.424	-1.710	4.008
january_pd	2.1679	1.700	1.275	0.208	-1.245	5.581
february_pd	0.2412	1.452	0.166	0.869	-2.673	3.156
march_pd	-0.1632	1.979	-0.082	0.935	-4.137	3.811
april_pd	0.8314	3.074	0.270	0.788	-5.341	7.004

Omnibus:	0.563	Durbin-Watson:	1.566
Prob(Omnibus):	0.755	Jarque-Bera (JB):	0.705
Skew:	0.160	Prob(JB):	0.703
Kurtosis:	2.597	Cond. No.	57.9

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

## Regression: Optimal 1991-2020

```
=====
OPTIMAL SEASONAL DEVIATIONS for Griesgletscher using 1991-2020 climate norms
=====
```

Correlation Analysis with Significance Testing:

Skipping constant column: const

	Variable	Correlation Coefficient	P-value	Significant (p < 0.05)
0	opt_season_td	-0.844729	1.747008e-18	True
1	opt_season_pd	0.237420	5.888798e-02	False

Number of observations: 64

Regression Summary:

### OLS Regression Results

```
=====
Dep. Variable:    annual mass balance (mm w.e.)    R-squared:                0.728
Model:            OLS                             Adj. R-squared:           0.719
Method:           Least Squares                   F-statistic:              81.73
Date:             Fri, 19 Dec 2025                 Prob (F-statistic):       5.53e-18
Time:             16:02:31                         Log-Likelihood:          -486.17
No. Observations: 64                              AIC:                     978.3
Df Residuals:     61                              BIC:                     984.8
Df Model:         2
Covariance Type:  nonrobust
=====
```

	coef	std err	t	P> t	[0.025	0.975]
const	-1387.5375	71.772	-19.333	0.000	-1531.054	-1244.021
opt_season_td	-608.4661	49.547	-12.281	0.000	-707.542	-509.391
opt_season_pd	1.3504	0.744	1.815	0.074	-0.137	2.838

```
=====
Omnibus:            0.389    Durbin-Watson:           1.612
Prob(Omnibus):      0.823    Jarque-Bera (JB):         0.461
Skew:               -0.175    Prob(JB):                 0.794
Kurtosis:           2.774    Cond. No.                  107.
=====
```

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Regression: Seasonal 1991-2020

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Griesgletscher using 1991-2020 climate norms
=====

Correlation Analysis with Significance Testing:
Skipping constant column: const
Variable Correlation Coefficient P-value Significant (p < 0.05)
0 summer\_td -0.860874 7.474647e-20 True
1 winter\_pd 0.240352 5.574003e-02 False

Number of observations: 64

Regression Summary:

OLS Regression Results						
=====						
Dep. Variable:	annual mass balance (mm w.e.)			R-squared:	0.761	
Model:	OLS			Adj. R-squared:	0.753	
Method:	Least Squares			F-statistic:	97.21	
Date:	Fri, 19 Dec 2025			Prob (F-statistic):	1.07e-19	
Time:	16:02:31			Log-Likelihood:	-482.04	
No. Observations:	64			AIC:	970.1	
Df Residuals:	61			BIC:	976.6	
Df Model:	2					
Covariance Type:	nonrobust					
=====						
	coef	std err	t	P> t	[0.025	0.975]
-----						
const	-1402.5838	67.574	-20.756	0.000	-1537.707	-1267.460
summer_td	-664.4016	49.568	-13.404	0.000	-763.518	-565.285
winter_pd	1.3968	0.617	2.264	0.027	0.163	2.630
=====						
Omnibus:	0.605		Durbin-Watson:		1.692	
Prob(Omnibus):	0.739		Jarque-Bera (JB):		0.494	
Skew:	-0.211		Prob(JB):		0.781	
Kurtosis:	2.912		Cond. No.		124.	
=====						

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.