




Allalingletscher Length Change Over Time




Allalingletscher Cumulative Length Change Over Time




Allalingletscher Annual Mass Balance Over Time



Allalingletscher Cumulative Annual Mass Balance Over Time



Annual Mass Balance for each Elevation Bin over Time - Allalingletscher




Sion Summer Mean Temperature



Sion Winter Total Precipitation



Allalingletscher Summer Mass Balance with relation to Temperature





Regression: Monthly 1961-1990

MONTHLY DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS

MONTHLY DEVIATIONS for Allalingletscher (1961-1990 norms)

Number of observations: 70

Regression Summary:

OLS Regression Results						
Dep. Variable:	annual mass balance (mm w.e.)			R-squared:	0.577	
Model:	OLS			Adj. R-squared:	0.488	
Method:	Least Squares			F-statistic:	6.472	
Date:	Mon, 08 Dec 2025			Prob (F-statistic):	4.26e-07	
Time:	00:57:47			Log-Likelihood:	-530.10	
No. Observations:	70			AIC:	1086.	
Df Residuals:	57			BIC:	1115.	
Df Model:	12					
Covariance Type:	nonrobust					
	coef	std err	t	P> t	[0.025	0.975]
const	1.523e+04	1949.710	7.813	0.000	1.13e+04	1.91e+04
may_td	-35.6575	49.823	-0.716	0.477	-135.427	64.112
june_td	-43.8331	46.968	-0.933	0.355	-137.885	50.218
july_td	-107.0402	50.392	-2.124	0.038	-207.949	-6.132
august_td	-116.1017	59.460	-1.953	0.056	-235.168	2.965
september_td	-150.8187	47.312	-3.188	0.002	-245.560	-56.078
october_pd	1.3714	2.318	0.592	0.556	-3.269	6.012
november_pd	2.9680	1.722	1.723	0.090	-0.480	6.416
december_pd	1.1423	1.439	0.794	0.431	-1.740	4.024
january_pd	1.9309	1.751	1.102	0.275	-1.576	5.438
february_pd	0.8317	1.360	0.611	0.543	-1.892	3.555
march_pd	0.5088	2.002	0.254	0.800	-3.500	4.518
april_pd	2.4437	3.058	0.799	0.428	-3.680	8.568
Omnibus:	1.054	Durbin-Watson:	1.687			
Prob(Omnibus):	0.590	Jarque-Bera (JB):	1.056			
Skew:	-0.164	Prob(JB):	0.590			
Kurtosis:	2.496	Cond. No.	2.44e+03			

Notes:  
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.  
[2] The condition number is large, 2.44e+03. This might indicate that there are strong multicollinearity or other numerical problems.

Coefficient Interpretation:  
Intercept (normal mass balance): 15232.38 (p=0.0000)  
may\_td: -35.66 (p=0.4771)  
june\_td: -43.83 (p=0.3546)  
july\_td: -107.04 (p=0.0380)  
august\_td: -116.10 (p=0.0558)  
september\_td: -150.82 (p=0.0023)  
october\_pd: 1.37 (p=0.5564)  
november\_pd: 2.97 (p=0.0902)

Regression: Optimal 1961-1990

=====

OPTIMAL SEASONAL DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS

=====

=====

OPTIMAL SEASONAL DEVIATIONS for Allalingletscher (1961-1990 norms)

=====

Number of observations: 70

Regression Summary:

OLS Regression Results			
Dep. Variable:	annual mass balance (mm w.e.)	R-squared:	0.458
Model:	OLS	Adj. R-squared:	0.442
Method:	Least Squares	F-statistic:	28.28
Date:	Mon, 08 Dec 2025	Prob (F-statistic):	1.25e-09
Time:	00:57:47	Log-Likelihood:	-538.77
No. Observations:	70	AIC:	1084.
Df Residuals:	67	BIC:	1090.
Df Model:	2		
Covariance Type:	nonrobust		

	coef	std err	t	P> t	[0.025	0.975]
-----	-----	-----	-----	-----	-----	-----
const	1.277e+04	1804.163	7.078	0.000	9168.463	1.64e+04
opt_season_td	-374.9944	51.866	-7.230	0.000	-478.520	-271.469
opt_season_pd	1.0495	0.807	1.301	0.198	-0.561	2.660

Omnibus:	2.365	Durbin-Watson:	1.521
Prob(Omnibus):	0.307	Jarque-Bera (JB):	1.614
Skew:	-0.314	Prob(JB):	0.446
Kurtosis:	3.398	Cond. No.	2.29e+03

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

[2] The condition number is large, 2.29e+03. This might indicate that there are strong multicollinearity or other numerical problems.

Coefficient Interpretation:

Intercept (normal mass balance): 12769.59 (p=0.0000)

opt\_season\_td: -374.99 (p=0.0000)

opt\_season\_pd: 1.05 (p=0.1978)

Variance Inflation Factors (VIF):		
	Variable	VIF
0	const	768.775289
1	opt_season_td	1.011060
2	opt_season_pd	1.011060

R-squared: 0.4577

Adjusted R-squared: 0.4415

Regression: Seasonal 1961-1990

=====
SUMMER/WINTER SEASONAL DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS
=====

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Allalingletscher (1961-1990 norms)
=====

Number of observations: 70

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.526
Model: OLS Adj. R-squared: 0.512
Method: Least Squares F-statistic: 37.17
Date: Mon, 08 Dec 2025 Prob (F-statistic): 1.38e-11
Time: 00:57:47 Log-Likelihood: -534.06
No. Observations: 70 AIC: 1074.
Df Residuals: 67 BIC: 1081.
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, summer\_td, and winter\_pd.

Omnibus: 1.872 Durbin-Watson: 1.553
Prob(Omnibus): 0.392 Jarque-Bera (JB): 1.327
Skew: -0.326 Prob(JB): 0.515
Kurtosis: 3.175 Cond. No. 2.76e+03

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.
[2] The condition number is large, 2.76e+03. This might indicate that there are strong multicollinearity or other numerical problems.

Coefficient Interpretation:
Intercept (normal mass balance): 14419.81 (p=0.0000)
summer\_td: -434.31 (p=0.0000)
winter\_pd: 1.08 (p=0.1086)

Variance Inflation Factors (VIF):
Variable VIF
0 const 837.655805
1 summer\_td 1.004453
2 winter\_pd 1.004453

R-squared: 0.5260
Adjusted R-squared: 0.5118

Regression: Monthly 1991-2020

MONTHLY DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS

MONTHLY DEVIATIONS for Allalingletscher (1991-2020 norms)

Number of observations: 70

Regression Summary:

OLS Regression Results			
Dep. Variable:	annual mass balance (mm w.e.)	R-squared:	0.577
Model:	OLS	Adj. R-squared:	0.488
Method:	Least Squares	F-statistic:	6.472
Date:	Mon, 08 Dec 2025	Prob (F-statistic):	4.26e-07
Time:	00:57:47	Log-Likelihood:	-530.10
No. Observations:	70	AIC:	1086.
Df Residuals:	57	BIC:	1115.
Df Model:	12		
Covariance Type:	nonrobust		

	coef	std err	t	P> t	[0.025	0.975]
const	-645.4679	76.214	-8.469	0.000	-798.084	-492.852
may_td	-35.6575	49.823	-0.716	0.477	-135.427	64.112
june_td	-43.8331	46.968	-0.933	0.355	-137.885	50.218
july_td	-107.0402	50.392	-2.124	0.038	-207.949	-6.132
august_td	-116.1017	59.460	-1.953	0.056	-235.168	2.965
september_td	-150.8187	47.312	-3.188	0.002	-245.560	-56.078
october_pd	1.3714	2.318	0.592	0.556	-3.269	6.012
november_pd	2.9680	1.722	1.723	0.090	-0.480	6.416
december_pd	1.1423	1.439	0.794	0.431	-1.740	4.024
january_pd	1.9309	1.751	1.102	0.275	-1.576	5.438
february_pd	0.8317	1.360	0.611	0.543	-1.892	3.555
march_pd	0.5088	2.002	0.254	0.800	-3.500	4.518
april_pd	2.4437	3.058	0.799	0.428	-3.680	8.568

Omnibus:	1.054	Durbin-Watson:	1.687
Prob(Omnibus):	0.590	Jarque-Bera (JB):	1.056
Skew:	-0.164	Prob(JB):	0.590
Kurtosis:	2.496	Cond. No.	65.8

Notes:  
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:  
Intercept (normal mass balance): -645.47 (p=0.0000)  
may\_td: -35.66 (p=0.4771)  
june\_td: -43.83 (p=0.3546)  
july\_td: -107.04 (p=0.0380)  
august\_td: -116.10 (p=0.0558)  
september\_td: -150.82 (p=0.0023)  
october\_pd: 1.37 (p=0.5564)  
november\_pd: 2.97 (p=0.0902)  
december\_pd: 1.14 (p=0.4307)  
january\_pd: 1.93 (p=0.2749)

Regression: Optimal 1991-2020

=====

OPTIMAL SEASONAL DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS

=====

=====

OPTIMAL SEASONAL DEVIATIONS for Allalingletscher (1991-2020 norms)

=====

Number of observations: 70

Regression Summary:

OLS Regression Results			
Dep. Variable:	annual mass balance (mm w.e.)	R-squared:	0.455
Model:	OLS	Adj. R-squared:	0.439
Method:	Least Squares	F-statistic:	28.02
Date:	Mon, 08 Dec 2025	Prob (F-statistic):	1.44e-09
Time:	00:57:48	Log-Likelihood:	-538.92
No. Observations:	70	AIC:	1084.
Df Residuals:	67	BIC:	1091.
Df Model:	2		
Covariance Type:	nonrobust		

	coef	std err	t	P> t	[0.025	0.975]
const	-616.3370	78.515	-7.850	0.000	-773.054	-459.620
opt_season_td	-374.0837	51.987	-7.196	0.000	-477.850	-270.318
opt_season_pd	1.0113	0.809	1.250	0.216	-0.604	2.626

Omnibus:	2.208	Durbin-Watson:	1.529
Prob(Omnibus):	0.332	Jarque-Bera (JB):	1.476
Skew:	-0.299	Prob(JB):	0.478
Kurtosis:	3.386	Cond. No.	107.

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:

Intercept (normal mass balance): -616.34 (p=0.0000)

opt\_season\_td: -374.08 (p=0.0000)

opt\_season\_pd: 1.01 (p=0.2157)

Variance Inflation Factors (VIF):		
	Variable	VIF
0	const	1.449949
1	opt_season_td	1.012557
2	opt_season_pd	1.012557

R-squared: 0.4555

Adjusted R-squared: 0.4392

Regression: Seasonal 1991-2020

=====
SUMMER/WINTER SEASONAL DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS
=====

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Allalingletscher (1991-2020 norms)
=====

Number of observations: 70

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.526
Model: OLS Adj. R-squared: 0.512
Method: Least Squares F-statistic: 37.16
Date: Mon, 08 Dec 2025 Prob (F-statistic): 1.38e-11
Time: 00:57:48 Log-Likelihood: -534.07
No. Observations: 70 AIC: 1074.
Df Residuals: 67 BIC: 1081.
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, summer\_td, and winter\_pd.

Omnibus: 2.028 Durbin-Watson: 1.553
Prob(Omnibus): 0.363 Jarque-Bera (JB): 1.428
Skew: -0.333 Prob(JB): 0.490
Kurtosis: 3.217 Cond. No. 124.

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:
Intercept (normal mass balance): -639.41 (p=0.0000)
summer\_td: -433.69 (p=0.0000)
winter\_pd: 1.09 (p=0.1043)

Variance Inflation Factors (VIF):
Variable VIF
0 const 1.447098
1 summer\_td 1.004137
2 winter\_pd 1.004137

R-squared: 0.5259
Adjusted R-squared: 0.5118