




Schwarzberggletscher Length Change Over Time




Schwarzberggletscher Cumulative Length Change Over Time




Schwarzberggletscher Annual Mass Balance Over Time




Schwarzberggletscher Cumulative Annual Mass Balance Over Time




Annual Mass Balance for each Elevation Bin over Time - Schwarzberggletscher




Sion Summer Mean Temperature



Sion Winter Total Precipitation



Schwarzberggletscher Summer Mass Balance with relation to Temperature



Regression: Monthly 1961-1990

=====
MONTHLY DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS
=====

=====
MONTHLY DEVIATIONS for Schwarzberggletscher (1961-1990 norms)
=====

Number of observations: 70

Regression Summary:

Table with 2 columns: Metric and Value. Metrics include Dep. Variable, Model, Method, Date, Time, No. Observations, Df Residuals, Df Model, Covariance Type, R-squared, Adj. R-squared, F-statistic, Prob (F-statistic), Log-Likelihood, AIC, and BIC.

Table with 7 columns: Variable, coef, std err, t, P>|t|, [0.025, 0.975]. Rows include constant and monthly deviation terms (may_td to april_pd).

Table with 4 columns: Metric, Value, Metric, Value. Metrics include Omnibus, Prob(Omnibus), Skew, Kurtosis, Durbin-Watson, Jarque-Bera (JB), Prob(JB), and Cond. No.

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.
[2] The condition number is large, 2.44e+03. This might indicate that there are strong multicollinearity or other numerical problems.

Coefficient Interpretation:
Intercept (normal mass balance): 18909.07 (p=0.0000)
may_td: -93.52 (p=0.1248)
june_td: -87.60 (p=0.1272)
july_td: -161.30 (p=0.0102)
august_td: -83.25 (p=0.2502)
september_td: -141.94 (p=0.0157)
october_pd: 2.27 (p=0.4190)
november_pd: 3.12 (p=0.1379)

Regression: Optimal 1961-1990

=====
OPTIMAL SEASONAL DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS
=====

=====
OPTIMAL SEASONAL DEVIATIONS for Schwarzberggletscher (1961-1990 norms)
=====

Number of observations: 70

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.485
Model: OLS Adj. R-squared: 0.470
Method: Least Squares F-statistic: 31.53
Date: Sun, 07 Dec 2025 Prob (F-statistic): 2.23e-10
Time: 23:22:36 Log-Likelihood: -550.50
No. Observations: 70 AIC: 1107.
Df Residuals: 67 BIC: 1114.
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, opt_season_td, and opt_season_pd.

Omnibus: 0.826 Durbin-Watson: 1.161
Prob(Omnibus): 0.662 Jarque-Bera (JB): 0.297
Skew: -0.014 Prob(JB): 0.862
Kurtosis: 3.318 Cond. No. 2.29e+03

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.
[2] The condition number is large, 2.29e+03. This might indicate that there are strong multicollinearity or other numerical problems.

Coefficient Interpretation:
Intercept (normal mass balance): 15497.06 (p=0.0000)
opt_season_td: -456.67 (p=0.0000)
opt_season_pd: 1.87 (p=0.0535)

Variance Inflation Factors (VIF):
Variable VIF
0 const 768.775289
1 opt_season_td 1.011060
2 opt_season_pd 1.011060

R-squared: 0.4849
Adjusted R-squared: 0.4695

Regression: Seasonal 1961-1990

=====
SUMMER/WINTER SEASONAL DEVIATIONS ANALYSIS USING 1961-1990 CLIMATE NORMS
=====

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Schwarzberggletscher (1961-1990 norms)
=====

Number of observations: 70

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.531
Model: OLS Adj. R-squared: 0.517
Method: Least Squares F-statistic: 37.86
Date: Sun, 07 Dec 2025 Prob (F-statistic): 9.98e-12
Time: 23:22:36 Log-Likelihood: -547.25
No. Observations: 70 AIC: 1101.
Df Residuals: 67 BIC: 1107.
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, summer_td, and winter_pd.

Omnibus: 0.903 Durbin-Watson: 1.237
Prob(Omnibus): 0.637 Jarque-Bera (JB): 0.373
Skew: -0.100 Prob(JB): 0.830
Kurtosis: 3.297 Cond. No. 2.76e+03

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.
[2] The condition number is large, 2.76e+03. This might indicate that there are strong multicollinearity or other numerical problems.

Coefficient Interpretation:
Intercept (normal mass balance): 17044.71 (p=0.0000)
summer_td: -515.09 (p=0.0000)
winter_pd: 1.90 (p=0.0202)

Variance Inflation Factors (VIF):
Variable VIF
0 const 837.655805
1 summer_td 1.004453
2 winter_pd 1.004453

R-squared: 0.5305
Adjusted R-squared: 0.5165

Regression: Monthly 1991-2020

MONTHLY DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS

MONTHLY DEVIATIONS for Schwarzberggletscher (1991-2020 norms)

Number of observations: 70

Regression Summary:

OLS Regression Results						
Dep. Variable:	annual mass balance (mm w.e.)	R-squared:		0.582		
Model:	OLS	Adj. R-squared:		0.494		
Method:	Least Squares	F-statistic:		6.623		
Date:	Sun, 07 Dec 2025	Prob (F-statistic):		3.05e-07		
Time:	23:22:36	Log-Likelihood:		-543.16		
No. Observations:	70	AIC:		1112.		
Df Residuals:	57	BIC:		1142.		
Df Model:	12					
Covariance Type:	nonrobust					
	coef	std err	t	P> t	[0.025	0.975]
const	-843.0152	91.842	-9.179	0.000	-1026.926	-659.104
may_td	-93.5242	60.040	-1.558	0.125	-213.752	26.704
june_td	-87.6040	56.599	-1.548	0.127	-200.941	25.733
july_td	-161.3010	60.725	-2.656	0.010	-282.901	-39.701
august_td	-83.2476	71.653	-1.162	0.250	-226.730	60.234
september_td	-141.9432	57.014	-2.490	0.016	-256.111	-27.775
october_pd	2.2736	2.793	0.814	0.419	-3.319	7.866
november_pd	3.1229	2.075	1.505	0.138	-1.033	7.278
december_pd	3.7424	1.734	2.158	0.035	0.269	7.215
january_pd	2.0974	2.111	0.994	0.325	-2.129	6.324
february_pd	-0.6711	1.639	-0.409	0.684	-3.953	2.611
march_pd	1.7394	2.413	0.721	0.474	-3.092	6.571
april_pd	2.0444	3.685	0.555	0.581	-5.335	9.424
Omnibus:	0.273	Durbin-Watson:		1.180		
Prob(Omnibus):	0.872	Jarque-Bera (JB):		0.042		
Skew:	-0.051	Prob(JB):		0.979		
Kurtosis:	3.063	Cond. No.		65.8		

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:
Intercept (normal mass balance): -843.02 (p=0.0000)
may_td: -93.52 (p=0.1248)
june_td: -87.60 (p=0.1272)
july_td: -161.30 (p=0.0102)
august_td: -83.25 (p=0.2502)
september_td: -141.94 (p=0.0157)
october_pd: 2.27 (p=0.4190)
november_pd: 3.12 (p=0.1379)
december_pd: 3.74 (p=0.0352)
january_pd: 2.10 (p=0.3245)

Regression: Optimal 1991-2020

=====
OPTIMAL SEASONAL DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS
=====

=====
OPTIMAL SEASONAL DEVIATIONS for Schwarzberggletscher (1991-2020 norms)
=====

Number of observations: 70

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.485
Model: OLS Adj. R-squared: 0.470
Method: Least Squares F-statistic: 31.59
Date: Sun, 07 Dec 2025 Prob (F-statistic): 2.17e-10
Time: 23:22:36 Log-Likelihood: -550.47
No. Observations: 70 AIC: 1107.
Df Residuals: 67 BIC: 1114.
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows include const, opt_season_td, and opt_season_pd.

Omnibus: 0.687 Durbin-Watson: 1.161
Prob(Omnibus): 0.709 Jarque-Bera (JB): 0.208
Skew: -0.004 Prob(JB): 0.901
Kurtosis: 3.267 Cond. No. 107.

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:
Intercept (normal mass balance): -822.25 (p=0.0000)
opt_season_td: -457.01 (p=0.0000)
opt_season_pd: 1.83 (p=0.0600)

Variance Inflation Factors (VIF):
Variable VIF
0 const 1.449949
1 opt_season_td 1.012557
2 opt_season_pd 1.012557

R-squared: 0.4853
Adjusted R-squared: 0.4699

Regression: Seasonal 1991-2020

=====
SUMMER/WINTER SEASONAL DEVIATIONS ANALYSIS USING 1991-2020 CLIMATE NORMS
=====

=====
SUMMER/WINTER SEASONAL DEVIATIONS for Schwarzberggletscher (1991-2020 norms)
=====

Number of observations: 70

Regression Summary:

OLS Regression Results
Dep. Variable: annual mass balance (mm w.e.) R-squared: 0.534
Model: OLS Adj. R-squared: 0.520
Method: Least Squares F-statistic: 38.40
Date: Sun, 07 Dec 2025 Prob (F-statistic): 7.75e-12
Time: 23:22:36 Log-Likelihood: -546.99
No. Observations: 70 AIC: 1100.
Df Residuals: 67 BIC: 1107.
Df Model: 2
Covariance Type: nonrobust

Table with 7 columns: , coef, std err, t, P>|t|, [0.025, 0.975]. Rows: const, summer_td, winter_pd.

Omnibus: 1.147 Durbin-Watson: 1.229
Prob(Omnibus): 0.564 Jarque-Bera (JB): 0.548
Skew: -0.105 Prob(JB): 0.760
Kurtosis: 3.379 Cond. No. 124.

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

Coefficient Interpretation:
Intercept (normal mass balance): -842.32 (p=0.0000)
summer_td: -516.28 (p=0.0000)
winter_pd: 1.91 (p=0.0189)

Variance Inflation Factors (VIF):
Variable VIF
0 const 1.447098
1 summer_td 1.004137
2 winter_pd 1.004137

R-squared: 0.5340
Adjusted R-squared: 0.5201