Solution 2

Prompt

Solution 1

Our Solution(s) Scratchpad

Solution 2

Video Explanation Run Code

Your Solutions

Solution 1

12px

```
Run Code
```

```
// Copyright © 2020 AlgoExpert, LLC. All rights reserved.
    using System;
    using System.Collections.Generic;
    public class Program {
      // Upper Bound: O(n^2*n!) time | O(n*n!) space
      // Roughly: O(n*n!) time | O(n*n!) space
      public static List<List<int> > GetPermutations(List<int> array) {
        List<List<int> > permutations = new List<List<int> >();
        GetPermutations(array, new List<int>(), permutations);
12
        return permutations;
13
14
      public static void GetPermutations(List<int> array, List<int> currentPermutatio
16
        List<List<int> > permutations) {
17
        if (array.Count == 0 && currentPermutation.Count > 0) {
18
          permutations.Add(currentPermutation);
19
        } else {
20
          for (int i = 0; i < array.Count; i++) {</pre>
           List<int> newArray = new List<int>(array);
22
            newArray.RemoveAt(i);
            List<int> newPermutation = new List<int>(currentPermutation);
24
25
            newPermutation.Add(array[i]);
            {\tt GetPermutations(newArray, newPermutation, permutations);}
26
27
28
29
```

```
using System.Collections.Generic;
public class Program {
  public static List<List<int> > GetPermutations(List<int> array) {
    // Write your code here.
    return null;
```

Solution 3

Run or submit code when you're ready.