## **Abstract**

Categories and Subject Descriptors CR-number [subcategory]: third-level

*Keywords* gradual types, Clojure Tobin-Hochstadt and Felleisen [1, 2]

## References

- [1] S. Tobin-Hochstadt and M. Felleisen. The design and implementation of typed scheme. SIGPLAN Not., 43 (1):395–406, Jan. 2008. ISSN 0362-1340. URL http://doi.acm.org/10.1145/1328897.1328486.
- [2] S. Tobin-Hochstadt and M. Felleisen. Logical types for untyped languages. SIGPLAN Not., 45(9):117–128, Sept. 2010. ISSN 0362-1340. URL http://doi.acm.org/10.1145/1932681.1863561.

Figure 1. Syntax of Terms, Types, Propositions, and Objects

$$\begin{array}{rcl} \top &=& \{\omega \mid \mathtt{tt}\} \\ \bot &=& \{\omega \mid \mathtt{ff}\} \\ \mathbf{B} &=& (\bigcup \{\omega \mid \mathtt{ft}_\omega\} \; \{\omega \mid \mathtt{ff}_\omega\}) \end{array}$$

Figure 2. Refinement Type Abbreviations

Figure 3. Typing Rules

$$\begin{array}{lll} & \text{S-Pair} & \text{S-Fun} \\ & \Gamma \vdash \mathcal{R}_1 \sqsubseteq \mathcal{R}_1' & \Gamma \vdash \mathcal{R}_2 \sqsubseteq \mathcal{R}_2' \\ & \Gamma \vdash \langle \mathcal{R}_1, \mathcal{R}_2 \rangle <: \langle \mathcal{R}_1', \mathcal{R}_2' \rangle & \frac{\Gamma \vdash \mathcal{R}_1' \sqsubseteq \mathcal{R}_1 & \Gamma \vdash \mathcal{R}_2 \sqsubseteq \mathcal{R}_2'}{\Gamma \vdash x : \mathcal{R}_1 & \Gamma \vdash \mathcal{R}_2 \sqsubseteq \mathcal{R}_2'} \\ & \frac{\text{S-UnionSuper}}{\Gamma \vdash \tau <: \sigma_i} & \frac{\text{S-UnionSub}}{\Gamma \vdash \tau_i <: \sigma_i} \\ & \frac{\exists i. \ \Gamma \vdash \tau <: \sigma_i}{\Gamma \vdash \psi_1 \supset \psi_2} & \frac{\Gamma \vdash \psi_1 \supset \psi_2}{\Gamma \vdash \{\omega \mid \psi_1\} \sqsubseteq \{\omega \mid \psi_2\}} \end{array}$$

Figure 4. Subtyping rules

Figure 5. Proof System

$$\begin{array}{lll} \Gamma[o/\kappa] & = & \overline{\psi[o/\kappa]} \\ \psi_+|\psi_-[o/\kappa] & = & \psi_+|o/\kappa]|\psi_-[o/\kappa] \\ \end{array}$$
 
$$\begin{array}{lll} \Gamma=\overline{\psi} \\ \psi_+|\psi_-[o/\kappa] & = & \psi_+|o/\kappa]|\psi_-[o/\kappa] \\ \end{array}$$
 
$$\begin{array}{lll} \nu_{\pi(\kappa)}[\pi'(\kappa')/\kappa] & = & (\nu[\pi(\kappa')/\kappa])_{\pi(\pi'(\kappa'))} \\ \nu_{\pi(\kappa)}[\emptyset/\kappa]_+ & = & \operatorname{tt} \\ \nu_{\pi(\kappa)}[0/\kappa'']_+ & = & \operatorname{tt} \\ \nu_{\pi(\kappa)}[o/\kappa''']_+ & = & \operatorname{tt} \\ \nu_{\pi(\kappa)}[o/\kappa''']_+ & = & \operatorname{tt} \\ \nu_{\pi(\kappa)}[o/\kappa''']_- & = & \operatorname{fff} \\ \kappa \neq \kappa''' & \operatorname{and} \kappa''' \in \operatorname{fv}(\nu) \\ \nu_{\pi(\kappa)}[o/\kappa''']_- & = & \operatorname{fff} \\ \kappa \neq \kappa''' & \operatorname{and} \kappa''' \in \operatorname{fv}(\nu) \\ \end{array}$$
 
$$\begin{array}{lll} \operatorname{tt}[o/\kappa] & = & \operatorname{tt} \\ \operatorname{ff}[o/\kappa] & = & \operatorname{tt} \\ \operatorname{ff}[o/\kappa] & = & \operatorname{fff} \\ (\psi_1 \supset \psi_2)[o/\kappa]_+ & = & \psi_1[o/\kappa]_- \supset \psi_2[o/\kappa]_+ \\ (\psi_1 \supset \psi_2)[o/\kappa]_- & = & \psi_1[o/\kappa]_+ \supset \psi_2[o/\kappa]_- \\ (\psi_1 \lor \psi_2)[o/\kappa]_- & = & \psi_1[o/\kappa]_+ \supset \psi_2[o/\kappa]_- \\ (\psi_1 \lor \psi_2)[o/\kappa]_- & = & \psi_1[o/\kappa]_+ \lor \psi_2[o/\kappa]_- \\ (\psi_1 \lor \psi_2)[o/\kappa]_- & = & \psi_1[o/\kappa]_+ \lor \psi_2[o/\kappa]_- \\ (\pi(\kappa'') \equiv \pi''(y'))[\pi(\kappa''')/\kappa]_- & = & \pi'(\kappa')[\pi(\kappa''')/\kappa]_- \equiv \pi''(y')[\pi(\kappa''')/\kappa]_- \\ (\pi(\kappa'') \equiv \pi''(y'))[\emptyset/\kappa'']_- & = & \pi(\kappa'') \equiv \pi''(y'')[\pi(\kappa''')/\kappa]_- \\ (\pi(\kappa) \equiv \pi'(\kappa''))[\emptyset/\kappa'']_- & = & \pi(\kappa'') \equiv \pi'(\kappa''')_- \\ \pi(\kappa)[\emptyset/\kappa]_- & = & \pi(\kappa'') \equiv \pi'(\kappa''')_- \\ \pi(\kappa)[\emptyset/\kappa]_- & = & \pi(\kappa'') \equiv \pi'(\kappa'')_- \\ \pi(\kappa)[\emptyset/\kappa]_- & = & \pi(\kappa)_- \\ \otimes [o/\kappa]_- & = & \emptyset_- \\ \end{array}$$
 
$$\begin{cases} \omega \mid \psi_1[o/\kappa]_- & = & \{\omega \mid \psi_1[o/\kappa]_+ \\ = & \chi(\pi)[o/\kappa]_- \to \tau_1[o/\kappa]_- \\ \times \varphi \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \times \varphi \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- & = & \pi(\kappa)_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi_1[o/\kappa]_- \\ \otimes [o/\kappa]_- \to \pi_1[o/\kappa]_- \to \pi$$

Figure 6. Substitution

$$\begin{array}{lll} \delta_{\tau}(number?) & = & x: \top \rightarrow \{\omega \mid \mathbf{B}_{\omega} \wedge \overline{\#}\mathbf{f}_{\omega} \supset \mathbf{N}_{x} \wedge \#\mathbf{f}_{\omega} \supset \overline{\mathbf{N}}_{x} \} \\ \\ \delta_{\tau}(boolean?) & = & x: \top \rightarrow \{\omega \mid \mathbf{B}_{\omega} \wedge \overline{\#}\mathbf{f}_{\omega} \supset \mathbf{B}_{x} \wedge \#\mathbf{f}_{\omega} \supset \overline{\mathbf{B}}_{x} \} \\ \\ \delta_{\tau}(cons?) & = & x: \top \rightarrow \{\omega \mid \mathbf{B}_{\omega} \wedge \overline{\#}\mathbf{f}_{\omega} \supset \langle \top, \top \rangle_{x} \wedge \#\mathbf{f}_{\omega} \supset \overline{\langle \top, \top \rangle_{x}} \} \\ \\ \delta_{\tau}(add1) & = & x: \mathbf{N} \rightarrow \mathbf{N} \\ \\ \delta_{\tau}(zero?) & = & x: \mathbf{N} \rightarrow \mathbf{B} \end{array}$$

Figure 7. Constant Typing

```
\begin{array}{lcl} \operatorname{update}(\Gamma, \langle \{\omega \mid \psi\}, \mathcal{R} \rangle, \nu, \pi :: \mathbf{car}) & = & \langle \{\omega \mid \psi \wedge \nu_{\pi(\omega)}\}, \mathcal{R} \rangle \\ \operatorname{update}(\Gamma, \langle \mathcal{R}, \{\omega \mid \psi\} \rangle, \nu, \pi :: \mathbf{cdr}) & = & \langle \mathcal{R}, \{\omega \mid \psi \wedge \nu_{\pi(\omega)}\} \rangle \end{array}
\mathsf{update}(\Gamma,\tau,\sigma,\epsilon)
                                                                                                                                                                           \mathsf{restrict}(\Gamma, \tau, \sigma)
\mathsf{restrict}(\Gamma, \tau, \sigma)
                                                                                                                                                                                                                                                                         if \not\exists v.\ \Gamma \vdash v: \{\omega \mid \sigma_\omega\} and \Gamma \vdash v: \{\omega \mid \tau_\omega\}
 \begin{array}{l} \operatorname{restrict}(\Gamma, (\bigcup \overrightarrow{\tau}), \sigma) \\ \operatorname{restrict}(\Gamma, \tau, \sigma) \\ \operatorname{restrict}(\Gamma, \tau, \sigma) \end{array} 
                                                                                                                                                                          (\bigcup \ \overrightarrow{\mathsf{restrict}}(\Gamma, \tau, \sigma))
                                                                                                                                                                                                                                                                                                                                                                                                     if \Gamma \vdash \tau <: \sigma
                                                                                                                                                                        	au
                                                                                                                                                                                                                                                                                                                                                                                                                  otherwise
                                                                                                                                                                          \sigma
\mathsf{remove}(\Gamma, \tau, \sigma)
                                                                                                                                                                                                                                                                                                                                                                                                    \text{if }\Gamma \vdash \tau \mathop{<:} \sigma
      \mathsf{remove}(\Gamma, (\bigcup \overrightarrow{\tau}), \sigma)               \mathsf{remove}(\Gamma, \tau, \sigma)        
                                                                                                                                                                         (\bigcup \ \overrightarrow{\mathsf{remove}}(\Gamma, \tau, \sigma))
                                                                                                                                                                                                                                                                                                                                                                                                                   otherwise
```

Figure 8. Type Update