




# Exam pancreas

Entity: Cluster

<b>Concept description:</b>		<b>Identification:</b>			
unknown		<i>Id:</i> openEHR-EHR-CLUSTER.exam_pancreas.v0 <i>Reference model:</i> openEHR_EHR			
Purpose	Use	Misuse	Copyright	References	Contact
Archetype to register pancreas examination. This archetype is used in the context of Eurotransplant.	Regarding Parenchyma, Signs of calcification, Signs of pancreatitis: They contain inside this cluster a Status-item and a CodedText with the same name as the cluster. The status item (also coded text) contains only one item: "Not investigated", it is optional, as also is the other coded text. Because the archetype model, currently, does not support dependent conditions, it must be used in this way: - It is important to understand the following: Like a business-rule following must be noted: A coded text must be used if the status-item is not used. On the other hand, if the status-item ("Not investigated") is used, the other coded text in the same cluster will be ignored by the software.				Bert Verhees, ROSA Software

Concept	Description	Constraints	Values
 <i>Space Occupying Lesion</i>	*	<i>Cluster</i> 0..*	

<b>T</b> Location Of Space Occupying Lesion	*	<i>Text</i> 0..1	Internal; 'Head', 'Tail', 'Multiple Lesions'
	Slot Space Occupying Lesion [Cluster]	Include : Cluster exam_space_occupying_lesion(-[a-zA-Z0-9_]+)*\.v0	Exclude : Cluster
 <i>Signs of calcification</i>	*	<i>Cluster</i> 0..1	
<b>T</b> Parenchyma	*	<i>Text</i> 0..1	Internal; 'Normal', 'Lipomatosis', 'Edema', 'Fibrosis', 'Not assessable', 'Not investigated'
<b>T</b> Signs of calcification	*	<i>Text</i> 0..1	Internal; 'Yes', 'No', 'Not assessable', 'Not investigated'
<b>T</b> Signs of pancreatitis	*	<i>Text</i> 0..1	Internal; 'Yes', 'No', 'Not assessable', 'Not investigated'