

## 0.1 Motivation

With the continued revolution of AI technologies a desire to utilise the power of neural networks at the edge is becoming ever more prevalent. The argument for localising inference is only becoming stronger with the ever-increasing availability of computation resources alongside new and constantly evolving AI applications, performing inference at the edge can provide better privacy and latency than the remote datacenter alternatives.

Neural network compression is one avenue to aid bringing inference to the edge, intuitively we might think that a network with a smaller memory footprint would naturally have lower inference latency, but this is often not the case. Utilising neural network compression effectively requires expert level knowledge of not only the network structure but the consequences of compression because compression techniques such as pruning can have cascading effects throughout a neural network. This alone can make compression a daunting task, even for experienced machine learning practitioners, it gets worse however, these compression algorithms often feature complex parameters with implications that may not be revealed until a substantial amount of time has been invested in retraining a compressed model.

## 0.2 Terminology

*Introduce common terminology*

- Edge
- Inference
- Epochs
- Channels
- Filters

## 0.3 Hypothesis

*Using a systematic compression method selection process combined with a bayesian optimisation algorithm we can partially automate compression parameter selection and improve inference latency based on an accuracy threshold in a typical edge computing environment.*

## 0.4 Research Aims

**Aim 1** - This dissertation will research methodologies for reducing inference latency using a collection of off-the-shelf compression techniques, we will investigate which compression techniques have a positive effect on inference latency, and consider the context of this improvement with respect to the layer structure of the neural network.

**Aim 2** - We will use this contextual information to select appropriate compression methodologies and reduce the search space down to a single pruning algorithm.

**Aim 3** - Maintain a valid testing environment by using an edge based ai accelerator to perform inference, while training and compression will be performed on a GPU.

**Aim 4** - Develop a platform to optimise compression parameters according to a metric representing the union of accuracy and latency.

### Objectives

- **O0:** Develop a methodology to verify that the compression methods are actually being applied to the model being represented.
- **O1:** Select at least 1 neural network model to use for testing.
- **O2:** Select 2 suitable datasets for testing with a significant distinction between the cardinality of categories.
- **O3:** Evaluate a pool of compression algorithms with respect to end-to-end latency.
- **O4:** Measure latency for individual layers during inference.
- **O5:** Investigate the effect of composing select algorithms from different compression categories.
- **O6:** Select compression parameters to optimise.
- **O7:** Develop a interface to parameterise select compression methods.
- **O8:** Evaluate a model using a bayesian optimisation approach on compression parameters.