

# Neutrinos via Charm Decays in Astrophysical Sources

by

FRITZ ALI AGILDERE

[fritz.agildere@udo.edu](mailto:fritz.agildere@udo.edu)

# Abstract

## Acknowledgements

## Abbreviations

# Contents

1. Introduction	1
2. Background	2
2.1. Particle Physics	2
2.2. Multimessenger Astronomy	3
2.3. Astrophysical Sources	3
3. Methods	4
4. Results	5
5. Conclusion & Outlook	6
Appendix	7
A. Reference Frames	7
B. Cross Sections	7
C. Spectral Distributions	7
D. Pulsar Spindown	7
Bibliography	8

# 1. Introduction

## 2. Background

### 2.1. Particle Physics

The interaction and classification of elementary particles is currently most accurately described by the *Standard Model* (SM) of particle physics. From combining and generalizing the properties of *Quantum Mechanics* (QM) and *Special Relativity* (SR) emerges *Quantum Field Theory* (QFT) as the mathematical framework formalizing this construct. Certain features intrinsic to the SM require formulating additional gauge symmetries. Excitations occurring in the associated fields then correspond to various particles, of which the following paragraphs provide a brief overview. Since this work mainly deals with the statistical behavior of large quantities instead of individual particle probabilistics, a more detailed explanation is omitted.

Fundamental to the SM is a unitary  $U(1) \times SU(2) \times SU(3)$  symmetry group, the generators of which can be understood as representing bosonic field quanta with the physical function of mediating interactions between fermionic spinor fields. Commutation relations equivalent to regular QM have to be fulfilled. Therefore, bosons must commute and have integer spin, whereas fermions must anticommute and have half integer spin.

Carriers of the strong force arise from  $SU(3)$  and are referred to as gluons. They couple to and themselves possess color charges, enabling color changing and self interaction. The only type of elementary fermions with non vanishing color charge are quarks, which exist in flavors of up and down, charm and strange, top and bottom, as well as the corresponding antiparticles. Appropriately, *Quantum Chromodynamics* (QCD) is the name given to the QFT governing any interaction involving color charge.

Weak, Electromagnetic, Electroweak, Higgs

Parity Violation, Mixing

Limits, Dark Matter, Dark Energy, Neutrino Oscillation, Quantum Gravity

General Relativity

Hadrons

Confinement, Asymptotic Freedom, Residual Nuclear Force, Decays

Leptons

Neutrinos, Decays

## 2.2. Multimessenger Astronomy

Gravitational Waves

Charged Cosmic Rays

Photons

Neutrinos

## 2.3. Astrophysical Sources

Magnetars

Active Galactic Nuclei



### 3. Methods

## 4. Results

## 5. Conclusion & Outlook

# Appendix

## A. Reference Frames

## B. Cross Sections

Scattering

[\[1\]](#)

Production

Decay

## C. Spectral Distributions

## D. Pulsar Spindown

# Bibliography

- [1] D. Fagundes, M. Menon, *Nuclear Physics A* **880**, 1–11, ISSN: 0375-9474, DOI: [10.1016/j.nucphysa.2012.01.017](https://doi.org/10.1016/j.nucphysa.2012.01.017), arXiv: [1112.5115](https://arxiv.org/abs/1112.5115) [[hep-ph](#)] (2012).

# Figures

Tables