


pst-fun funny macros

A PSTricks package for drawing funny objects

April 18, 2010



Documentation by **Herbert Voß**

Package author(s):
Manuel Luque
Herbert Voß


Contents 2


Contents

1 The macros	3
2 List of all optional arguments for pst-fun	10
References	10


1 The macros

\end{pspicture}







```
1 \begin{pspicture}[showgrid](0,-0.5)(12,4)
2 \psFish
3 \rput(6,0){\psFish[fillstyle=slope]}
4 \end{pspicture}
```




```
1 \begin{pspicture}[showgrid](-2,-2.4)(6,2)
2 \psLouisXIII
3 \rput(4,0){\psLouisXIII[linecolor=red]}
4 \end{pspicture}
```





```
1 \begin{pspicture}[showgrid](0,-0.4)(11,6)
2 \psPulpo \rput(10,0.5){\psscalebox{0.15}{\psPulpo[fillcolor=yellow,fillstyle=solid]}}
3 \end{pspicture}
```






begin{pspicture}[showgrid](0,-1.3)(10,3)
psBird[Branch] \rput{-20}(4,1.8){\psBird}
lend{pspicture}





```
1 \begin{pspicture}[showgrid](6,7) \psParrot{1} \psParrot{0.2}\rput(4,5){\psParrot{0.2}} \end{pspicture} \left\{ \text{lend} \text{pspicture} \right\}
```




```
begin{pspicture}[showgrid](8,7)

psKangaroo{1}

multido{\iA=2+1}{5}{\rput[lb](1,\iA){\psKangaroo[fillcolor=red]{1}}}

rput(4,0){\psKangaroo[fillcolor=red!30]{5}}

rput(5,1){\psKangaroo[fillcolor=blue!30,opacity=0.5]{5}}
end{pspicture}
```



```
begin{pspicture}(-1,-4)(8,4)

psPig(0,0)\psPig[fillcolor=blue!40,noseColor=purple,

eyeColor=red,linewidth=4pt,unit=2](4,0)

end{pspicture}
```

References 10

2 List of all optional arguments for pst-fun

Key	Type	Default
Branch	boolean	true
noseColor	ordinary	purple!50!gray
eyeColor	ordinary	black

References

- [1] Denis Girou. Présentation de PSTricks. Cahier GUTenberg, 16:21-70, April 1994.
- [2] Michel Goosens, Frank Mittelbach, Sebastian Rahtz, Denis Roegel, and Herbert Voß. *The LATEX Graphics Companion*. Addison-Wesley Publishing Company, Reading, Mass., 2 edition, 2007.
- [3] Laura E. Jackson and Herbert Voß. Die Plot-Funktionen von pst-plot. *Die TeXnische Komödie*, 2/02:27–34, June 2002.
- [4] Nikolai G. Kollock. *PostScript richtig eingesetzt: vom Konzept zum praktischen Einsatz.* IWT, Vaterstetten, 1989.
- [5] Herbert Voß. Die mathematischen Funktionen von PostScript. *Die TEXnische Komödie*, 1/02, March 2002.
- [6] Herbert Voß. LATEX Referenz. DANTE Lehmanns, Heidelberg/Hamburg, 1. edition, 2007.
- [7] Herbert Voß. *PSTricks Grafik für T_EX und L^AT_EX*. DANTE Lehmanns, Heidelberg/Hamburg, 4. edition, 2007.
- [8] Timothy van Zandt. *PSTricks PostScript macros for generic T_EX*. http://www.tug.org/application/PSTricks, 1993.
- [9] Timothy van Zandt. multido.tex a loop macro, that supports fixed-point addition. CTAN:/graphics/pstricks/generic/multido.tex, 1997.
- [10] Timothy van Zandt. pst-plot: Plotting two dimensional functions and data. CTAN: graphics/pstricks/generic/pst-plot.tex, 1999.
- [11] Timothy van Zandt and Denis Girou. Inside PSTricks. *TUGboat*, 15:239–246, September 1994.

Index

```
Branch, 5
eyeColor, 9
Keyword
   Branch, 5
   eyeColor, 9
   noseColor, 9
Macro
   \psAnt, 7
   \psBill, 3
   \psBird, 5
   \psFish, 4
   \psKangaroo, 8
   \psLouisXIII, 4
   \psLuke, 6
   \psParrot, 8
   \psPig, 9
   \psPulpo, 5
noseColor, 9
\psAnt, 7
\psBill, 3
\psBird, 5
\psFish, 4
\psKangaroo, 8
\psLouisXIII, 4
\psLuke, 6
\psParrot, 8
\psPig, 9
\psPulpo, 5
```