

Rank-65695 over GF(4)

January 15, 2021

The equation

The equation of the surface is :

$$X_2^3 + X_3^3 + X_0^2 X_1 + X_0 X_1^2 + X_0 X_1 X_2 = 0$$

(0, 0, 1, 1, 1, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0)

The point rank of the equation over GF(4) is 1431672489

General information

Number of lines	15
Number of points	37
Number of singular points	1
Number of Eckardt points	3
Number of double points	27
Number of single points	6
Number of points off lines	0
Number of Hesse planes	0
Number of axes	0
Type of points on lines	5^{15}
Type of lines on points	$6, 3^3, 2^{27}, 1^6$

Singular Points

The surface has 1 singular points:

$$0 : P_{12} = \mathbf{P}(1, 1, 1, 0) = \mathbf{P}(1, 1, 1, 0)$$

The 15 Lines

The lines and their Pluecker coordinates are:

$$\ell_0 = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 1 \end{bmatrix}_{17} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 1 \end{bmatrix}_{17} = \mathbf{Pl}(0, 0, 1, 0, 1, 0)_{32}$$

$$\begin{aligned}
\ell_1 &= \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & \omega^2 \end{bmatrix}_{19} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 3 \end{bmatrix}_{19} = \mathbf{Pl}(0, 0, 2, 0, 1, 0)_{39} \\
\ell_2 &= \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & \omega \end{bmatrix}_{18} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 2 \end{bmatrix}_{18} = \mathbf{Pl}(0, 0, 3, 0, 1, 0)_{46} \\
\ell_3 &= \begin{bmatrix} 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \end{bmatrix}_{337} = \begin{bmatrix} 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \end{bmatrix}_{337} = \mathbf{Pl}(0, 0, 0, 1, 0, 1)_{129} \\
\ell_4 &= \begin{bmatrix} 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & \omega^2 \end{bmatrix}_{339} = \begin{bmatrix} 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 3 \end{bmatrix}_{339} = \mathbf{Pl}(0, 0, 0, 3, 0, 1)_{143} \\
\ell_5 &= \begin{bmatrix} 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & \omega \end{bmatrix}_{338} = \begin{bmatrix} 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 2 \end{bmatrix}_{338} = \mathbf{Pl}(0, 0, 0, 2, 0, 1)_{136} \\
\ell_6 &= \begin{bmatrix} 1 & 0 & 1 & 1 \\ 0 & 1 & 1 & 1 \end{bmatrix}_{110} = \begin{bmatrix} 1 & 0 & 1 & 1 \\ 0 & 1 & 1 & 1 \end{bmatrix}_{110} = \mathbf{Pl}(1, 0, 1, 1, 1, 1)_{199} \\
\ell_7 &= \begin{bmatrix} 1 & 0 & 1 & \omega^2 \\ 0 & 1 & 1 & \omega^2 \end{bmatrix}_{286} = \begin{bmatrix} 1 & 0 & 1 & 3 \\ 0 & 1 & 1 & 3 \end{bmatrix}_{286} = \mathbf{Pl}(2, 0, 2, 3, 3, 1)_{327} \\
\ell_8 &= \begin{bmatrix} 1 & 0 & 1 & \omega \\ 0 & 1 & 1 & \omega \end{bmatrix}_{198} = \begin{bmatrix} 1 & 0 & 1 & 2 \\ 0 & 1 & 1 & 2 \end{bmatrix}_{198} = \mathbf{Pl}(3, 0, 3, 2, 2, 1)_{275} \\
\ell_9 &= \begin{bmatrix} 1 & 0 & \omega & \omega \\ 0 & 1 & \omega^2 & \omega \end{bmatrix}_{221} = \begin{bmatrix} 1 & 0 & 2 & 2 \\ 0 & 1 & 3 & 2 \end{bmatrix}_{221} = \mathbf{Pl}(1, 1, 1, 1, 1, 1)_{219} \\
\ell_{10} &= \begin{bmatrix} 1 & 0 & \omega^2 & \omega^2 \\ 0 & 1 & \omega & \omega^2 \end{bmatrix}_{329} = \begin{bmatrix} 1 & 0 & 3 & 3 \\ 0 & 1 & 2 & 3 \end{bmatrix}_{329} = \mathbf{Pl}(1, 1, 1, 1, 1, 1)_{222} \\
\ell_{11} &= \begin{bmatrix} 1 & 0 & \omega^2 & \omega \\ 0 & 1 & \omega & \omega \end{bmatrix}_{241} = \begin{bmatrix} 1 & 0 & 3 & 2 \\ 0 & 1 & 2 & 2 \end{bmatrix}_{241} = \mathbf{Pl}(2, 3, 2, 3, 3, 1)_{349} \\
\ell_{12} &= \begin{bmatrix} 1 & 0 & \omega & 1 \\ 0 & 1 & \omega^2 & 1 \end{bmatrix}_{133} = \begin{bmatrix} 1 & 0 & 2 & 1 \\ 0 & 1 & 3 & 1 \end{bmatrix}_{133} = \mathbf{Pl}(2, 3, 2, 3, 3, 1)_{346} \\
\ell_{13} &= \begin{bmatrix} 1 & 0 & \omega & \omega^2 \\ 0 & 1 & \omega^2 & \omega^2 \end{bmatrix}_{309} = \begin{bmatrix} 1 & 0 & 2 & 3 \\ 0 & 1 & 3 & 3 \end{bmatrix}_{309} = \mathbf{Pl}(3, 2, 3, 2, 2, 1)_{293} \\
\ell_{14} &= \begin{bmatrix} 1 & 0 & \omega^2 & 1 \\ 0 & 1 & \omega & 1 \end{bmatrix}_{153} = \begin{bmatrix} 1 & 0 & 3 & 1 \\ 0 & 1 & 2 & 1 \end{bmatrix}_{153} = \mathbf{Pl}(3, 2, 3, 2, 2, 1)_{296}
\end{aligned}$$

Rank of lines: (17, 19, 18, 337, 339, 338, 110, 286, 198, 221, 329, 241, 133, 309, 153)

Rank of points on Klein quadric: (32, 39, 46, 129, 143, 136, 199, 327, 275, 219, 222, 349, 346, 293, 296)

Eckardt Points

The surface has 3 Eckardt points:

$$0 : P_0 = \mathbf{P}(1, 0, 0, 0) = \mathbf{P}(1, 0, 0, 0),$$

$$1 : P_1 = \mathbf{P}(0, 1, 0, 0) = \mathbf{P}(0, 1, 0, 0),$$

$$2 : P_5 = \mathbf{P}(1, 1, 0, 0) = \mathbf{P}(1, 1, 0, 0).$$

Double Points

The surface has 27 Double points:

The double points on the surface are:

$$\begin{aligned}
P_{38} &= (0, 0, 1, 1) = \ell_0 \cap \ell_3 \\
P_{39} &= (1, 0, 1, 1) = \ell_0 \cap \ell_6 \\
P_{41} &= (3, 0, 1, 1) = \ell_0 \cap \ell_9 \\
P_{40} &= (2, 0, 1, 1) = \ell_0 \cap \ell_{10} \\
P_{53} &= (0, 0, 2, 1) = \ell_1 \cap \ell_4 \\
P_{55} &= (2, 0, 2, 1) = \ell_1 \cap \ell_7 \\
P_{56} &= (3, 0, 2, 1) = \ell_1 \cap \ell_{11} \\
P_{54} &= (1, 0, 2, 1) = \ell_1 \cap \ell_{12} \\
P_{69} &= (0, 0, 3, 1) = \ell_2 \cap \ell_5 \\
P_{72} &= (3, 0, 3, 1) = \ell_2 \cap \ell_8 \\
P_{71} &= (2, 0, 3, 1) = \ell_2 \cap \ell_{13} \\
P_{70} &= (1, 0, 3, 1) = \ell_2 \cap \ell_{14} \\
P_{42} &= (0, 1, 1, 1) = \ell_3 \cap \ell_6 \\
P_{49} &= (0, 3, 1, 1) = \ell_3 \cap \ell_{11}
\end{aligned}$$

$$\begin{aligned}
P_{45} &= (0, 2, 1, 1) = \ell_3 \cap \ell_{13} \\
P_{61} &= (0, 2, 2, 1) = \ell_4 \cap \ell_7 \\
P_{65} &= (0, 3, 2, 1) = \ell_4 \cap \ell_9 \\
P_{57} &= (0, 1, 2, 1) = \ell_4 \cap \ell_{14} \\
P_{81} &= (0, 3, 3, 1) = \ell_5 \cap \ell_8 \\
P_{77} &= (0, 2, 3, 1) = \ell_5 \cap \ell_{10} \\
P_{73} &= (0, 1, 3, 1) = \ell_5 \cap \ell_{12} \\
P_{51} &= (2, 3, 1, 1) = \ell_6 \cap \ell_{12} \\
P_{48} &= (3, 2, 1, 1) = \ell_6 \cap \ell_{14} \\
P_{66} &= (1, 3, 2, 1) = \ell_7 \cap \ell_{10} \\
P_{60} &= (3, 1, 2, 1) = \ell_7 \cap \ell_{13} \\
P_{78} &= (1, 2, 3, 1) = \ell_8 \cap \ell_9 \\
P_{75} &= (2, 1, 3, 1) = \ell_8 \cap \ell_{11}
\end{aligned}$$

Single Points

The surface has 6 single points:
The single points on the surface are:

$$\begin{aligned}
0 : P_{28} &= (2, 1, 0, 1) \text{ lies on line } \ell_9 \\
1 : P_{29} &= (3, 1, 0, 1) \text{ lies on line } \ell_{10} \\
2 : P_{31} &= (1, 2, 0, 1) \text{ lies on line } \ell_{11} \\
3 : P_{33} &= (3, 2, 0, 1) \text{ lies on line } \ell_{12} \\
4 : P_{35} &= (1, 3, 0, 1) \text{ lies on line } \ell_{13} \\
5 : P_{36} &= (2, 3, 0, 1) \text{ lies on line } \ell_{14}
\end{aligned}$$

The single points on the surface are:

Points on surface but on no line

The surface has 0 points not on any line:
The points on the surface but not on lines are:

Line Intersection Graph

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0	0	1	1	1	0	0	1	0	0	1	1	0	0	0	0
1	1	0	1	0	1	0	0	1	0	0	0	1	1	0	0
2	1	1	0	0	0	1	0	0	1	0	0	0	0	1	1
3	1	0	0	0	1	1	1	0	0	0	0	1	0	1	0
4	0	1	0	1	0	1	0	1	0	0	0	0	0	0	1
5	0	0	1	1	1	0	0	0	1	0	1	0	1	0	0
6	1	0	0	1	0	0	0	1	1	0	0	0	1	0	1
7	0	1	0	0	1	0	1	0	1	0	1	0	0	1	0
8	0	0	1	0	0	1	1	1	0	1	0	1	0	0	0
9	1	0	0	0	1	0	0	0	1	0	1	1	1	1	1
10	1	0	0	0	0	1	0	1	0	1	0	1	1	1	1
11	0	1	0	1	0	0	0	0	1	1	1	0	1	1	1
12	0	1	0	0	0	1	1	0	0	1	1	1	0	1	1
13	0	0	1	1	0	0	0	1	0	1	1	1	1	0	1
14	0	0	1	0	1	0	1	0	0	1	1	1	1	1	0

Neighbor sets in the line intersection graph:

Line 0 intersects

Line	ℓ_1	ℓ_2	ℓ_3	ℓ_6	ℓ_9	ℓ_{10}
in point	P_0	P_0	P_{38}	P_{39}	P_{41}	P_{40}

Line 1 intersects

Line	ℓ_0	ℓ_2	ℓ_4	ℓ_7	ℓ_{11}	ℓ_{12}
in point	P_0	P_0	P_{53}	P_{55}	P_{56}	P_{54}

Line 2 intersects

Line	ℓ_0	ℓ_1	ℓ_5	ℓ_8	ℓ_{13}	ℓ_{14}
in point	P_0	P_0	P_{69}	P_{72}	P_{71}	P_{70}

Line 3 intersects

Line	ℓ_0	ℓ_4	ℓ_5	ℓ_6	ℓ_{11}	ℓ_{13}
in point	P_{38}	P_1	P_1	P_{42}	P_{49}	P_{45}

Line 4 intersects

Line	ℓ_1	ℓ_3	ℓ_5	ℓ_7	ℓ_9	ℓ_{14}
in point	P_{53}	P_1	P_1	P_{61}	P_{65}	P_{57}

Line 5 intersects

Line	ℓ_2	ℓ_3	ℓ_4	ℓ_8	ℓ_{10}	ℓ_{12}
in point	P_{69}	P_1	P_1	P_{81}	P_{77}	P_{73}

Line 6 intersects

Line	ℓ_0	ℓ_3	ℓ_7	ℓ_8	ℓ_{12}	ℓ_{14}
in point	P_{39}	P_{42}	P_5	P_5	P_{51}	P_{48}

Line 7 intersects

Line	ℓ_1	ℓ_4	ℓ_6	ℓ_8	ℓ_{10}	ℓ_{13}
in point	P_{55}	P_{61}	P_5	P_5	P_{66}	P_{60}

Line 8 intersects

Line	ℓ_2	ℓ_5	ℓ_6	ℓ_7	ℓ_9	ℓ_{11}
in point	P_{72}	P_{81}	P_5	P_5	P_{78}	P_{75}

Line 9 intersects

Line	ℓ_0	ℓ_4	ℓ_8	ℓ_{10}	ℓ_{11}	ℓ_{12}	ℓ_{13}	ℓ_{14}
in point	P_{41}	P_{65}	P_{78}	P_{12}	P_{12}	P_{12}	P_{12}	P_{12}

Line 10 intersects

Line	ℓ_0	ℓ_5	ℓ_7	ℓ_9	ℓ_{11}	ℓ_{12}	ℓ_{13}	ℓ_{14}
in point	P_{40}	P_{77}	P_{66}	P_{12}	P_{12}	P_{12}	P_{12}	P_{12}

Line 11 intersects

Line	ℓ_1	ℓ_3	ℓ_8	ℓ_9	ℓ_{10}	ℓ_{12}	ℓ_{13}	ℓ_{14}
in point	P_{56}	P_{49}	P_{75}	P_{12}	P_{12}	P_{12}	P_{12}	P_{12}

Line 12 intersects

Line	ℓ_1	ℓ_5	ℓ_6	ℓ_9	ℓ_{10}	ℓ_{11}	ℓ_{13}	ℓ_{14}
in point	P_{54}	P_{73}	P_{51}	P_{12}	P_{12}	P_{12}	P_{12}	P_{12}

Line 13 intersects

Line	ℓ_2	ℓ_3	ℓ_7	ℓ_9	ℓ_{10}	ℓ_{11}	ℓ_{12}	ℓ_{14}
in point	P_{71}	P_{45}	P_{60}	P_{12}	P_{12}	P_{12}	P_{12}	P_{12}

Line 14 intersects

Line	ℓ_2	ℓ_4	ℓ_6	ℓ_9	ℓ_{10}	ℓ_{11}	ℓ_{12}	ℓ_{13}
in point	P_{70}	P_{57}	P_{48}	P_{12}	P_{12}	P_{12}	P_{12}	P_{12}

The surface has 37 points:

The points on the surface are:

0 : $P_0 = (1, 0, 0, 0)$
 1 : $P_1 = (0, 1, 0, 0)$
 2 : $P_5 = (1, 1, 0, 0)$
 3 : $P_{12} = (1, 1, 1, 0)$
 4 : $P_{28} = (2, 1, 0, 1)$
 5 : $P_{29} = (3, 1, 0, 1)$
 6 : $P_{31} = (1, 2, 0, 1)$
 7 : $P_{33} = (3, 2, 0, 1)$
 8 : $P_{35} = (1, 3, 0, 1)$
 9 : $P_{36} = (2, 3, 0, 1)$
 10 : $P_{38} = (0, 0, 1, 1)$
 11 : $P_{39} = (1, 0, 1, 1)$
 12 : $P_{40} = (2, 0, 1, 1)$

13 : $P_{41} = (3, 0, 1, 1)$
 14 : $P_{42} = (0, 1, 1, 1)$
 15 : $P_{45} = (0, 2, 1, 1)$
 16 : $P_{48} = (3, 2, 1, 1)$
 17 : $P_{49} = (0, 3, 1, 1)$
 18 : $P_{51} = (2, 3, 1, 1)$
 19 : $P_{53} = (0, 0, 2, 1)$
 20 : $P_{54} = (1, 0, 2, 1)$
 21 : $P_{55} = (2, 0, 2, 1)$
 22 : $P_{56} = (3, 0, 2, 1)$
 23 : $P_{57} = (0, 1, 2, 1)$
 24 : $P_{60} = (3, 1, 2, 1)$
 25 : $P_{61} = (0, 2, 2, 1)$

26 : $P_{65} = (0, 3, 2, 1)$
 27 : $P_{66} = (1, 3, 2, 1)$
 28 : $P_{69} = (0, 0, 3, 1)$
 29 : $P_{70} = (1, 0, 3, 1)$
 30 : $P_{71} = (2, 0, 3, 1)$
 31 : $P_{72} = (3, 0, 3, 1)$
 32 : $P_{73} = (0, 1, 3, 1)$
 33 : $P_{75} = (2, 1, 3, 1)$
 34 : $P_{77} = (0, 2, 3, 1)$
 35 : $P_{78} = (1, 2, 3, 1)$
 36 : $P_{81} = (0, 3, 3, 1)$