

- iv. of all American households have between 1.5 and 4.2 televisions. Of 100 intervals calculated the same way (95%), we expect 95 of them to capture the population mean.
- i) Select a sampling procedure in which initial respondents are selected by probability methods, and then additional respondents are obtained from information provided by initial respondents.
- i. Stratified sampling
 - ii. Cluster sampling
 - iii. Quota sampling
 - iv. Snowball sampling
- k) A researcher divides the population of product users into three groups based on degree of use. If the researcher then draws a random sample from each user group independently, she has created a _____ sample.
- i. Stratified
 - ii. Cluster
 - iii. Quota
 - iv. Snowball

02 a)

- Discuss the difference between Census and Sample survey (60 marks)
- ii. Explain briefly about Simple random sampling and quota Sampling method.
- iii' What is your idea about using postal questionnaire method instead of telephone interview method in data collecting?
- b) Engineers must consider the breadths of male heads when designing motorcycle helmets. Men have head breadths that are normally distributed with mean 5.0 in. and a standard deviation of 1.0 in. (60 marks)
- i. If one male is randomly selected, find the probability that his head breadth is less than 6.2 in.
 - ii' Find the probability that 100 randomly selected men have an average head breadth that is less than 6.2 in.
 - iii' A production manager of ABC Helmet Company plans an initial run of 100 helmets. Seeing the results from part (ii), the manager claims that all helmets should be made for men with head breadth less than 6.2 in., because they would fit all but few men- can the claim be accepted? Discuss.

6\$

- a) During a day time from 8.00 AM to 12.00 PM, customers arrive at a shop at a constant rate of 1 per hour. A customer has just arrived. Let I be the time until the next customer arrives. (50 marks)
- Calculate the probability that it will be more than 10 minutes until the next customer arrives.
 - Suppose that 5 minutes have passed and no customer has arrived. Calculate the probability that it will be more than further 10 minutes until the next customer arrives. (Hint Use memory less property)
- b) Inquiries arrive at the rate 15 inquiries per minute as a poisson process. (50 marks)
- Define a Poisson process.
 - what is the probability that 5 inquiries arrive in 20 seconds.
 - Find the probability that in a one minute period, 3 inquiries arrive during first 10 seconds and 2 inquiries arrive during last 15 seconds.

04

- a) Explain two types of errors used in hypothesis testing. (10 marks)
- b) The CEO of an airport hypothesizes that variance for the number of passengers for U'S' Airport is different from the variance for the number of passengers for foreign Airports' The data in millions of passenger per year are shown for selected airports. Assume the variable is normally distributed. (90 marks)

U.S. Airports		Foreign Airports	
36.8	73.5	60.7	st.2
72.4	6t.2	42.7	38.6
60.s	40.1		

At $\alpha = 0.10$, Is there enough evidence to support the hypothesis.

- According the decision that you have taken from the above part(t) , test whether there is significance difference in two population means at 11yo significance level.
- calculate the 90%o CI on the difference of population means.

