





(0 Describe two methods used for weather forecasting' t3l

S (a) What is a stable atmosphere and how is it formed? t3l

(b) Describe the general characteristics of clouds associated with stable and unstable atmospheres' t3l

(c) Compare cloud droplets and raindrops and comment on why typical cloud droplets seldom reach the ground as rain' t6]

(d) comment on whether the collision-and-coalescence process work better at producing rain in a warm, thick nimbostratus cloud or in a cold, congestus cloud? t3]

(e) What is the Bergeron process? Why cannot the Bergeron process take place in warm clouds? t3l

6 (a) why does air pressure decrease with height more rapidly in cold air than in warm air? 12)

(b) Explain how the pressure gradient force, the Coriolis force, and frictional force determine the movement of air in the free atmosphere and in the planetary boundary layer. t6l

(c) What are geostrophic and gradient flows? Why do not they occur near the surface? t3l

(d) Since there is always an upward-directed pressure gradient force, why does not the air rush off into outer space? 14)

(e) Suppose the atmospheric pressure at the bottom of a deep air column 5.6 km thick is 1000 mb. If the average air density of the column is 0.91 kg/m<sup>3</sup>, and the acceleration of gravity is 9.8 m/s<sup>2</sup>, use the hydrostatic equation to determine the atmospheric pressure at the top of the column' (Hint: Be sure to convert km to m and m<sup>3</sup> to N/m<sup>2</sup>, where 1 m<sup>3</sup> = 100 N/m<sup>2</sup>) i5l