





Assume that you are given access to a 532 nm excitation source and a 785 nm excitation source for a Raman spectrometer. The power of the 532 nm source is 50 mW where the power of the other source is 350 mW. Assuming that sample will not absorb either of above energies, predict which source will give the highest Raman intensities. Justify your answer.

( 30 marks)

The rotational spectrum of  $\text{HI}^{271}$  consists of a series of equally spaced lines which are separated by  $12.8 \text{ cm}^{-1}$ . Elaborate the effect of the substitution of a heavier isotope on the value of the rotational constant and the spectral features. Use  $2\text{H}^{271}\text{I}$  as the example. Give all the necessary calculations required.

The wave number for the spectral lines is given by the equation,

$$\tilde{\nu} = 2B(J + 1) \quad \text{where the rotational constant } B = \frac{h^2}{8\pi^2 I}$$

and the moment of inertia  $I = \mu r^2$

and the reduced mass  $\mu = \frac{M_1 M_2}{(M_1 + M_2) N_A}$

(70 marks)

Defend the statement "Energy and matter interact with each other".

(30 marks)

Determine which of the following molecules may show only pure rotational microwave

absorption spectra.  $\text{PH}_3$ ,  $\text{CS}_2$ ,  $\text{N}_2\text{O}$ ,  $\text{H}_2\text{O}$ ,  $\text{CBr}_4$ ,  $\text{H}_2\text{O}_2$ .

(15 marks)

Determine which of the following molecules may show only pure rotational Raman

absorption spectra.  $\text{CCl}_4$ ,  $\text{CO}_2$ ,  $\text{CHCl}_3$ ,  $\text{H}_2$ ,  $\text{HBr}$ ,  $\text{SF}_6$ .

(15 marks)

Calculate the dipole moment of  $\text{H}_2\text{S}$ . H-S-H Bond angle is  $92.1^\circ$  and H-S bond distance is

$1.33 \text{ \AA}$ .

(20 marks)

In an electronic spectrum two bands were appeared with  $\lambda_{\text{max}}$  195 nm and 271 nm with

10000 and 20 e values respectively. Clarify this observation.

(20 marks)

i1r

ulc

rlutrij r\_n

I

ook for axes Cr u/ith  
n.

rtB dXBS Cr  
erpendicufar to Cn ?

END —