

Fullstack Development

Form and validation

Is your app safe?

Let's make sure your app is safe from

- Data from API call
- User input

Wait, but I thought I used TypeScript.

- TypeScript catches compile-time errors.
- We are talking about **run-time** errors.

Validation library

- Zod
- Yup
- Typebox

Task 1: Validating API

User server

Local

- Clone <https://github.com/fullstack-66/user-server>
- `npm install`, `npm start`
- `http://localhost:3001`

Cloud

- <https://user-server-production-f0b7.up.railway.app>

Task

- Inspect `User` data from `/users` and `/users_wrong`. Notice
 - Key differences
 - Calendar year difference
- Let's make sure your app can detect and handle these differences at run-time.
- Solution
 - <https://github.com/fullstack-66/form>

Setting up NextJS

./tsconfig.json

```
{
  // ...
  "baseUrl": ".",
  "paths": {
    "@components/*": ["components/*"],
    "@app/*": ["app/*"]
  }
}
```

Remove Tailwind preflight

```
./app/globals.css
```

```
/* @tailwind base; */  
@tailwind components;  
@tailwind utilities;
```

Install

- `npm install zod zustand axios`

Task 2: Validating user input

Using vanilla React

Endpoints

POST /users

- Create user
 - I intentionally throttled the server.

```
{  
  "firstName": "Vince",  
  "lastName": "Romaguera",  
  "email": "Albert_Von@gmail.com",  
  "dateOfBirth": "2022-8-1",  
  "password": "12345",  
  "confirmPassword": "12345"  
}
```

Endpoints

GET `/reset`

- Reset data

Install

- `npm install react-modal`
- `npm install -D @faker-js/faker`

Form UX improvement

- "Real-time" validation
- Prevent submission if input is not valid.
- Prevent double submission.
- Prevent typing during submission.
- Auto-focus the wrong input.

Real-time validation

- Use `useEffect` to trigger schema validation
- Store errors in `errors` state.
- Keep track of when user touches the form.
 - Prevent premature validation.
 - Store `touch` state

Form disable

- Keep track of `valid` state.
- Keep track of `submission` state.

Spiral out of control

- Too many states
- Too many logics
- Not reusable

Form library

- Help you handle form states and logics in a reusable manner.
 - It is essentially a custom hook.
 - Integrates seamlessly with validation library.
- Popular libraries
 - Formik
 - React Hook Form

Install

- `npm install react-hook-form @hookform/resolvers @hookform/error-message`