

Unknown Attack Vectors (UAV): Reputation-based Reward System & Manual Validation Framework (Addresses)

Phase 4 Cycle c1 (end) – Mar 14 2026

Post-Phase4-Cycle 1 – Updates (March 14, 2026)

Status of Manual Grading

As of **March 2, 2026**, UAV address collection officially concluded, marking the end of **Phase 4, Cycle 1**. Since then, the team has been fully focused on completing the manual validation and grading pipeline for submitted UAVs.

Approximately **0.5% of submitted UAVs** remain under manual validation. While we are confident these remaining submissions will not materially impact the leaderboard order, each entry is being carefully reviewed to ensure the evaluation process is complete and accurate.

One important update concerns the **UAV address component** of submissions. During the evaluation process, it became clear that this portion of the scoring did not produce strong results across the miner set and ultimately hindered overall performance. As a result, the **UAV address score will account for only 5% instead of the previously allocated 20% of the total score after validation rewards** (UAV address + face variations).

$$\Delta\text{rep}_{p4} = 0.95 \cdot \Delta\text{rep_face} + 0.05 \cdot \Delta\text{rep_UAV_address}$$

The **full evaluation criteria and scoring framework are outlined below**, along with the **current leaderboard for UAV addresses**, allowing miners to clearly understand their standing as we enter the next cycle.

Note: This document reflects scores for **UAV addresses only**. The **face variation document** will contain the **combined total score for face variation and UAV address variation**.

Miner's Reputation Leaderboard

Reputation is determined by validated UAV performance. Miners not listed here fall into the Watchlist, with negative or near-zero scores due to spam, duplicates, invalid coordinates, or consistently low-value UAVs. (All miners start off as 1)

 Rank	 Miner's Hotkey	 Rep Score
1	5GTGU5br9g7KLuycPE26eoiDmLXaLyLa6xma9xyoZD2y mGxb	1
2	5Fy5Fgw9QC5n6hrnE4wN6iQkNan96aG6vAU9WvHdSaxASNZo	1
3	5EUJCFPoDQov7F9AbVztHcuRHBiKSgoQfJZ4B9vtQuVCGL8s	0.9
4	5Ccm75ontiBtFYKBKiNSREv1NiMtdU5oeGN59MpFA9Bn2tWB	0.9
5	5EPiCtsbu53p569NLvWC1xqiHyMeTZsL9hJ45Uu1TJ5j6oju	0.8
6	5Gs6NJMyHew3GiL7gqgJqU9SkXRNQEbJ6KUJomHgQtazq3H8	0.8
7	5Hgn2QmdfJW1SSJijadSEVo3fj8bGpbYNwh6CiWxAtoHhKUU	0.7


Top 1 Miner's Score Break

The following table shows how raw UAV outcomes translated into reputation for the top two miners. Each category multiplies by weight depending on the severity or quality of the submission.


Hotkey	Total UAVs	-5 (× -0.5)	-3 (× -0.1)	-1 (× -0.05)	0 (×0)	+1/+2 (×0.2)	Final Score
5GTG... mGxb	3	0	0	0	3 -> 0	0	1

Validation score	Meaning	Δrep
+5	Perfect	+0.1
+4	Near Perfect	+0.04
+3	Good	+0.03
+2	Okay	+0.02
+1	Decent	+0.01
0	Unclear	0.00
-1	partial spam	-0.05
-2	Misleading	-0.08
-3	Duplicate	-0.10
-4	Not enough info	-0.25
-5	Cheat	-0.5

UAV flow break down



Statistics on the UAVs



Over **266,517 UAVs** were received.

Over **137,496** entries fail due to invalid coordinates

More than **108,828** are “not UAVs” (Did not break LDS)

More than **18,678** are an exact match/ exact duplicates or similar enough to be considered duplicates

Only **868** were positively scored UAVs, (Broke though the LDS and were not a spam)

Post-Phase3-Cycle 1 – Updates (January 12, 2026)

Status of Manual Grading

As of December 31st, 2025, UAV collection has officially stopped. Since then, the team has been focused entirely on completing the manual UAV grading pipeline.

We have processed the majority of the submitted UAVs, and the same criteria outlined earlier- check other updates below in the document-continue to apply. Only about 2% of the submitted UAVs remain, and we are manually validating them. We are confident these submissions will not significantly alter the leaderboard order, but we will review them thoroughly to ensure everything is evaluated before the commencement of the new UAV rewards during Phase 4, Cycle 1, Execution Stage. Concurrently, the current reputation leaderboard remains sufficiently stable to publish, enabling miners to comprehend their current standing.

We previously provided insight into the manual validation pipeline; this section expands on scoring progress and introduces the reputation tiers used for emissions.

Miner's Reputation Leaderboard

Reputation is determined by validated UAV performance. Miners not listed here fall into the Watchlist, with negative or near-zero scores due to spam, duplicates, invalid coordinates, or consistently low-value UAVs.

 Rank	 Miner's Hotkey	 Rep Score	 Tier
1	5HmzMBNBegjTxzxzbp42hkrM5gzvPcaApD1kKP5nEq8BE63	55.4	 Diamond
2	5HYxxuf5gokmSbD4h6DmzWvfu9FoMbFn4ikVTuUHD8TuZCva	5.15	 Bronze
3	5Ff4vi5ESVuu4cnG3zwaNtgC7fuZ7dEwYAWtomEwK8UT9S48	1.65	 Neutral
4	5DtK3DAuHwasSqLD65SBMACYGx2t44aGyHHr5MvP9huBHsKa	1	 Neutral
5	5Grr2VyJ2zU2SmzgnmQN8R3eZdFcURimYg6Cty9mdfTmV37Q	0.6	 Neutral
6	5CrC6rgde6DTK3qsa9zsfeNZMNBu5jGrEpGMkxFQ38XftziF	0.3	 Neutral
7	5EydiGowNm3psPaGoi2hk9RKY9pcRUSQMCyGZ751DYQHmw3g	0.2	 Neutral

Top 2 Miner's Score Break

The following table shows how raw UAV outcomes translated into reputation for the top two miners. Each category multiplies by weight depending on the severity or quality of the submission.

Hotkey	Total UAVs	-5 (× -0.5)	-3 (× -0.1)	-1 (× -0.05)	0 (× 0)	+1/+2 (× 0.2)	Final Score
5Hmz...BE63	363	2 → -1	14 → -1.4	32 → -1.6	23 → 0	292 → 58.4	55.4
5HYx...ZCva	152	4 → -2	20 → -2	1 → -0.05	86 → 0	41 → 8.2	5.15

The table below, Δrep Mapping Table, shows how each validation score contributes to a miner's reputation, with positive scores increasing Δrep and negative scores reducing it.

Validation score	Meaning	Δrep
+5	Perfect	+1.00
+3 / +4	Good	+0.40
+1 / +2	Acceptable	+0.20
0	Unclear	0.00
-1	Partial spam	-0.05

-2	Misleading	-0.08
-3	Duplicate	-0.10
-4	Not enough info	-0.25
-5	Cheat / fake	-0.50

Reputation Tiers & Normalization (How Miner Rewards Are Calculated)

Reputation is not used raw. Instead, miners are assigned a tier and their scores are normalized before being applied to emissions. This ensures fairness and prevents extremely high scores from dominating the incentive pool.

Tier Multipliers

These increase or decrease a miner's effective reputation:

Tier	Multiplier
 Diamond	1.15
 Gold	1.10
 Silver	1.05
 Bronze	1.02
 Neutral	1.00
!! Watch	0.90

Score Normalization Ranges

Each tier has a bounded window mapping raw reputation into a reward-safe range.

Tier	Raw Range	Normalized Range
Watch	0.10–0.699	0.50–0.70

Neutral	0.70–1.00	0.70–1.00
Bronze	1.00–1.999	1.00–1.20
Silver	2.00–9.999	1.20–1.50
Gold	10–49.99	1.50–1.80
Diamond	50–9999	1.80–2.00

The final UAV reward is $\text{Normalized Score} \times \text{Tier Multiplier}$, which is then will be the 80% of the final score, combined with KAV quality (20%), and the final score will be the score the validator will set weight on the chain based on.

Participation Policy (Sandbox vs Execution)

Phase 4 — Cycle 1 Sandbox (current stage)

- During the Sandbox stage, UAV reputation is not used for emissions yet. Validators continue operating normally, but UAV-based reward allocation is not activated in this stage.
- Sandbox is for calibration and stability checks before UAV rewards go live.

Phase 4 — Cycle 1 Execution (UAV rewards go live)

- Once Execution begins, validators will start allocating the UAV portion of rewards using the Phase 3 — Cycle 1 reputation results (each miner's `rep_score` + tier).
- At that point, miners with higher reputation tiers (e.g., Diamond) will receive stronger and longer-lasting UAV rewards because their `rep_score` starts higher and their tier multiplier is higher.

Reputation decay (applies once UAV rewards are live)

- Every time a miner receives a validator reward allocation, their rep_score will be reduced by 0.01 in the database.
- At the end of Phase 4 — Cycle 1 Execution, any remaining rep_score (if > 0) will be carried forward and combined with the next cycle's reputation update. UAV-based rewards will resume in Phase 4 — Cycle 2 Execution, using the updated reputation snapshot.
- This means Watch-tier miners will decay to 0 faster and stop receiving UAV rewards sooner, while higher-tier miners will remain eligible longer—unless they keep contributing validated UAVs to rebuild score.

Tier & score rules

- A miner's **tier is fixed within a cycle** and only updates when the next UAV cycle snapshot is computed.
- rep_score is dynamic and will **trend downward through decay** as rewards are paid out.

Phase 3 — Cycle 1 Closeout: Accomplishments & Lessons Learned

- Cycle 1 intake is closed (Dec 31, 2025). Manual UAV grading is nearly complete: <2% of the ~200K submitted entries remain under review ($\approx$ <4,000 items). The remaining queue is not expected to materially change the

leaderboard ordering, but we will complete it before Phase 4 execution-stage UAV rewards go live.

- Post-validation converted a noisy firehose into a measurable signal. In Cycle 1, we shifted from “constant whack-a-mole” moderation to a post-validation + reputation approach that lets us score submissions at scale and then use online patterns to rapidly distinguish:
 - high-signal vs low-signal UAVs,
 - honest mistakes vs systematic exploitation, and
 - novelty vs duplication vs cheating (e.g., invalid coordinates, spam templates, repeated payloads).
- The distribution of outcomes is highly skewed—and that’s the point. The leaderboard already demonstrates that quality beats volume:
 - The #1 miner reached Diamond with a rep score of 55.4 from 363 validated UAVs, dominated by positive outcomes (292 scored +1/+2) with minimal severe penalties (2 at −5, 14 at −3).
 - By contrast, a top watch-listed miner accumulated a score of −1416.08 despite 4,414 validated UAVs, driven primarily by heavy penalties (2,722 at −5, 794 at −3) and only 125 positives (+1/+2).
- Reputation tiers and scoring are now formalized and ready to publish. Each miner is assigned a Tier (Diamond/Gold/Silver/Bronze/Neutral/Watch) and a rep_score derived from post-validation outcomes.
 - Rewards (when UAV-based payouts go live) will be tier-aware and score-aware: rep_score is normalized into a safe range and combined with a tier multiplier, and it will decay over time (e.g., −0.01 per rewarded event), so miners continue to earn based on sustained quality—not just historical performance or raw volume.
- This update publishes the reputation leaderboard and includes a detailed scoring breakdown for the top miners. Next, we will release miner-level drilldowns so miners can view:
 - their per-score distribution (counts by −5/−3/−1/0/+1/+2),
 - a sampled evidence pack of their own submissions tied to outcomes, and
 - An authentication flow in which miners submit a message signed with their hotkey to verify identity and access their report.

Key lesson from Phase 3 Cycle 1 (data-driven): Our new incentives mechanism makes cheating irrational.

- Phase 3 Cycle 1 shows the system is behaving as intended: a miner with hundreds of high-quality, validated UAVs can dominate a miner with thousands of low-quality or exploitative submissions.
- Post-validation + reputation give us the leverage to scale: they reduce review noise, sharpen quality gradients, and make emissions increasingly track the validated signal, not raw throughput—as we transition into Phase 4.


Top miner vs worst offender

	#1 Miner (Diamond)	Worst Offender (Watchlist)
Hotkey	5Hmz...BE63	5FJ9...mfi
Total validated UAVs	363	4,414
Positive count (+1/+2)	292	125
Positive rate	80.4% (292/363)	2.8% (125/4414)
Severe penalties (−5)	2	2,722
Severe-penalty rate	0.55% (2/363)	61.7% (2722/4414)
Duplicate penalties (−3)	14	794
Duplicate rate	3.86% (14/363)	18.0% (794/4414)
Net reputation (rep_score)	+55.4	−1416.08

Cycle c1 – Dec 17 2025

Post-Cycle 1 – Updates (December 17, 2025)

Statistics on the UAVs



UAVs are our top priority. They are made to expose real gaps in global address detection. The UAV process is still heavily manual and the numbers make that clear.

Over **190,845 UAVs** were received.

Over **19,087** entries fail due to invalid coordinates

More than **26,537** are “not UAVs” at all ([see page 15](#))

Nearly **2,353** are obvious spam ([see page 15](#))

More than **27,978** are an exact match/ exact duplicates ([see page 15](#))

More then **62,277** are similar enough to be considered duplicates like:

pna, pna, college road, overstrand ward 3, hermanus, overstrand local municipality, western cape, 7202, south africa

pna, college road, overstrand ward 3, hermanus, overstrand local municipality, western cape, 7202, south africa

From these **190k** we have manually validated and found **138k+** entries that are clearly low value exploits.

From the remaining **~52k**:


- The majority are valid but low-impact variations (already scored, not strong UAVs)
- Around 10–12k are in a “for deep review” bucket – these are either:
 - very strong, subtle UAVs or
 - very sneaky exploitation patterns

Every one of those edge cases has to be double- and triple-checked by a human validator before we decide whether it’s a perfect UAV or something we should reject entirely. That takes real time and real effort.

Every one of these cases must be reviewed by a human validator to be approved, fixed, or dismissed. This process is time-consuming and demands careful attention, emphasizing the importance of having a robust scoring, filtering, and reputation system in place.

The UAV framework helps cut through the noise and prioritizes genuine, high-value findings. This is especially challenging with widespread false or low-quality data. That said, the work still being done on over time and its far from finished. The team continues to put in significant effort, making sure every miner gets the score they deserve and works hard for. Pushing through the noise to identify the few valuable signals hidden among the clutter.


Deeper Dive on the Manual Validation Process



This is a little window on how the manual validation is done:

1) Fetching the data from the database

- a. Select the **"Not - Processed"** status.
- b. Select a **Miner ID/Hotkey**.



LDS Agent Giving Honesty and Similarity score

- Based on the label and how accurately it matches with the manipulation done to the address, the agent gives an honesty score
- This is taken into consideration when manually validating, helping the manual validator and speeding up the process

Similarity Score 1 gemini-2.0-flash	Honesty Score 0/5
---	------------------------------------

honesty_explanation: Honesty score is 0. The UAV address is unrelated to the provided addresses, and there are more differences than the 'Common typo' label claims. The addresses are completely different, not just a typo.
 similarity_explanation: Similarity score is 1. The UAV text '100 Long Sreet' is completely different from the geocoding addresses in Cape Town, South Africa. The street names do not match.

2) Review an individual UAV

a. Compare UAV text against:

- Miner label
- Primary address text
- Primary address latitude and longitude
- Secondary address text
- Secondary address latitude and longitude

id: 110362	Common typo	validation_score: -5
Address Normalized		
uav_text	100 Long Sreet	
normalized_uav	100 long sreet	
Address Comparison		
geo_primary_address_based_text — geo_primary_address_based_lat_long Cape Town Ward 115, Cape Town, City of Cape Town, Western Cape, 8001, South Africa	geo_secondary_address_based_text 0 geo_secondary_address_based_lat_long ("unnamed road, Cape Town Ward 115, Cape Town, 8001, South Africa")	
road: — house_number: — suburb: Cape Town Ward 115 town: — state: Western Cape postcode: 8001 country: South Africa	road: — house_number: — suburb: — town: — state: — postcode: — country: —	

3) Decide on individual scoring

- a. UAV's are scored from -5 (clear exploit) to 5 (new address not found on Nominatim)

Validation

-5 -4 -3 -2 -1 0 **1** 2 3 4 5


Comment (optional)

Label says missing street, but it's changed. The address is good overall.

× Rejected Processed ✓ Reviewed

b. Use the map when text is unclear

- If text comparison is inconclusive, check the map to confirm or clarify details.
- Verify whether the UAV location matches the address returned by the APIs.
- If it doesn't zoom in to check nearby roads or addresses. The UAV may still be correct even if the addresses differ slightly.



Process Scoring for manual review

Score +5 (rare)

- Perfect – high-quality UAV, realistic, well-labeled

- It's an address
- Nominatim didn't find it (address-based text)
- Reviewer uses google to search it
- Good label
- Not just a common typo or removing/changing info. Address change must be very clever.

Score +3/+4 (still rare)

- Good – usable with minor issues
- Nominatim didn't find it (address-based text)
- Looks like an address
- Good label
- Not just a common typo or removing/changing info.

SCORE +4

Label	Missing letter in 'building'
Review comment	Specific label. Good address. Not found by apis
UAV text	ilding 1, 66th Street, Amarapura Township, Amarapura District, Mandalay City, Mandalay, 05062, Myanmar
API text	Amarapura Township, Amarapura District, Mandalay City, Mandalay, 05062, Myanmar

SCORE +4

Label	Transposed letters in 'Bhamo'
Review comment	Specific label. Good address. Not found by apis

UAV text	983 Bhmao - Namkham Road, Mant Aweit, Shan State, Ta'ang State, Myanmar
API text	Bhamo - Namkham Road, Kun Long, Shan State, Ta'ang State, Myanmar

Score +2/+1 (most good ones end up with this score)

- Acceptable – partial, noisy but still useful
- Simple typo changes.
- Simple word changes: one to two words are different, missing or added.
- Label not perfect.

SCORE +2

Label	Local abbreviation
Review comment	Label is correct. No big change but wasn't found by API.
UAV text	BOU. Cdt Hamsali Sayah Miloud, Bab el-Hadid, Beau Séjour, Boudghene, Tlemcen, Tlemcen District, Tlemcen, 13000, Algeria
API text	Boulevard Cdt Hamsali Sayah Miloud, Bab el-Hadid, El Kalaa, Boudghene, Tlemcen, Tlemcen District, Tlemcen, 13000, Algeria

SCORE +1

Label	Missing street component
Review comment	Label says missing street, but it's changed. The address is good overall.
UAV text	hall f, stokes street, southern industrial area, khomas, 10000, namibia
API text	Windhoek Show Grounds, Bell Street, Southern Industrial Area, Windhoek, Khomas, 10000, Namibia

Score 0

- Unclear – insufficient signal
- When sent to the api the coordinates match the coordinates sent.
- Coordinates are not in the same region.

SCORE 0

Label	Common typo
Review comment	Not a UAV. Label is correct. Good address but was found by the API.
UAV text	RR 8, Centre Administratif, Bosangoa, Ouham, Central African Republic
API text	RR 8, Centre Administratif, Bossangoa, Ouham, Central African Republic

Score -3

- Score for duplicate when detected and reviewed by reviewers

Score -5 (if bad score during manual review most would end up here)

- Cheat / fake / exploit
- Recycled or structurally reused
- If the UAV is just spam text or empty address
- No change

SCORE -5

Label	Common typo
Review comment	No change. Label not accurate.
UAV text	9, Озёрная улица, Заводское, Центральный район, Simferopol, Simferopol District, Autonomous Republic of Crimea, 295021, Ukraine

API text	9, Озёрная улица, Заводское, Центральный район, Simferopol, Simferopol District, Autonomous Republic of Crimea, 295021, Ukraine
----------	---

SCORE -5

Label	Common typo
Review comment	Different address to address in coordinates.
UAV text	16, Камсамольская вуліца, Ciomnyja Kram, Tsentralny District, Minsk, 220030, Belarus
API text	2Б, вуліца Барташова, 20-ы мікрараён, Zhlobin, Zhlobin District, Homyl Region, 247210, Belarus

SCORE -5

Label	Common street abbreviation with missing direction
Review comment	Just the street and it doesn't even match the coordinates address.
UAV text	Long Street
API text	Meeting Point, Strand Street, Cape Town Ward 115, Cape Town, City of Cape Town, Western Cape, 8001, South Africa

SCORE -5

Label	Common typo
Review comment	Recycled = (duplicate but not exact match)
UAV text 1	Complexe wilon 77172119 Jean Bi Douabou Yanantifla Marahoué, Sinfra, Ivory Coast
API text	Wilson hotel, 77172119, Avenue Jean Bi Douabou, Yanantifla, Sinfra, Marahoué, Sassandra-Marahoué, Côte d'Ivoire

Note: For all UAV's that are duplicates and recycled, the first one received gets a score based on how good it is. Everything after gets reviewed and is penalized with a -5 or -3. The reason being is that these UAVs are manually valuated, wasting the manual validations time with the same UAV deserves a penalty. We want all UAVs to be unique to help build this LDS system.

Cycle 1 – updates Dec 5th, 2025

Introduction

Screening systems rely on location detection systems that should accurately identify and validate global residential addresses and if these addresses locate in sanctioned or high risk countries and regions.

Reliable address data supports operational integrity, quality control, and fraud prevention. As data grows and user behavior evolves, many geocoding APIs struggle to detect certain real addresses. These missed locations are known as Unknown Attack Vectors or UAVs. A UAV is a real residential address that current automated tools fail to identify. These gaps can lead to exploits, reward manipulation, and system weaknesses.

This white paper presents a clear framework for finding, validating, and scoring UAVs. The goals are simple. Improve the system's ability to detect new and unusual address patterns. Build a fair reward and reputation model for miners who discover these UAVs.

The paper describes the UAV categories and how they are scored. It then shows the validation flow with examples of correct and incorrect submissions. It also explains the key safeguards that protect the process. These safeguards include checks for duplicates, region validation, and basic semantic reviews. Together, they help prevent spam and ensure miners submit accurate information.

Following this structured method makes the platform more resilient. It also helps reduce errors and improves the detection of unknown addresses. It also enables the community to help produce stronger, more reliable geocoding results.

UAV Definition & Criteria

A UAV, an unknown attack vector, is a real residential address that our current API does not catch. All UAVs undergo vetting and manual validation against criteria

such as realness, spam filtering, duplication, API catchability, cross-API reality, residential classification, and labeling correctness.

Miner Submission Guidelines

To preserve data quality and fairness, miners must:

- Avoid duplicates and trivial variations (symbol/number changes or language copies).
- Ensure coordinates and labels are plausible and consistent.
- Provide concise reasoning labels for each UAV (e.g., local abbreviation or transliteration).
- Submit distinct entries; if multiple miners find the same type of UAV, points are averaged.

Reward Scoring Framework

Scores range from -5 (exploit) to +5 (unique address missing from API).

Criteria	 -5	 -3	 0	 3	 5
Example: Address Validation	Exploit	Duplicate	No break	Breaks system (simple changes)	Breaks system (address missing from API)

UAV Grading Flow


Step 1: Check for Duplication - ensure the same UAV is not submitted multiple times.

Step 2: Validate Address Region - confirm coordinates belong to the correct region.


Step 3: Semantic Check - quick review to filter spam or irrelevant data.

Step 4: Confirm UAV Authenticity - verify via Nominatim or other APIs (where applicable).

Step 5: Manual Validation & Scoring - assign score from -5 to +5.



(Figure 1: UAV Grading Flow)



(Figure 2: Address Heat Map — All addresses will be plotted to assist manual validators)

Examples and Rejections

Invalid Coordinates

uav_text	label	long	lat
Boulevard Jean Jacques Dessalines, Portail Léogâne, 6e Turgeau, Pòtoprens, Port-au-Prince Arrondissement, West, 6114, Port-au-Prince, Haiti	Hyphen removed from compound name	0.0	0.0
South Avenue Maramba, Kilobelobe I, Bel-Air 2, Kampemba, Ville de Lubumbashi,	Added directional indicator	0.0	0.0

Haut-Katanga,
Lubumbashi,
Democratic Republic
of the Congo

Not a UAV — Nominatim catches

uav_text	label	long	lat
Mercado Industrial, 11, Los Mangos, Rolo Monterrey, Ciudad de Moa, Moa, Holguín, 833330, Cuba	Common typo	-74.9313282	20.6550807
a Ruteados Managua, Matagalpa, 61000, Matagalpa, Nicaragua	Address format word order variation	-85.9253571	12.9210895
briwilsoft it solutions, 31, ikola road, alimosho, 100276, nigeria	Missing city	3.2536254	6.6205601

Spam Data Detected

uav_text	label	long	lat
7046.230833835763 George Plaza, Avarua 16352, Cook Islands	Modified the street number	-159.77546	-21.2075
C.S.D.C.A., ,2753 , ,المتن lebanon	Name abbreviation	35.5762207	33.8654919
alhmdu hardware, 0(,♠±X<×↑, bardere road, wajir, wajir, wajir, 70(,♠±X<× ↑20(,♠±X<× ↑0(,♠±X<×↑, kenya	Invalid housenumber characters	40.0581495	1.7510756
O. T. F., nh11, MC, M.T., MD, mandalay, 05251, myanmar	Address abbreviation	95.3897066	21.4357978
K.T.P., R. E. S., N.C., T. P., 3. G. S., étroits, CA, A.D.L.G., D.D.L., , 6510, haiti	Address abbreviation	-72.9490542	18.8587427

Is Duplicate

uav_text	label	long	lat
Sadnile Thusi Road, eThekwinini Ward 27, Durban, eThekwinini	Common consonant transposition typo	31.0130139	-29.8333284

Metropolitan Municipality, KwaZulu-Natal, 4000, Durban, South Africa			
Vivain Olunwa Circle, Port-Harcourt, Rivers State, 500211, Port Harcourt, Nigeria	Common vowel transposition typo	7.0303527	4.7925138
of Angola, 3, Dr. António Agostinho Neto Square, Windhoek Central, Windhoek, Khomas, 10000, Namibia	Missing street component	17.086231231689453	-22.57662582397461

Simple UAVs

uav_text	label	long	lat	
McNamara Road, Tortola, VG1110, British Virgin Islands	Missing street component	-64.61797332763672	18.413677215576172	
đường quảng hàm, moyo, thủ đức, 71400, vietnam	City country mismatch	106.6935904	10.8254726	
senator ibrahim barau jibrin lecture delivery centre (lcd), senator ibrahim barau jibrin lecture delivery centre (lcd), gombe - potiskum road; ashaka bajago road, gombe, 760214, nigeria	Double letter error	11.1491287	10.3148174	
ilkob ar, 72a, ленинградский проспект, дзержинский район, ярославль, городской округ ярославль, , 150000, russia	Name typo	39.7680126	57.696233	
La Passage Franciosy, Monte-Carlo, 98000, Monaco	Passage Franciosy, Monte-Carlo, Monaco, 98000, Monaco	Article added to street name	7.4292139	43.7432066
Hôpital Général de Référence	Hôpital Général de Référence	Added fake suffix to street name	29.1388614	-3.3911526

d'Uvira Bis, RN5, Rombe1, Bavira (chefferie), Uvira, South Kivu, Democratic Republic of the Congo	d'Uvira, RN5, Rombe1, Bavira (chefferie), Uvira, South Kivu, Democratic Republic of the Congo			
Blonab Les cases rondes, Rue 434, Baco-Djicoroni, Sabalibougou, Bamako, Mali	Blonba Les cases rondes, Rue 434, Baco-Djicoroni, Sabalibougou, Bamako, Mali	Common letter transposition typo	-8.0120398	12.6002533

High-Valued UAVs

uav_text	label	long	lat
Somerset East Bosberg Nature Reserve, Blue Crane Route Local Municipality, Eastern Cape, 5850, South Africa	Real house found in Photon but not in Nominatim	25.560463	-32.703228
평양오리고기전문식당, Pyongyang, North Korea	Real address on Google Maps	38.978329	125.717356

Reputation & Penalty Notes

All miners start at a neutral reputation baseline and reputation adjusts with validated results. Duplicate or spam-like UAVs reduce scores; unknown addresses that reveal API gaps increase scores.