Lab block 2

johmo870, nisra674

2024-12-07

Statement of Contribution

- Nisal Amashan(nisra674) Assignment 1, Assignment 3, Report
- John Möller (johmo870) Assignment 2, Assignment 4, Report

Assignment 2

Data import and cleaning

The categories specified in the data compared to the instructions differed. Here's a summary of the differences:

- There are a number of names without dashes in the instructions but that have dashes in the csv, those are: blue-collar, self-employed.
- A number of columns had unknown as a category, specifically those between marital to to contact and poutcome.
- poutcome had 'other' in csv which is assumed in this report to be the same as 'nonexistent' given this category doesn't come up.
- Day of week column does not exist in csv.
- There exists a column called "day" which is not specified in the instruction. It is presumed in the report that this is the numbered day of the month.
- Not previously contacted in pdays is encoded as -1 in the csv as opposed to 999 as it is described in the instructions.

library(tidyverse)

##

```
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v dplyr
             1.1.4
                      v readr
                                  2.1.5
## v forcats
             1.0.0
                       v stringr
                                  1.5.1
## v ggplot2
             3.5.1
                       v tibble
                                  3.2.1
## v lubridate 1.9.3
                       v tidyr
                                  1.3.1
             1.0.2
## v purrr
## -- Conflicts ----- tidyverse conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                   masks stats::lag()
## i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become error
df_raw <- read_delim(file = "data/bank-full.csv", delim = ";")</pre>
## Rows: 45211 Columns: 17
## -- Column specification ------
## Delimiter: ";"
## chr (10): job, marital, education, default, housing, loan, contact, month, p...
```

dbl (7): age, balance, day, duration, campaign, pdays, previous

```
## i Use `spec()` to retrieve the full column specification for this data.
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.
df <- df raw
df$job <- factor(df$job, levels = c('admin.','blue-collar','entrepreneur','housemaid','management','ret
df$marital <- factor(df$marital, levels = c('divorced', 'married', 'single', 'unknown'))</pre>
df$education <- factor(df$education, levels = c('primary', 'secondary', 'tertiary', 'unknown'))</pre>
df$default <- factor(df$default, levels = c('no', 'yes', 'unknown'))</pre>
df$housing <- factor(df$housing, levels = c('no', 'yes', 'unknown'))</pre>
df$loan <- factor(df$loan, levels = c('no', 'yes', 'unknown'))</pre>
df$contact <- factor(df$contact, levels = c('cellular', 'telephone', 'unknown'))</pre>
df$month <- factor(df$month, levels = c('jan','feb', 'mar', 'apr', 'may', 'jun', 'jul', 'aug', 'sep', '</pre>
#df$day <- factor(df$day, levels = c('mon', 'tue', 'wed', 'thu', 'fri', 'unknown'))
df$poutcome <- factor(df$poutcome, levels = c('failure', 'other', 'success', 'unknown'))</pre>
colSums(is.na(df))
##
                    job
                          marital education
                                               default
                                                          balance
                                                                                  loan
         age
                                                                    housing
##
           0
                     0
                                0
##
     contact
                    day
                                                            pdays previous
                                                                             poutcome
                            month duration
                                              campaign
##
           0
                      0
                                0
                                           0
                                                     Ω
                                                                0
##
           у
##
           0
```