
SBGE Paper C (2022)

[2]

1. A particular brand of hand sanitiser is in the shape of a cuboid as shown below:



Find and simplify an expression in terms of *n* for the volume of the hand sanitiser.

Solution:

volume of hand sanitiser =
$$3n\left(\frac{1}{2}n+1\right)(n-2)$$

= $\left(\frac{3}{2}n^2+3n\right)(n-2)$
= $\frac{3}{2}n^3+3n^2-3n^2-6n$
= $\left(\frac{3}{2}n^3-6n\right)$ cm³

2. Factorise completely:

(a)
$$6x^3 + 2x^2y - 4xy^2$$

Solution:

$$6x^{3} + 2x^{2}y - 4xy^{2} = 2x (3x^{2} + xy - 2y^{2})$$
$$= 2x(3x - 2y)(x + y)$$

(b)
$$(2x+1)^2 - (x^2+x+1)^2$$

Solution:

$$(2x+1)^2 - (x^2+x+1)^2 = (2x+1+x^2+x+1)(2x+1-x^2-x-1)$$
$$= (x^2+3x+2)(-x^2+x)$$
$$= -x(x+1)(x+2)(x-1)$$

3. Simplify:

(a)
$$\frac{3c}{1-c} + \frac{3}{c-1}$$

Solution:

$$\frac{3c}{1-c} + \frac{3}{c-1} = \frac{3c-3}{1-c}$$
$$= -3$$

(b)
$$\frac{a^2 - b^2}{(a - b)^2} \div \frac{1}{a^2 + b^2} \times \frac{1}{(a - b)^2 + 2ab}$$
 [3]

Solution:

$$\frac{a^2 - b^2}{(a - b)^2} \div \frac{1}{a^2 + b^2} \times \frac{1}{(a - b)^2 + 2ab}$$

$$= \frac{(a + b)(a - b)}{(a - b)(a - b)} \cdot \frac{a^2 + b^2}{1} \cdot \frac{1}{a^2 + b^2}$$

$$= \frac{a + b}{a - b}$$

[3]

4. Make *h* the subject of the formula: $\sqrt{1 - hp} = p$.

Solution:

$$\sqrt{1 - hp} = p$$

$$1 - hp = p^{2}$$

$$hp = 1 - p^{2}$$

$$h = \frac{1 - p^{2}}{p}$$

5. (a) Solve the equation: $\frac{1}{x} + \frac{2}{3x} = \frac{3}{x+1}$.

[3]

Solution:

$$\frac{1}{x} + \frac{2}{3x} = \frac{3}{x+1}$$
$$\frac{5}{3x} = \frac{3}{x+1}$$
$$5(x+1) = 9x$$
$$4x = 5$$
$$x = \frac{5}{4}$$

(b) Hence or otherwise, solve the equation $\frac{1}{x+1} + \frac{2}{3x+3} = \frac{3}{x+2}$.

[1]

Solution:

$$\frac{1}{x+1} + \frac{2}{3x+3} = \frac{3}{x+2}$$

$$\frac{1}{x+1} + \frac{2}{3(x+1)} = \frac{3}{(x+1)+1}$$

$$\therefore x+1 = \frac{5}{4}$$

$$\therefore x = \frac{1}{4}$$

6. Given that $a^2 - 49 = 9951$,

(a) find the positive value of *a*.

[1]

Solution:

$$a^{2} - 49 = 9951$$
$$a = \sqrt{9951 + 49}$$
$$= 100$$

(b) Hence, find two factors of 9951 which are between 50 and 200.

[3]

Solution:

$$a^2 - 49 = 9951$$
$$(a+7)(a-7) = 9951$$

When a = 100, the two factors of 9951 are a + 7 = 107 and a - 7 = 93.

7. By defining two variables, solve the following problem using SLEs.

[4]

Two books, *A* and *B*, have a total of 500 pages. If the number of pages in Book *A* is 12 less than 3 times the number of pages in Book *B*, calculate the number of pages in each book.

Solution: Let the number of pages in Books *A* and *B* be *a* and *b* respectively.

$$a + b = 500 \tag{1}$$

$$a = 3b - 12 \tag{2}$$

Substitute (2) into (1):

$$3b - 12 + b = 500$$
$$4b = 512$$
$$b = 128$$
$$\therefore a = 372$$

The number of pages in Books *A* and *B* is 372 and 128 respectively.

8. An ice-cream maker machine can hold 60 L of ice-cream mix. It was discovered that

(a) when the temperature of the machine is set at -10° C, x L of ice-cream mix can be frozen per min. Write down an expression in terms of x for the time taken to freeze 60 L of ice cream mix at -10° C in min.

[1]

Solution: The time taken would be $\frac{60}{r}$ min.

(b) when the temperature of the machine was set at -5° C, (x-2) L of ice cream mix can be frozen per minute. Write down an expression in terms of x for the time taken to freeze 60 L of ice cream mix at -5 °C in min.

[1]

Solution: The time taken would be $\frac{60}{x-2}$ min.

(c) it takes 1.5 min longer to freeze the ice cream mix at a higher temperature. Write down an equation in x, and show that it simplifies to $x^2 - 2x - 80 = 0$.

[2]

Solution:

$$\frac{60}{x-2} - \frac{60}{x} = \frac{3}{2}$$
$$\frac{120}{x(x-2)} = \frac{3}{2}$$
$$3x^2 - 6x = 240$$
$$x^2 - 2x - 80 = 0$$

[2]

(d) Solve the equation $x^2 - 2x - 80 = 0$.

Solution:


$$x^{2} - 2x - 80 = 0$$
$$(x+8)(x-10) = 0$$
$$\therefore x = -8 \text{ (rej.) or } x = 10$$

(e) Explain why you have to reject one of the solutions obtained in (d).

[1]

Solution: One of the solutions, x = -8, is negative, which cannot represent the number of litres of ice cream frozen per min.

9. The diagram below shows the line L_1 , y = ax + b.



(a) State the values of *a* and *b*.

Solution: a = 2, b = 4.

(b) Find the equation of another line, L_2 , which passes through the point (5,9) and is parallel to L_1 .

[2]

[2]

[1]

Solution:

$$y - y_1 = m(x - x_1)$$

 $y - 9 = 2(x - 5)$
 $y = 2x - 1$

(c) Does the point (3, 10) lie on line L_2 ? Explain.

Solution: The point (3, 10) does not lie on L_2 . Substituting the values of x = 3 and y = 10 into the equation y = 2x - 1 makes the equation false.