1.9.14

Vishwambhar - EE25BTECH11025

27th August, 2025

Question

If P = (2,2), Q = (-4,-4), and R = (5,-8) are the vertices of a triangle ΔPQR , then find the length of the median through R.

Midpoint of $\mathbf{Q} - \mathbf{P}$

Given position vectors of the points are:

$$\mathbf{P} = \begin{pmatrix} 2 \\ 2 \end{pmatrix}, \mathbf{Q} = \begin{pmatrix} -4 \\ -4 \end{pmatrix}, \mathbf{R} = \begin{pmatrix} 5 \\ -8 \end{pmatrix} \tag{1}$$

Let the midpoint of vector $\mathbf{Q} - \mathbf{P}$ be \mathbf{M} :

$$\mathbf{M} = \frac{1}{2}\mathbf{P} + \frac{1}{2}\mathbf{Q} \tag{2}$$

$$\mathbf{M} = \begin{pmatrix} 1 \\ 1 \end{pmatrix} + \begin{pmatrix} -2 \\ -2 \end{pmatrix} \tag{3}$$

$$\mathbf{M} = \begin{pmatrix} -1 \\ -1 \end{pmatrix} \tag{4}$$

Length of Median

$$\mathbf{M} - \mathbf{R} = \begin{pmatrix} -1 \\ -1 \end{pmatrix} - \begin{pmatrix} 5 \\ -8 \end{pmatrix} \tag{5}$$

$$\mathbf{M} - \mathbf{R} = \begin{pmatrix} -6\\7 \end{pmatrix} \tag{6}$$

The length of the median:

$$||\mathbf{M} - \mathbf{R}|| = \sqrt{(-6)^2 + (7)^2}$$
 (7)

$$||\mathbf{M} - \mathbf{R}|| = \sqrt{85} \approx 9.219 \tag{8}$$

Thus the length of the median of the triangle through **R** is $\sqrt{85} \approx 9.219$.

C Code

```
#include <stdio.h>

void get_points(double *points) {
   points[0] = 5; points[1] = -8; // R
   points[2] = -4; points[3] = -4; // Q
   points[4] = 2; points[5] = 2; // P
}
```

```
P = np.array([2, 2])
 Q = np.array([-4, -4])
 R = np.array([5, -8])
 # Calculate the midpoint M of PQ (for the median through R)
 M = (P + Q) / 2
 # Prepare plot
plt.figure()
 # Plot the triangle
 xs = [P[0], Q[0], R[0], P[0]]
ys = [P[1], Q[1], R[1], P[1]]
 plt.plot(xs, ys, 'k-', label='Triangle')
```

```
plt.axis('equal')
plt.grid(True)
plt.legend()
plt.title("Triangle PQR and Median through R")
plt.savefig("../figs/plot.png")
plt.show()
```




Figure: Plot of triangle PQR along with median