gate 1

AI25btech11037 - Stalin

1) When she fell down the _____, she received many _____ but little help.

   The words that best fill the blanks in the above sentence are: **(GATE AR 2018)**
   a) stairs, stares
   b) stairs, stairs
   c) stares, stairs
   d) stares, stares

2) In spite of being, he failed to correct his _____ behaviour. **(GATE AR 2018)**
   The word that best fills the blank in the above sentence is:
   a) rational
   b) reasonable
   c) errant
   d) good

3) For $0 \leq x \leq 2\pi$, $\sin x$ and $\cos x$ are both decreasing functions in the interval _____. **(GATE AR 2018)**

   a) $\left(0, \frac{\pi}{2}\right)$
   b) $\left(\frac{\pi}{2}, \pi\right)$
   c) $\left(\pi, \frac{3\pi}{2}\right)$
   d) $\left(\frac{3\pi}{2}, 2\pi\right)$

4) The area of an equilateral triangle is $\sqrt{3}$. What is the perimeter of the triangle? **(GATE AR 2018)**

   a) 2
   b) 4
   c) 6
   d) 8

5) Arrange the following three-dimensional objects in the descending order of their volumes: **(GATE AR 2018)**
   a) A cuboid with dimensions 10 cm, 8 cm and 6 cm
   b) A cube of side 8 cm
   c) A cylinder with base radius 7 cm and height 7 cm
   d) A sphere of radius 7 cm
   a) (i), (ii), (iii), (iv)
   b) (ii), (i), (iv), (iii)
   c) (iii), (ii), (i), (iv)
   d) (iv), (iii), (ii), (i)

   Q.6 – Q.10 carry two marks each.

6) An automobile travels from city A to city B and returns to city A by the same route. The speed of the vehicle during the onward and return journeys were constant at 60 km/h and 90 km/h, respectively. What is the average speed in km/h for the entire journey? **(GATE AR 2018)**
   a) 72
   b) 73

c) 74
d) 75

7) A set of 4 parallel lines intersect with another set of 5 parallel lines. How many parallelograms are formed? **(GATE AR 2018)**

a) 20
b) 48
c) 60
d) 72

8) To pass a test, a candidate needs to answer at least 2 out of 3 questions correctly. A total of 6,30,000 candidates appeared for the test. Question A was correctly answered by 3,30,000 candidates. Question B was answered correctly by 2,50,000 candidates. Question C was answered correctly by 2,60,000 candidates. Both questions A and B were answered correctly by 1,00,000 candidates. Both questions B and C were answered correctly by 90,000 candidates. Both questions A and C were answered correctly by 80,000 candidates. If the number of students answering all questions correctly is the same as the number answering none, how many candidates failed to clear the test? **(GATE AR 2018)**

a) 30,000
b) 2,70,000
c) 3,90,000
d) 4,20,000

9) If $x^2 + x - 1 = 0$ what is the value of $x^4 + \dfrac{1}{x^4}$? **(GATE AR 2018)**

a) 1
b) 5
c) 7
d) 9

10) In a detailed study of annual crow births in India, it was found that there was relatively no growth during the period 2002 to 2004 and a sudden spike from 2004 to 2005. In another unrelated study, it was found that the revenue from cracker sales in India which remained fairly flat from 2002 to 2004, saw a sudden spike in 2005 before declining again in 2006. The solid line in the graph below refers to annual sale of crackers and the dashed line refers to the annual crow births in India. Choose the most appropriate inference from the above data. **(GATE AR 2018)**


Fig. 10.

a) There is a strong correlation between crow birth and cracker sales.
b) Cracker usage increases crow birth rate.
c) If cracker sale declines, crow birth will decline.
d) Increased birth rate of crows will cause an increase in the sale of crackers.

END OF THE QUESTION PAPER

Q.1–Q.25 carry one mark each.

11) In a colour Wheel, Red and Blues colours are
    (GATE AR 2018)

    a) tertiary
    b) comblementary
    c) secondary
    d) primary

12) In a bird's eye perspective view of a cuboid, the maximum number of vanishing points is   **(GATE AR 2018)**

    a) 1
    b) 2
    c) 3
    d) 6

13) The compressive strength of M-25 concrete is   **(GATE AR 2018)**

    a) 25 kg/sqm
    b) 25 N/sqmm
    c) 250 N/sqmm
    d) 2.5 N/sqmm

14) In Critical Path Method (CPM) for time scheduling, 'forward pass calculation' is carried out for determining   **(GATE AR 2018)**

    a) Late start and early finish time
    b) Early start and early finish time
    c) Late start and late finish time
    d) Early start and late finish time

15) Collapse of the World Trade Center (WTC), New York, in 2001, was due to   **(GATE AR 2018)**

    a) Wind load failure
    b) Foundation failure
    c) Thermal performance failure of reinforcement steel in RCC
    d) Thermal performance failure of structural steel

16) During the construction of tall buildings, the equipment used for hoisting building materials to the upper floors is a **(GATE AR 2018)**

    a) Goods lift
    b) Capsule lift
    c) Gantry crane
    d) Tower crane

17) A Rock-cut style of architecture is represented by   **(GATE AR 2018)**

    a) Shyama Rama Temple, Bishnupur
    b) Kailasa Temple, Ellora
    c) Kandariya Mahadeva Temple, Khajuraho
    d) Sanchi Stupa, Sanchi

18) 'Area based development' and 'Pan city development' are part of   **(GATE AR 2018)**

    a) Smart City Mission
    b) Digital India Mission
    c) Swachh Bharat Mission
    d) Atal Innovation Mission

19) In mass transportation, LRTS stands for   **(GATE AR 2018)**

    Light Rail Transit System

Linear Rail Transit System
Light Rail Transportation System
Linear Rail Transportation System

20) The structural grid type shown in the figure below is a **(GATE AR 2018)**

Tartan Grid   Square Grid   Rectangular Grid   Irregular Grid

Q.11   Assuming other variables remaining constant, the Tropical Summer Index **(GATE AR 2018)**

a) Increases with increase in air velocity
b) Decreases with increase in wet-bulb temperature
c) Decreases with increase in globe temperature
d) Increases with increase in vapour pressure

21) Government of India's urban development program 'HRIDAY' stands for **(GATE AR 2018)**

a) Heritage Rejuvenation Implementation Development Aayog Yojana
b) Heritage Review Implementation Development Augmentation Yojana
c) Heritage City Development and Augmentation Yojana
d) Heritage City Improvement and Development Aawas Yojana

22) As per the Urban and Regional Development Plan Formulation and Implementation (URDPFI) guidelines, the plan period considered in a 'Perspective plan' is **(GATE AR 2018)**

a) 1–10 years
b) 11–15 years
c) 20–30 years
d) 35–45 years

23) The Hall of Nations, New Delhi, was designed by **(GATE AR 2018)**

a) Charles Correa
b) Raj Rewal
c) joseph Allen Stein
d) A. P. Kanvinde

24) As per the National Building Code of India 2016, the minimum turning radius (in metres) required for fire tender movement is **(GATE AR 2018)**

a) 8.0
b) 8.5
c) 9.0
d) 9.6

25) Sidi Bashir Mosque with 'shaking Minarets' is located in **(GATE AR 2018)**

a) Ajmer
b) Allahabad
c) Ahmedabad
d) Amritsar

26) Sight Distance' is considered in the degin of **(GATE AR 2018)**

a) Road intersection
b) Fenestration
c) Open kitchen

d) Auditorium

Q.18   In India, the term 'Town Planning Scheme' refers to   **(GATE AR 2018)**

a) Land renewal
b) Land rejuvenation
c) Land reclamation
d) Land readjustment

Q.19   Bamboo is a type of   **(GATE AR 2018)**

a) Shrub
b) Timber
c) Evergreen tree
d) Perennial grass

27) According to the **UN**, one of the components for measuring 'inclusive growth' is   **(GATE AR 2018)**

a) Economic well-being
b) Physical infrastructure
c) Education
d) Life expectancy

28) The unit of measurement of Damp Proof Course (DPC) in building construction is   **(GATE AR 2018)**

a) kg
b) cum
c) sqm
d) rm

29) Which of the following is **NOT** a Building Information Modeling software tool   **(GATE AR 2018)**

a) Adobe Illustrator
b) Bentley Microstation
c) Autodesk Revit
d) Graphisoft ARCHICAD

Q.23   The concentric circles in a solar chart represent   **(GATE AR 2018)**

a) Azimuth angle
b) Altitude angle
c) Horizontal shadow angle
d) Vertical shadow angle

30) A room of 3m × 3m × 3m has a reverberation time of 0.8 sec. Using Sabin's method, the total absorption in the room is _____ sabin *(up to one decimal place).*   **(GATE AR 2018)**

31) A 25 storeyed building has 5 lifts. The resulting waiting time is 35 sec and 'Return Travel Time' is 175 sec. The number of lifts required for reducing waiting time to 25 sec, without increasing the lift speed, is _____.   **(GATE AR 2018)**

32) **Q.26 – Q.55 carry two marks each.** Match the planning documents in **Group-I** with their respective government schemes in **Group-II**   **(GATE AR 2018)**

Group-I   **Group-II**

a) Integrated Cluster Action Plan
b) 1 NULM
c) Service Level Improvement Plan
d) 2 Make in India
e) Housing for All Plan of Action
f) 3 RuRBAN mission
g) City Livelihood Centre Development Plan

h) 4 PMAY
i) 5 AMRUT
a) P-4, Q-1, R-5, S-2
b) P-3, Q-5, R-4, S-2
c) P-5, Q-1, R-4, S-3
d) P-3, Q-5, R-4, S-1

Q.27 Associate the fire safety requirements for high rise buildings in **Group-I** with
(GATE AR 2018) corresponding standards of the National Building Code of India 2016 in **Group-II**
Group-I **Group-II**
a) Minimum Refuge area
b) 12.5 sqm/person
c) Maximum Travel distance
d) 2.0 m
e) Maximum Occupant load
f) 0.3 sqm/person
g) Minimum Stair case width
h) 12.0 ton
i) 30.0 m

a) P-4, Q-1, R-5, S-2
b) P-3, Q-5, R-4, S-1
c) P-3, Q-5, R-1, S-2
d) P-4, Q-5, R-1, S-3

33) Match the photometric quantities in **Group-I** with their respective units in **Group-II**   **(GATE AR 2018)**
Group-I **Group-II**

a) p lluminance
b) 1 Candela
c) Q uminous Intensity
d) 2 Candela/sqm
e) R Luminance
f) 3 Lumens/sqm
g) S Luminous Efficacy
h) 4 Lumens/watt
i) 5 Lumens

a) P-3, Q-2, R-5, S-4
b) P-5, Q-4, R-2, S-1
c) P-5, Q-1, R-2, S-3
d) D) P-3, Q-1, R-2, S-4

34) Associate the symbols in **Group-I** with their meanings in **Group-II**

Group-I **Group-II**

a) P-5, Q-3, R-1, S-2   c) P-1, Q-3, R-4, S-5
b) P-1, Q-5, R-3, S-4

35) Match the elements in **Group-I** with the building components in **Group-II**   **(GATE AR 2018)**
Group-I **Group-II**
a) P king post
b) 1 Curtain glazing
c) Q beam
d) 2 Door
e) R Metal decking
f) 3 Plinth
g) S jamb

P   1   Hearing impaired

Q   2   Emergency lamp

R   3   Electrical and Electronic waste disposal

S   4   Biohazard

5   Speech impaired

h) 4 intermidate field

i) 5 Truss

a) P-5, Q-3, R-4, S-1

b) P-2, Q-4, R-3, S-1

c) P-2, Q-4, R-5, S-3

d) P-5, Q-3, R-4, S-2

36) Match the iconic architectural examples in **Group-I** with their predominant structural systems in **Group-II** (**GATE AR 2018**)

        Group-I   **Group-II**

a) Maria del Fiore Cathedral, Florence
b) 1. Shell
c) Notre Dame Cathedral, Paris
d) 2. Suspended roof
e) Notre Dame Cathedral, Paris
f) 3. Space frame
g) Baha'i Temple, Delhi 4. Double-walled dome
h) 5. Flying buttress
a) P-5, Q-3, R-4, S-1
b) P-2, Q-4, R-3, S-1
c) P-2, Q-4, R-5, S-3
d) P-5, Q-3, R-4, S-2

37) Match the building materials in **Group-I** with their distinctive properties in **Group-II**   (GATE AR 2018)

Group-I   **Group-II**

a) Cement
b) 1 Charring Charring
c) steel
d) 2 Brittle
e) wood
f) 3 Evaporation
g) glass
h) 4 Tensile strength
i) 5 Setting Time
a) P-5, Q-3, R-4, S-1
b) P-2, Q-4, R-3, S-1
c) P-2, Q-4, R-5, S-3
d) P-5, Q-3, R-4, S-2

38) Match the built forms in **Group-I** with their descriptions in **Group-II**   (GATE AR 2018)

39) **Group-I**
  a) Agora
  b) Ziggurat
  c) Mastaba
  d) Synagogue

a) Custodial precincts
b) Place of Jewish worship
c) Built in diminishing stages of masonry with buttressed wall
d) Market place or public square
e) Tomb made of mud bricks

  Group-II

a) P-1, Q-4, R-3, S-2
b) P-4, Q-3, R-1, S-5

c) P-4, Q-3, R-5, S-2
d) P-3, Q-1, R-5, S-2

40) Match the building configuration characteristics in **Group-I** with their seismic consequences in **Group-II**   (GATE AR 2018)

Group-I   **Group-II**
a) Re-entrant corner   a) Soft storey
b) Floating column   b) Stress concentration at corner
c) Irregular storey stiffness   c) Load path discontinuity
d) Gap between adjacent buildings   d) Vertical asymmetry
                                                 e) Pounding

a) P-3, Q-1, R-2, S-4
b) P-2, Q-3, R-1, S-5
c) P-4, Q-3, R-1, S-5
d) P-3, Q-5, R-2, S-1

41) Match the landscaping terms in **Group-I** with their descriptions in **Group-II** (GATE AR 2018)

42) **Group-I**

a) Xeriscaping
b) Drip line
c) Swale
d) Turf block paver

Group-II

a) Wide vegetated drain
b) Tree rings
c) Outermost circumference of a tree canopy
d) Solution to topsoil erosion and water permeability
e) A little or no irrigation

a) P-5, Q-3, R-1, S-4
b) P-3, Q-5, R-1, S-4
c) P-2, Q-3, R-1, S-5
d) P-5, Q-2, R-4, S-1

43) Match the planning principles in **Group-I** with their descriptions in **Group-II** (GATE AR 2018)

Group-I

a) Transit oriented development
b) Core periphery theory
c) Bid rent theory
d) Cluster theory

Group-II

a) Four stage model of regional development
b) Compact and walkable mixed use development
c) Geographic concentration of inter-connected institutions
d) Change of land price with relative distance from the CBD
e) Interactive and participatory planning process

a) P-2, Q-1, R-4, S-3
b) P-2, Q-1, R-5, S-3
c) P-4, Q-2, R-5, S-3
d) P-2, Q-3, R-5, S-4

44) Match the cities in **Group-I** with their planners in **Group-II** (GATE AR 2018)

Group-I

a) Islamabad
b) Tel Aviv
c) Bhubaneswar
d) Brasilia

Group-II

a) Patrick Geddes
b) C.A. Doxiadis
c) Lucio Costa
d) B. V. Doshi
e) O. Koenigsberger

a) P-2, Q-4, R-1, S-3
b) P-4, Q-1, R-5, S-2
c) P-2, Q-1, R-5, S-3
d) P-2, Q-3, R-4, S-5

45) Match the Temples in **Group-I** with their Dynastic period in **Group-II** (GATE AR 2018)

Group-I

a) Brihadeshvara Temple
b) Kailasanatha Temple
c) Bhitargaon Temple
d) Lad Khan Temple

Group-II

a) Gupta
b) Chalukya
c) Lodhi
d) Chola
e) Pallava

a) P-4, Q-5, R-1, S-2
b) P-5, Q-1, R-2, S-3
c) P-2, Q-5, R-1, S-3
d) P-4, Q-1, R-2, S-5

46) Match the Buildings in **Group-I** with their Architects in **Group-II** (GATE AR 2018)

Group-I

a) P Guggenheim Museum, Bilbao
b) Q The Shard, London
c) R Commerz Bank, Frankfurt
d) S Heydar Aliyev Centre, Baku

Group-II

a) Richard Rogers
b) Norman Foster
c) Frank Gehry
d) Renzo Piano
e) Zaha Hadid

a) P-3, Q-4, R-2, S-5
b) P-3, Q-4, R-1, S-2

c) P-2, Q-4, R-1, S-5
d) P-2, Q-5, R-4, S-3

47) Match the following urban conservation themes in **Group-I** with their respective descriptions in **Group-II**   (GATE AR 2018)

Group-I

a) Restoration
b) Reconstitution
c) Reconstruction
d) Replication

Group-II

a) Piece by piece re-assembly
b) Returning to previous stage
c) Physical addition
d) Re-creation of vanished elements
e) Reproduction of an exact copy

a) P-2, Q-5, R-4, S-3
b) P-2, Q-1, R-4, S-5

c) P-3, Q-2, R-1, S-4
d) P-3, Q-1, R-3, S-5

48) A Single Phase Neutral (SPN) electrical circuit has a power consumption of 330W. Considering a voltage of 110V and power factor of 0.8, the electrical current drawn is _____ Amp *(up to one decimal place)*.   **(GATE AR 2018)**

49) A building with 100 sqm roof area is connected to a 72 cum rainwater collection tank. If the rainfall is 60 mm per hour and the loss during water storage is 20%, then the time taken to fill the tank completely is _____ hours. **(GATE AR 2018)**

50) The planning norms for provision of schools in a given town is shown below: **(GATE AR 2018)**

Schools	Population norm	Land requirement per school
Elementary School	One per 2500 persons	0.4 hectare
Primary School	One per 5000 persons	1.0 hectare
Secondary School	One per 12500 persons	2.0 hectare

51) Total land area required for providing all types of schools for a population of 200,000 is _____ hectares.

52) In a mixed use development on a 2.0 hectare site with 2.0 FAR, the ratio of residential to commercial floor area is 3:2. The minimum parking (in ECS) needed per 100 sqm of residential and commercial floor area is 1.0 and 1.25 respectively. Considering full FAR utilization, the total parking requirement is _____ ECS.   **(GATE AR 2018)**

53) plotted housing scheme on a site of 12 hectare has 60% saleable area. The average unit cost of land development is INR 300 million per hectare. If the profit margin is 20%, then the selling price of land per hectare is _____ million INR.   **(GATE AR 2018)**

54) An isolated enclosure shown in the Figure has inlet **P** and outlet **Q** of 2 sqm each, on the opposite walls. The outdoor wind speed is 5 m/sec. If the coefficient of effectiveness is 0.6, the rate of natural ventilation in the enclosure (the required answer) is _____.   **(GATE AR 2018)**

55) A 5m × 5m × 3m room has four 230 mm thick external brick walls. Total wall fenestration is 10 sqm. The temperature difference between indoor and outdoor is 2 degC. The air to air transmittance values for 230 mm thick brick wall and 200 mm thick aerated concrete block wall are 2.4 and 1.7 W/sqm degC respectively. If the brick walls are replaced with the aerated concrete block walls, then the change in conductive heat flow through the walls is _____ W. **(GATE AR 2018)**

Fig. 54. Caption

Fig. 56. Caption

56) For an activity, 'optimistic time duration' is 4 days, 'pessimistic time duration' is 11 days and 'most-likely time duration' is 8 days. The PERT value of time duration is _____ days *(up to one decimal place)*. **(GATE AR 2018)**

57) The water consumption of a high rise apartment building with 60 dwelling units having an average household size of 5 persons is 135 lpcd. Assuming 80% of the total use is met with recycled water supply, the daily domestic demand for the building is _____ litres. **(GATE AR 2018)**

58) In India, for 1.0 cum of M-20 grade concrete, the number of cement bags required is _____ *(up to two decimal places)*. **(GATE AR 2018)**

59) The sound power level of an outdoor non-directional point source is 90 dB. Considering an atmospheric impedance of 400 rayls, the sound pressure level at 10 m distance from the source is _____ dB. **(GATE AR 2018)**

60) The live load and dead load in a three storeyed residential building, transferred through a single column, is 12 tons and 18 tons respectively. If the soil bearing capacity is 10 ton/sqm and the factor of safety is 1.5, the area of column footing is _____ sqm *(up to one decimal place)*. **(GATE AR 2018)**

61) The indoor illumination requirement for a building is 350 Lux. If the daylight factor is 2.7 and the design sky illuminance is 9000 Lux, then the required supplementary artificial lighting is _____ Lux. **(GATE AR 2018)**

62) Two design options of a business building on a 10.0 hectare site are being compared for built up area. Floor to floor height of Option A is 3.6 m and that of Option B is 4.5 m. If the maximum allowable building height is 45 m with same ground coverage for both options, the additional built up area achievable in Option A over Option B is _____ percent. **(GATE AR 2018)**

END OF THE QUESTION PAPER

Q.No.	Type	Section	Key/Range	Marks
1	MCQ	GA	A	1
2	MCQ	GA	C	1
3	MCQ	GA	B	1
4	MCQ	GA	C	1
5	MCQ	GA	D	1
6	MCQ	GA	A	2
7	MCQ	GA	C	2
8	MCQ	GA	D	2
9	MCQ	GA	C	2
10	MCQ	GA	A	2
1	MCQ	AR	D	1
2	MCQ	AR	C	1
3	MCQ	AR	B	1
4	MCQ	AR	B	1
5	MCQ	AR	D	1
6	MCQ	AR	D	1
7	MCQ	AR	B	1
8	MCQ	AR	A	1
9	MCQ	AR	A	1
10	MCQ	AR	A	1
11	MCQ	AR	D	1
12	MCQ	AR	C	1
13	MCQ	AR	C	1
14	MCQ	AR	B	1
15	MCQ	AR	C	1

63)

Q.No.	Type	Section	Key/Range	Marks
16	MCQ	AR	C	1
17	MCQ	AR	A	1
18	MCQ	AR	D	1
19	MCQ	AR	D	1
20	MCQ	AR	A (or) B (or) C	1
21	MCQ	AR	C	1
22	MCQ	AR	A	1
23	MCQ	AR	B	1
24	NAT	AR	5.3 to 5.7	1
25	NAT	AR	7.0 to 7.0	1
26	MCQ	AR	D	2
27	MCQ	AR	C	2
28	MCQ	AR	D	2
29	MCQ	AR	D	2
30	MCQ	AR	D	2
31	MCQ	AR	C	2
32	MCQ	AR	B	2
33	MCQ	AR	C	2
34	MCQ	AR	B	2
35	MCQ	AR	A	2
36	MCQ	AR	A	2
37	MCQ	AR	C	2
38	MCQ	AR	A	2
39	MCQ	AR	D	2
40	MCQ	AR	B	2

64)

Q.No.	Type	Section	Key/Range	Marks
41	NAT	AR	3.7 to 3.8	2
42	NAT	AR	15.0 to 15.0	2
43	NAT	AR	104 to 104	2
44	NAT	AR	440 to 440	2
45	NAT	AR	600 to 600	2
46	NAT	AR	21600 to 21600	2
47	NAT	AR	69.5 to 70.5	2
48	NAT	AR	7.8 to 7.9	2
49	NAT	AR	224 to 226	2
50	NAT	AR	8100 to 8100	2
51	NAT	AR	5 to 9	2
52	NAT	AR	58 to 60	2
53	NAT	AR	4.0 to 5.0	2
54	NAT	AR	107 to 107	2
55	NAT	AR	20 to 20	2

65)