# GATE-03


## ee25btech11063-vejith

1) "When she fell down the above sentence are	the she received ma	ny but little	help." The words that best fill	the blanks in
			(GAT	TE GG 2018)
<ul><li>a) stairs, stares</li><li>b) stairs, stairs</li></ul>		<ul><li>c) stares, stairs</li><li>d) stares, stares</li></ul>		
2) "In spite of being war above sentence is	ned repeatedly, he failed to correct	his behaviou	ir." The word that best fills the	blank in the
doove sentence is			(GAT	TE GG 2018)
a) rational	b) reasonable	c) errant	d) good	
3) For $0 \le x \le 2\pi$ , $\sin x$	and $\cos x$ are both decreasing fund	tions in the interval	(GAT	TE GG 2018)
a) $\left(0,\frac{\pi}{2}\right)$	b) $\left(\frac{\pi}{2},\pi\right)$	c) $\left(\pi, \frac{3\pi}{2}\right)$	d) $\left(\frac{3\pi}{2}, 2\pi\right)$	
4) The area of an equilat	eral triangle is $\sqrt{3}$ . What is the positive formula of $\sqrt{3}$ .	erimeter of the triangle?	(GAT	TE GG 2018)
a) 2	b) 4	c) 6	d) 8	
• (ii) A cube of side	base radius 7 cm and height 7 cm	c) ( <i>iii</i> ), ( <i>ii</i> ), ( <i>i</i> ), ( <i>iv</i> ) d) ( <i>iv</i> ), ( <i>iii</i> ), ( <i>ii</i> ), ( <i>i</i> )	(GAT	TE GG 2018)
	from city A to city B and returneys were constant at 60 km/h			
entire journey.			(GAT	TE GG 2018)
a) 72	b) 73	c) 74	d) 75	
7) A set of 4 parallel line	es intersect with another set of 5 p	parallel lines. How many pa	_	TE GG 2018)
a) 20	b) 48	c) 60	d) 72	
for the test. Question candidates. Question (1,00,000 candidates. answered correctly by	A was correctly answered by 3, C was answered correctly by 2,60 Both questions B and C were ans 80,000 candidates. If the number many candidates failed to clear the	30,000 candidates. Questice, 000 candidates. Both questices, were described to the surface of th	on B was answered correctly tions A and B were answered candidates. Both questions A aestions correctly is the same a	by 2,50,000 correctly by and C were
a) 30,000	b) 2,70,000	c) 3,90,000	d) 4, 20, 000	
9) If $x^2 + x - 1 = 0$ what	is the value of $x^4 + \frac{1}{x^4}$ ?		4	T

a) 1 b) 5

10) In a detailed study of annual crow births in India, it was found that there was relatively no growth during the period 2002 to 2004 and a sudden spike from 2004 to 2005. In another unrelated study, it was found that the revenue from cracker sales in India which remained fairly flat from 2002 to 2004, saw a sudden spike in 2005 before declining again in 2006. The solid line in the graph below refers to annual sale of crackers and the dashed line refers to the annual crow births in India. Choose the most appropriate inference from the above data.

c) 7



(GATE GG 2018)

- a) There is a strong correlation between crow birth and cracker sales.
- b) Cracker usage increases crow birth rate.
- c) If cracker sale declines, crow birth will decline.
- d) Increased birth rate of crows will cause an increase in the sale of crackers.

#### END OF THE QUESTION PAPER

1) Which one of the following periods has the longest time duration?

(GATE GG 2018)

- a) Ordovician
- b) Cretaceous
- c) Jurassic
- d) Silurian

d) 9

2) A siliciclastic sedimentary rock consisting predominantly of the same type of gravel-sized clasts is called (GATE GG 2018)

a) Polymict conglomerate

c) Oligomict conglomerate

b) Arkose

d) Petromict conglomerate

3) Brown coal that has high moisture content and commonly retains many of the original wood fragments is called

(GATE GG 2018)

a) Anthracite

c) Lignite


b) Bituminous coal

d) Peat

4) The speed of revolution of the Earth around the Sun is

(GATE GG 2018)

- a) maximum at Perihelion
- b) minimum at Perihelion
- c) maximum at Aphelion
- d) equal at Aphelion and Perihelion
- 5) The geometrical factor for the following electrode configuration is



a)  $\pi a$  b)  $2\pi a$  c)  $3\pi a$  d)  $4\pi a$ 

6) Which one of the following geophysical methods uses the physical property Dielectric Constant?

(GATE GG 2018)

a) Gravity

b) Ground Penetrating Radar

c) Seismic

d) Self-Potential

7) Pascal second is a unit of

(GATE GG 2018)

a) seepage force

b) dynamic viscosity

- c) kinematic viscosity
- d) permeability

8) Which one of the following statements is CORRECT?

(GATE GG 2018)

- a) Strength of a rock decreases with increase in confining pressure
- b) Strength of a rock increases with increase in temperature
- c) Strength of a rock increases with increase in strain rate
- d) Strength of a rock increases with increase in pore water pressure
- 9) The geomorphic feature horns are formed by

(GATE GG 2018)

a) wind erosion

c) wind deposition

b) river erosion


- d) glacial erosion
- 10) A melanocratic porphyritic rock containing phenocrysts of biotite, with feldspar restricted to the groundmass, is called (GATE GG 2018)
  - a) trachyte
- b) dacite

- c) andesite
- d) lamprophyre


11) The supercontinent that existed in the late Mesoproterozoic to early Neoproterozoic time was

- a) Kenorland
- b) Columbia
- c) Rodinia

- d) Pangaea
- 12) The figure below shows the triple junction between three plates A, B and C. The boundary between the plates A and B is a ridge with a half-spreading rate of 4 cm/year. The A-C and B-C boundaries are collinear and orthogonal to the A-B ridge. The A-C boundary is a dextral transform fault with a relative velocity of 6 cm/year. The boundary between plates B and C is: (GATE GG 2018)



- a) dextral transform fault with a relative velocity of 10 cm/year
- b) dextral transform fault with a relative velocity of 2 cm/year
- c) sinistral transform fault with a relative velocity of 2 cm/year
- d) sinistral transform fault with a relative velocity of 6 cm/year
- 13) A rock follows Mohr-Coulomb failure criterion. Which one of the Mohr-Coulomb failure envelopes allows failure of the rock under stress state Y, but not under stress state X? (GATE GG 2018)



a) PP'

b) QQ'

c) RR'

- d) SS'
- 14) The maximum and the minimum principal stresses are denoted by  $\sigma_1$  and  $\sigma_3$ , respectively. The differential stress can have an absolute value greater than  $\sigma_1$  when (GATE GG 2018)
  - a)  $\sigma_1$  and  $\sigma_3$  are both compressive
  - b)  $\sigma_1$  is compressive and  $\sigma_3$  is tensile
  - c)  $\sigma_1$  and  $\sigma_3$  are equal
  - d)  $\sigma_1$  and  $\sigma_3$  are both tensile
- 15) The geoid can be best defined as

(GATE GG 2018)

- a) an oblate spheroid that best approximates the shape of the earth
- b) a surface over which the value of gravity is constant
- c) the physical surface of the earth
- d) an equipotential surface of gravity of the earth
- 16) For a layered isotropic medium with a flat horizontal free surface, match the wave types listed in Group-I with their corresponding polarizations in Group-II. (GATE GG 2018)

### Group I Group II

- (P) P-waves particle motion is transverse to the direction of wave propagation
- (Q) Q-waves particle motion is transverse to the direction of wave propagation and confined to the horizontal plane
- (R) Rayleigh waves particle motion is parallel to the direction of wave propagation
- (S) Love waves particle motion is elliptical
- a) P-1; Q-3; R-4; S-2

- c) P-3; Q-1; R-2; S-4
- d) P-2; O-3; R-1; S-4

b) P-3; Q-1; R-4; S-2

- , , , , , ,
- 17) A 'gentle' fold with an interlimb angle equal to 160° appears tight (apparent interlimb angle equal to 20°) in horizontal section. According to the plunge of the fold axis, it can also be classified as (GATE GG 2018)
  - a) horizontal fold

c) steeply plunging fold

b) gently plunging fold

- d) vertical fold
- 18) The unit of shear modulus (rigidity modulus) is

- a)  $kg m^{-1}s^{-2}$
- b)  $m^2 s^{-2}$

- c) kg  $m^{-2}$  s<sup>-2</sup> d)  $m^{-1}$
- 19) With increasing activity of silica, the CORRECT order of appearance of minerals in a weathering environment with constant ratio of activities of K<sup>+</sup> and H<sup>+</sup> is (GATE GG 2018)
  - a) gibbsite → kaolinite → pyrophyllite
  - b) gibbsite → pyrophyllite → kaolinite
  - c) kaolinite  $\rightarrow$  gibbsite  $\rightarrow$  pyrophyllite
  - d) pyrophyllite → gibbsite → kaolinite

					5
		oup-I with those in Grou	ıp-II.		(GATE GG 2018)
Group I (P) Mica (Q) Uranium (R) Phosphate (S) Zinc					
a) P-2, Q-3, R-b) P-2, Q-4, R-			c) P-4, Q-2, R-3, S-1 d) P-3, Q-1, R-4, S-2		
21) Which one of	the following o	corrections is always add	ded during reduction of the observe	d gravity data?	(GATE GG 2018)
a) Latitude		b) Free-air	c) Bouguer	d) Terrain	
22) The magnitude the following i		geomagnetic field at the	equator and pole are denoted by B	$B_E$ and $B_P$ , respecti	vely. Which one of (GATE GG 2018)
a) $B_P \approx 4B_E$ b) $B_P \approx 2B_E$			c) $B_P \approx B_E$ d) $B_P \approx \frac{1}{2}B_E$		
	ectively. The m		and average crustal and upper man he epicenter of a near-surface eartho		
			e matrix is 5600 m/s and that in 60% porosity is m/s		
25) If the total por	osity of a soil	is 20%, its void ratio (%	%) is		(GATE GG 2018)
PART B(SEC	TION 1):FOR	GEOLOGY CANDID	DATES ONLY		
26) Which one of	the following I	Himalayan lithounits pre	edates India-Eurasia collision?		(GATE GG 2018)
<ul><li>a) Kasauli sand</li><li>b) Rangit Pebb</li></ul>			<ul><li>c) Annapurna granite</li><li>d) Lower Karewa sandst</li></ul>	one	
27) Which one of	the following o	ore minerals shows inter	rnal reflection?		(GATE GG 2018)
a) Orpiment		b) Magnetite	c) Pyrite	d) Molybd	enite
Si <sup>16</sup> O <sup>16</sup> O + Fe <sub>2</sub> a) $1000 \ln \alpha = 1$ b) $1000 \ln \alpha = 1$	$\Delta_{ m qtz-mag}^{16}$ O = Si <sup>16</sup> O $\Delta_{ m qtz-mag}$ , $\alpha = K$	$O^{18}O + Fe_3^{16}O_4$ ? $C^{1/n}$ (K equilibrium cons	tant at specified T, n constant) unt, n = no. of exchangeable sites) unstant, n constant)	gnetite:	(GATE GG 2018)
d) $1000 \ln \alpha = 4$ 29) Match the mod <b>Group I</b> (P) Burrowing	$\Delta_{\text{qtz-mag}}, \ \alpha = K$ des of life (Gro	$C^{1/n}$ (K equilibrium cons	tant, n = no. of exchangeable sites) nding bivalve genera (Group II)		(GATE GG 2018)

a) P-4, Q-3, R-2, S-1 c) P-2, Q-3, R-1, S-4 b) P-3, Q-4, R-1, S-2 d) P-3, Q-1, R-4, S-2


(3) Mya

4. Gryphaea

(R) Byssally attached


(S) Swimming

30) Based on the hypothetical litholog continuous succession of sedimentary rocks , which one statement is CORRECT?



(GATE GG 2018)

- a) Cambrian to Cretaceous, change from marine → continental
- b) Cambrian to Triassic, change from marine  $\rightarrow$  continental
- c) Cambrian to Cretaceous, change from continental → marine
- d) Palaeozoic in age, change from marine → continental
- 31) Which cladogram shows the CORRECT interrelationships among the major groups of vertebrates?



(GATE GG 2018)

- a) Cladogram I
- b) Cladogram II
- c) Cladogram III
- d) Cladogram IV
- 32) Which one of the following stratigraphic successions is in the CORRECT chronological order (older to younger)?

  (GATE GG 2018)
  - a) Rajmahal, Dubrajpur, Barakar
  - b) Fenestella Shale, Muth Quartzite, Syringothyris Limestone
  - c) Bagh Bed, Lameta Formation, Deccan Traps
  - d) Singhbhum Granite, Kolhan Group, Older Metamorphic Gneiss

33) Match the items in Group I with Group II

- Group I Group Il
- (P) Peloids (1) Nucleus with irregular laminae
- (Q) Ooids (2) Micritic grains no structure
- (R) Oncoids (3) Rounded grains thin micrite coating
- (S) Cortoids (4) Spherical grains concentric laminae

<ul> <li>a) takes place within the greenschist facies</li> <li>b) takes place within the amphibolite facies</li> <li>c) takes place within the eclogite facies</li> <li>d) takes place within the granulite facies</li> </ul>	(GATE GG 2018)
	(GATE GG 2018)
39) The reaction muscovite + quartz = K-feldspar + sillimanite + water	
a) P-4, Q-1, R-2, S-3 b) P-1, Q-2, R-4, S-3 c) P-3, Q-4, R-1, S-2 d) P-4, Q-1, R-3, S-2	
38) Match the optical properties (Group I) with the corresponding mineral (Group II).  Group I  P. Brown colour, very high RI, very high birefringence, biaxial positive Q. Colourless, very high RI, low birefringence, uniaxial negative R. Deep reddish-brown, very high RI, very high birefringence, uniaxial positive S. Colourless, very high RI, very high birefringence, uniaxial positive (4) Titanite	(GATE GG 2018)
a) Liquid (at W) = B + D + E b) Liquid (at W) = A + B + D d) Liquid (at W) + B + D = E	
37) In the hypothetical isobaric ternary liquids projection diagram shown, solid phases A, B, C, D and E exis liquid. The reaction taking place at the isobaric invariant point W is	t in equilibrium with (GATE GG 2018)
a) P-4, Q-3, R-1, S-2 b) P-3, Q-1, R-4, S-2 c) P-4, Q-2, R-3, S-1 d) P-1, Q-2, R-3, S-4	
36) Match the items listed in Group I with those listed in Group II.  Group I Group II  (P) Crevasse (1) River  (Q) Yardang (2) Groundwater  (R) Mesa (3) Wind  (S) Stalactite (4) Glacier	(GATE GG 2018)
a) P-4, Q-2, R-3, S-1 b) P-1, Q-4, R-2, S-3 c) P-3, Q-2, R-1, S-4 d) P-3, Q-4, R-2, S-1	
c) Histogram normalization d) Rubbersheeting  35) Match Group I with Group II.  Group I  (P) Coefficient of compressibility of soils (Q) Method of slope stabilization (R) In situ stress determination (S) Indirect tensile strength of rocks (C) Histogram normalization (Group II  (I) Brazilian test (I) Brazilian test (I) Overcoring (II) Overcoring (III) Overcoring	(GATE GG 2018)
<ul><li>34) Which one of the following is an image rectification technique?</li><li>a) Histogram equalization</li><li>b) Density slicing</li></ul>	(GATE GG 2018)
a) P-3, Q-1, R-4, S-2 b) P-2, Q-4, R-1, S-3 c) P-3, Q-4, R-1, S-2 d) P-2, Q-3, R-4, S-1	7

(P) Diopside-tremolite-forsterite

1. Pelite (low P, high T)


- (2) Metabasite (low P, high T)
- (Q) Talc-phengite-kyanite
- (R) Hornblende-cummingtonite-plagioclase
- (3) Calc-silicate (moderate P, T)
- (S) Andalusite-cordierite-biotite
- (4) Pelite (high P, low T)

a) P-3, Q-4, R-1, S-2

c) P-3, Q-4, R-2, S-1

b) P-1, Q-2, R-4, S-3

- d) P-1, Q-2, R-3, S-4
- 41) The figure shows the initial stages of development of a thrust fault (FF) with ramp and flat geometry, moving east to west. With respect to synform and antiform in Stage 2, the next increment of movement will: (GATE GG 2018)



- a) Both synform and antiform move westward
- b) Synform stays, antiform amplitude grows
- c) Both synform and antiform amplitudes grow
- d) Geometry remains unchanged
- 42) Which one of the following is the CORRECT chronological sequence for Iron formations?

- a) Algoma type > Superior type > Rapitan type > Minette type
- b) Superior type > Algoma type > Rapitan type > Minette type
- c) Rapitan type > Minette type > Algoma type > Superior type
- d) Algoma type > Minette type > Superior type > Rapitan type
- 43) Assertion (a): High-temperature, low-pressure metamorphism occurs on the over-riding plate near convergent plate margins. Reason (r): Partial melting in the mantle wedge generates magmas that rise to form the arc. (GATE GG 2018)
  - a) (a) true, (r) false
  - b) (a) false, (r) true
  - c) Both true and (r) is correct reason
  - d) Both true but (r) not the correct reason
- 44) Two coeval aqueous biphase fluid inclusions X (liquid-rich) and Y (vapour-rich) occur in the same grain. Which indicates boiling? (GATE GG 2018)
  - a) X homogenizes to liquid and Y homogenizes to a vapour at different temperatures.
  - b) Both homogenizes to liquid at same temperatures.
  - c) Both homogenizes to liquid at same temperatures.
  - d) X homogenizes to liquid and Y homogenizes to a vapour at same temperatures

45)	During bench blasting in a quarry, 50 kg of explosive with yield of 5 MJ/kg is required to break 10	00 m <sup>3</sup> of ma	arble. Th	e energy
	expended per unit volume of marble in MN/m <sup>2</sup> is	((	GATE GO	G 2018)

- 46) The stretching lineation on the axial plane (S2) of a reclined fold on the S1 foliation makes an angle of 30° with the S1/S2 intersection lineation. The rake of the stretching lineation on the axial plane in degrees is \_\_\_\_\_\_ (GATE GG 2018)
- 47) A basaltic magma has an initial nickel concentration of 300 ppm. Olivine crystallizes from this magma by equilibrium crystallization (Case I) or fractional crystallization (Case II). Then, the absolute value of the difference between the nickel concentrations of the liquids remaining after 25% crystallization in these two cases is \_\_\_\_\_\_\_. (Use  $K_{D,Ni}$  olivine/melt = 10). (GATE GG 2018)
- 48) The difference in the number of faces in forms {hkl} and {111} in the holosymmetric class of the isometric system is \_\_\_\_\_\_(GATE GG 2018)
- 49) An inclined cylindrical confined aquifer has coefficient of permeability of 40 m/day. The horizontal distance between two vertical wells penetrating the aquifer is 800 m. The water surface elevations in the wells are 50 m and 45 m above a common horizontal datum. The absolute value of Darcy flux through the aquifer is \_\_\_\_\_\_ m/day. (GATE GG 2018)

- 51) For a granitic rock mass, joint set number (Jn) = 9, joint water reduction factor (Jw) = 1, joint alteration number (Ja) = 1, stress reduction factor (SRF) = 1, rock quality designation (%) = 84, and joint roughness number (Jr) = 3. The Q-value as per Barton's Q-system of rock mass classification (1974) is (GATE GG 2018)
- 52) A sun synchronous satellite is at an altitude of 300 km and the spectrometer makes an angular coverage angle of 12°. The Swath (GFOV) of the satellite is \_\_\_\_\_ km. (GATE GG 2018)
- 53) The stability field boundary between two minerals A and B is linear with a positive slope in P-T space. The molar entropy of A and B are 85.5 and 92.5 J K<sup>-1</sup> respectively, and their respective molar volumes are 35.5 and 38.2 cc. The slope of the phase boundary in P-T space is \_\_\_\_\_ (GATE GG 2018)
- 54) Five moles of gas A (volume  $V_1$ ) and three moles of gas B (volume  $V_2$ ) were kept in two separate containers. These two gases are completely transferred to a new container of volume V. Assuming isothermal conditions and that the work done is only mechanical, the entropy change of the system is \_\_\_\_\_\_ J  $K^{-1}$ . (R = 8.3 J  $K^{-1}$  mol<sup>-1</sup>) (GATE GG 2018)
- 55) The value of Eh corresponding to the upper limit of natural surface aqueous environment at pH = 8.0 is  $\_$ (GATE GG 2018)

#### PART B(SECTION 2):FOR GEOPHYSICS CANDIDATES ONLY

56) The maximum number of linearly independent rows of an  $m \times n$  matrix G where m > n is

(GATE GG 2018)

a) m b) n

c) m-n

d) 0

- 57) The impulse response of the Kirchhoff pre-stack time migration operator for non-zero offsets in a homogeneous and isotropic medium is (GATE GG 2018)
  - a) a circle

c) a hyperbola

b) a parabola

- d) an ellipse
- 58) A solution to the eikonal equation  $|\nabla \tau| = \frac{1}{\nu_0}$  for a homogeneous and isotropic medium in Cartesian coordinates is (GATE GG 2018)

a) 
$$\tau = \frac{\sqrt{x^2 + y^2 + z^2}}{v_0}$$
  
b)  $\tau = \frac{1}{v_0}$ 

c)  $\tau = \frac{x + y + z}{v_0}$ <br/>d)  $\tau = \frac{xyz}{v_0}$ 

b) 
$$\tau = \frac{1}{v_0}$$


- 59) The forward Fourier transform is  $F(\omega) = \int_{-\infty}^{\infty} f(t)e^{-i\omega t}dt$  and the inverse Fourier transform is  $f(t) = \int_{-\infty}^{\infty} F(\omega)e^{i\omega t}d\omega$ . Then, the forward Fourier transform of  $F(\omega) = e^{-2i\omega}$  is
  - a)  $2\delta(t)$

b)  $\delta(2t)$ 

c)  $\delta(t+2)$ 

- d)  $\delta(t-2)$
- 60) Which one of the following rock types has the highest bulk magnetic susceptibility value?

- a) Gabbro
- b) Marble
- c) Orthoquartzite
- d) Limestone
- 61) Figure 1 is a schematic of seismic events in t-x(time-offset) domain and Figure 2 is the corresponding transformation to f-kx (frequency-horizontal wavenumber) domain. Match events in Figure 1 with those in Figure 2. (GATE GG 2018)









Figure 2

- a) P-1; Q-2; R-3; S-4
- b) P-1; Q-3; R-2; S-4

- c) P-4; Q-3; R-2; S-1
- d) P-4; Q-2; R-3; S-1
- 62) Across the Gutenberg discontinuity (from mantle to outer core) there is a change of bulk modulus and density. Which one of the following is CORRECT? (GATE GG 2018)
  - a) Both bulk modulus and density increase
  - b) Both bulk modulus and density decrease
- c) Bulk modulus decreases and density increases
- d) Bulk modulus increases and density decreases
- 63) Multi-electrode resistivity survey is carried out with 10 equispaced electrodes. (denoted by arrows in the figure below) Considering the mid-point of the 4-electrode array as the point of observation laterally, identify the CORRECT configuration.

  (GATE GG 2018)



- a) Multi-electrode Wenner array
- b) Multi-electrode Axial Dipole-dipole array
- c) Multi-electrode Wenner-Schlumberger array
- d) Multi-electrode Axial Pole-dipole array
- 64) Match the electromagnetic methods in Group I with the corresponding quantities measured in Group II. . (GATE GG 2018)

#### Group I

#### Group II

- (P) AFMAG method Q) Time domain EM
- 2.Real and imaginary components


1.Decay of secondary field

- (R) TURAM
- 3.Dip angle
- (S) Slingram
- Amplitude ratio and phase difference
- 5.Ellipticity of polarization ellipse
- a) P-3; Q-2; R-4; S-5

c) P-3; Q-1; R-4; S-2

b) P-2; Q-1; R-4; S-3

- d) P-1; Q-2; R-5; S-3
- 65) Dip angle electromagnetic response measured along a profile over multiple conductors is shown. Which crossover points P, Q and R indicate CORRECT conductor locations? (GATE GG 2018)



a) P, Q and R

c) P and R

b) Q and R

- d) P and Q
- 66) The effect of small scale near surface inhomogeneities can be removed from magnetic data by
- (GATE GG 2018)


- a) upward continuation
- b) downward continuation
- c) second vertical derivative
- d) reduction to pole
- 67) The frequencies of the primary magnetic field generated by worldwide thunderstorm activity vary in the range


- a)  $10^{-6}$  Hz  $10^{-3}$  Hz
- b)  $10^{-3} \text{ Hz} 1 \text{ Hz}$

- c)  $1 \text{ Hz} 10^3 \text{ Hz}$
- d)  $10^3 \text{ Hz} 10^6 \text{ Hz}$
- 68) Assertion (a): The Static Self-Potential for a thick, clean freshwater bearing sandstone formation is positive.


Reason (r): Resistivity of the formation water is less than the resistivity of salt water mud-filtrate. (GATE GG 2018)

- a) Both (a) and (r) are true and (r) is the correct reason
- b) Both (a) and (r) are true and (r) is not the correct reason
- c) Both (a) and (r) are false
- d) (a) is true but (r) is false
- 69) Which one of the following well log responses characterizes an overpressured zone in the subsurface? (GATE GG 2018)
  - a) High velocity and high resistivity
  - b) Low velocity and low density
  - c) High velocity and low resistivity
  - d) Low velocity and high density
- 70) The angle of inclination of the remanent magnetization measured on a basalt flow at a location P (28°N 85°E) is 40°. The palaeomagnetic latitude of the basalt flow is \_\_\_\_\_\_\_°N. (GATE GG 2018)
- 71) Using the Gutenberg-Richter recurrence relationship, the mean annual rate of exceedance of earthquake occurrence in a seismic belt is 0.3 per year for an earthquake of magnitude 6.0. The return period for an earthquake of magnitude 6.0 in this belt is \_\_\_\_\_\_ years. (GATE GG 2018)
- 72) In the figure, Z denotes the depth to the center of a buried sphere from the surface and  $X_{1/2}$  denotes the half-width of the profile at half the maximum gravity value. The ratio  $Z/X_{1/2}$  \_\_\_\_\_\_ is . (GATE GG 2018)





- 73) Two survey vessels with shipborne gravimeters are cruising towards each other at 6 knots each along an E-W course. The difference in gravity readings of the two gravimeters is 63.5 mGal when they cross. The latitude along which they are cruising is \_\_\_\_\_\_°N. (GATE GG 2018)
- 74) A gravity reading is taken in a stationary helicopter hovering 1 km above mean sea level at a location. The difference in the value of g measured in the helicopter and at mean sea level beneath it is \_\_\_\_\_\_ mGal. (GATE GG 2018)
- 75) The P-wave velocity and Poisson's ratio for a homogeneous isotropic sedimentary rock are 2500 m/s and 0.3, respectively. The S-wave velocity for the rock is \_\_\_\_\_\_ m/s. (GATE GG 2018)
- 76) A plane electromagnetic (EM) wave travelling vertically downwards with a frequency of 1000 Hz in a homogeneous medium has a skin depth of 100 m. The ratio of the amplitude of the EM wave at a depth of 75 m with respect to the amplitude at the Earth's surface is C. (GATE GG 2018)



- 78) The apparent resistivities obtained at 0.1 Hz and 10 Hz in a frequency domain I.P. measurement are 100  $\Omega$ m and 80  $\Omega$ m, respectively. The percentage frequency effect is \_\_\_\_\_\_. (GATE GG 2018)
- 79) A 15 V power supply is applied across a cylindrical container (diameter = 0.20 m, length = 0.50 m). Currents measured: 750 mA (brine only), 500 mA (rock sample fully saturated with brine). The formation factor of the rock sample is \_\_\_\_\_\_. (GATE GG 2018)
- 80) The ratio of the number of daughter nuclides to parent nuclides after a decay period of 3 half-lives is \_\_\_\_\_\_. (GATE GG 2018)
- 81) Consider a laterally homogeneous and isotropic earth model with a flat horizontal surface and three horizontal layers underlain by a half-space. A seismic reflection survey was simulated on this model with the sources and receivers placed on the surface. The table below lists the root mean square (rms) velocities, Vrms, and zero-offset two-way traveltimes to for the three reflection events from the bottom of each of the three layers observed in a pre-stack CDP (CMP) gather. The interval velocity of the second layer is \_\_\_\_\_\_ m/s. (GATE GG 2018)

Reflection Event	$V_{\rm rms}$ (m/s)	$t_0$ (s)
1	1500m/s	0.2s
2	1600m/s	0.3s
3	1700m/s	0.4s

TABLE 81: Given Values

- 82) A spherically symmetric vector field  $\mathbf{g}(r)$  satisfies  $\nabla \cdot \mathbf{g}(r) = -r$ . The flux of the vector field through a sphere of unit radius is \_\_\_\_\_\_\_. (Use  $\pi = 3.14$ ) (GATE GG 2018)
- 83) A horizontally travelling surface wave with wavelength 20 m is attenuated by a linear uniform array of 4 receivers. The minimum receiver spacing is \_\_\_\_\_\_ m. (GATE GG 2018)
- 84) An end-on marine survey is carried out with equal shot and receiver spacing. If the total number of shots fired is 50 and the total number of traces recorded is 10000, the maximum fold of the survey is \_\_\_\_\_\_ (GATE GG 2018)
- 85) The highest singular value of the matrix  $G = \begin{pmatrix} 1 & 2 & 1 \\ -1 & 2 & 0 \end{pmatrix}$  is \_\_\_\_\_\_. (GATE GG 2018)

#### END OF THE QUESTION PAPER