# GATE 2024 BT24S3

## EE25BTECH11045 - P.Navya Priya

August 16, 2025 Biomedical Engineering(BM)

## General Aptitude(GA)

## Q.

1-	Q.5 Carry ON	E mark Each		
1.	$mer \longrightarrow see the -$	_	gous to [break $\longrightarrow$ r	ing of the words [simaze→].Which
				(GATE BM 2024)
	(a) obfuscate	(b) obliterate	(c) fracture	(d) fissure
2.	In a locality, the h	ouses are numbered i	n the following way	:
	from 301, while the	he house-numbers on	the other side of the	e odd integers starting e road are consecutive es is the same on both
		of the sum of the house of houses of		n the two sides of the pad is
				(GATE BM 2024)
	(a) 27	(b) 52	(c) 54	(d) 26
3.	For positive integer	ers $p$ and $q$ , with $\frac{p}{q} \neq$	$1, \left(\frac{p}{q}\right)^{\frac{p}{q}} = p^{\left(\frac{p}{q}-1\right)}$ . Th	en,
		•		(GATE BM 2024)
	(a) $q^p = p^q$	(b) $q^p = q^{2q}$	(c) $\sqrt{q} = \sqrt{p}$	(d) $\sqrt[q]{q} = \sqrt[q]{p}$

4. Which one of the given options is a possible value of *X* in the following sequence?


3, 7, 15, *X*, 63, 127, 255

(a) 35	(b) 40	(c) 45	(d) 31
5. On a given day	y, how many times w	ill the second-hand	and the minute-hand of a ours to 12:55:00 hours?  (GATE BM 2024)
(a) 51	(b) 49	(c) 50	(d) 55
Q.6-Q.10 Car	ry TWO marks Eac	h	
the blanks. From the ancie the potential fo artist twists his gins to cross-st	nt Athenian arena to to a spectacle. The cross body, stretching the tep. Six cross-steps  like a door turning	he modern Olympic wd <u>(ii)</u> with ba javelin behind him. (iii) in an abrup	stadiums, athletics (i) ted breath as the Olympian Twelve strides in, he be- t stop on his left foot. As yelin is launched skyward  (GATE BM 2024)
(a) (i)hold	(ii)waits (iii)cu	lminates (iv)pivo	ot
(b) (i)holds	(ii)wait (iii)cu	lminates (iv)pivo	ot
(c) (i)hold	(ii)wait (iii)cul	minate (iv)pivots	
(d) (i)holds	(ii)waits (iii)c	ulminate (iv)pivo	ots
7. Three distinct sets of indistinguishable twins are to be seated at a circular table that has 8 identical chairs. Unique seating arrangements are defined by the relative positions of the people.  How many unique seating arrangements are possible such that each person is sitting next to their twin?			
			(GATE BM 2024)
(a) 12	(b) 14	(c) 10	(d) 28

EE25BTECH11045

Biomedical Engineering(BM)

8. The chart given below compares the Installed Capacity (MW) of four power generation technologies, T1, T2, T3, and T4, and their Electricity Generation (MWh) in a time of 1000 hours (h).



The Capacity Factor of a power generation technology is:

Capacity Factor = 
$$\frac{\text{Electricity Generation (MWh)}}{\text{Installed Capacity (MW)} \times 1000 \text{ (h)}}$$
(GATE BM 2024)

(a) T1 (b) T2 (c) T3 (d) T4

9. In the 4  $\tilde{A}$  4 array shown below, each cell of the first three columns has either a cross (X) or a number, as in the given rule.

1	1	2	
2	Χ	3	
2	Χ	4	
1	2	Χ	

**Rule:** The number in a cell represents the count of crosses around its immediate neighboring cells (left, right, top, bottom, diagonals).

As per this rule, the **maximum** number of crosses possible in the empty column is

(GATE BM 2024)

(a) 0

(b) 1

(c) 2

(d) 3

10. During a half-moon phase, the Earth-Moon-Sun form a right triangle. If the Moon-Earth-Sun angle at this half-moon phase is measured to be 89.85°, the ratio of the Earth-Sun and Earth-Moon distances is closest to

(GATE BM 2024)

(a) 328

(b) 382

(c) 238

(d) 283

#### Q.11 - Q.35 Carry ONE mark Each

11. What is the value of the following complex line integral counter-clockwise?

$$\oint_{|z|=3} \frac{8}{z(z-2)(z-4)} dz$$

(GATE BM 2024)

(a)  $+j2\pi$ 

(b)  $-i2\pi$  (c)  $-i10\pi$ 

(d)  $+j10\pi$ 

12. To solve the equation  $x = 2 \cos x$  using Newton-Raphson's method, which one of the following iterations should be used?

(GATE BM 2024)

(a) 
$$x_{n+1} = x_n - \frac{x_n - 2\cos x_n}{1 + 2\sin x_n}$$

(b) 
$$x_{n+1} = x_n + \frac{x_n - 2\cos x_n}{1 + 2\sin x_n}$$

(c) 
$$x_{n+1} = x_n + \frac{1+2\sin x_n}{x_n - 2\cos x_n}$$

(d) 
$$x_{n+1} = x_n - \frac{1+2\sin x_n}{x_n - 2\cos x_n}$$

13. During the repolarization phase of a neuron, the cell is brought back to the resting potential by the action of a Sodium-Potassium pump. Which one of the following statements is **TRUE** for the active transport of Na+ and K+ ions through the cell membrane?

- (a) For every 3 Na+ transported out of the cell 2 K+ is transported into the cell.
- (b) For every 3 Na<sup>+</sup> transported into the cell 2 K<sup>+</sup> is transported out of the cell.
- (c) For every 2 Na<sup>+</sup> transported out of the cell 3 K<sup>+</sup> is transported into the cell.
- (d) The ratio of Na<sup>+</sup> and K<sup>+</sup> transport is always equal to one.
- 14. The cardiac rhythm in a healthy human heart originates from \_\_\_\_\_.

  (GATE BM 2024)
  - (a) Sinu-atrial node (SA)
  - (b) Atrio-ventricular node (AV)
  - (c) Aorta
  - (d) Right atria
- 15. Which one of the following events is NOT typically encountered in diagnostic X-ray projection radiography?

- (a) Pair production
- (b) Photoelectric absorption
- (c) Compton scattering
- (d) Characteristic radiation
- 16. Which of the following statements is **TRUE** for a PET imaging system?

(GATE BM 2024)

- (a) Two coincident photons of 511 keV energy are detected 180° apart.
- (b) Photons of 51.1 keV energy are detected 360° around the body.
- (c) Photons of energy 511 keV are detected 360° around the body.
- (d) Coincident photons with 51.1 keV energy are detected 180° apart.
- 17. Consider the following layers: subcutaneous fat, viable epidermis, stratum corneum, and dermis. Which one of the following represents the correct sequence of the layers from skin surface to within?

- (a) Dermis, subcutaneous fat, viable epidermis, stratum corneum
- (b) Dermis, viable epidermis, subcutaneous fat, stratum corneum
- (c) Stratum corneum, viable epidermis, dermis, subcutaneous fat
- (d) Viable epidermis, stratum corneum, dermis, subcutaneous fat

18. Bioglass 45S5 has a composition of \_\_\_\_\_.

(GATE BM 2024)

- (a) wt%  $SiO_2$  and 5:1 molar ratio of Calcium to Phosphorus.
- (b) 45 wt% Hydroxyapatite and 5 wt%  $SiO_2$ .
- (c) 45 wt% Hydroxyapatite and 5:1 molar ratio of CaO and  $Ca3(PO_4)_2$ .
- (d) 45 wt% SiO<sub>2</sub> and 5 wt% Hydroxyapatite.
- 19. Marcophages that are resident in the liver are

(GATE BM 2024)

- (a) Histiocyte cells
- (b) Langerhans cells
- (c) Kupffer cells
- (d) Fibroblast cells
- 20. Which one of the following drug release kinetic curves will be ideal for developing an implantable slow-release drug delivery device?

(GATE BM 2024)











21. The Bode plot of a 2<sup>nd</sup> order low pass filter is shown in the figure below. What is the frequency at which the attenuation is 80 dB?



- (a) Negative level triggered D-latch
- (b) Positive level triggered D-latch
- (c) Negative edge triggered D-flip-flop
- (d) Positive edge triggered D-flip-flop
- 22. The Fourier transform of  $e^{-|2t|}$  is .

(GATE BM 2024)

- (a)  $\frac{4}{4-\omega^2}$
- (b)  $\frac{4}{4+\omega^2}$  (c)  $\frac{2}{2+\omega}$
- (d)  $\frac{2}{2+\omega}$
- 23. The Bode plot of a 2<sup>nd</sup> order low pass filter is shown in the figure below. What is the frequency at which the attenuation is 80 dB?



- (a) 10 kHz
- (b) 10 MHz
- (c) 100 kHz
- (d) 100 MHz
- 24. The input x(t) and the output y(t) of a linear time invariant system are related as follows:

$$y(t) + \frac{dy(t)}{dt}0.5\frac{d^2y(t)}{dt^2} = x(t) + 0.1\frac{dx(t)}{dt}$$

What is the Laplace transform of the impulse response of the system?

(GATE BM 2024)

- (a)  $\frac{0.5s^2+s+1}{0.1s+1}$
- (b)  $\frac{0.1s+1}{0.5s^2+s+1}$
- (c)  $\frac{0.1s+s^2}{s^2+s+0.5}$
- (d)  $\frac{s^2+s+0.5}{0.1s^2+s}$
- 25. Match the different chambers/locations of a healthy human heart in Column-1 to the ranges of **diastolic** pressures in Column-2.

	Column-1		Column-2
(P)	Arterial	(I) Z	2-6 mm Hg
(Q)	Pulmonary artery	(II)	8-12 mm Hg
(R)	Right ventricle	(III)	60-80 mm Hg

(GATE BM 2024)

- (a) (P) (II), (Q) (III), (R) (I)
- (b) (P) (II), (Q) (I), (R) (III)
- (c) (P) (III), (Q) (II), (R) (I)
- (d) (P) (III), (Q) (I), (R) (II)
- 26. Which of the following is/are **NOT TRUE** about photoreceptor cells in a healthy human retina?

(GATE BM 2024)


- (a) The distribution of rod and cone cells is uniform all over the retina.
- (b) The number of rods are higher than the number of cones in the retina.
- (c) Rods contain photopsin pigment.
- (d) Cones are responsible for colour vision in bright light.
- 27. A monochromatic beam of  $\gamma$ -ray photons is incident on a homogenous tissue. Which of the following relationships hold(s) **TRUE** for the half-value layer thickness?

- (a) The first half-value layer is thicker than the second half-value layer.
- (b) The second half-value layer is thicker than the first half-value layer.
- (c) All the half-value layers have equal thickness.
- (d) The ratio of thickness of the first and second half-value layers change based on the intensity of the incident beam.

,
8. A group of four people were residing together when a new virus was detected. If the probability of each person being infected is 0.1, then the probability that at least two of them are infected is Give your answer rounded off to 3 decimal places.
(GATE BM 2024)
9. A random noise signal with Gaussian distribution has a mean of zero and a standard deviation of 1 mV. The probability that an instantaneous measurement of this signal is greater than 2 mV or lesser than -2 mV is Give your answer as a percentage rounded off to the nearest integer.
(GATE BM 2024)
0. The trigonometric Fourier series expansion of the periodic function in the figure has coefficients $a_n$ and $b_n$ for cosine and sine terms, respectively. The value of $a_1/a_3$ is Give your answer rounded off to 1 decimal place.
1. A cylindrical engineered tissue was developed with a diameter of 2 cm, height of 3cm and Youngâs modulus of 20 MPa. If an axial tensile force of 10 N is applied, the percentage change in the height of the tissue is%. Give your answer rounded off to 2 decimal places.
(GATE BM 2024)
2. The measured current through a device is 5 A, the voltage measured across the device is 20 V. The ammeter and the voltmeter used for these measurements have a measurement uncertainty of 1% each. The maximum error in estimation of impedance of the device is mΩ. Give your answer rounded to the nearest integer.
(GATE BM 2024)
3. The Larmor frequency of a Na nucleus when placed in a magnetic field strength of 3 T is (The gyromagnetic ratio of Na is given as $\gamma = 11.26$ MHz/T.) Give your answer in MHz rounded off to the nearest integer.
(GATE BM 2024)
4. A Doppler ultrasound transducer operating at 5 MHz gave maximum output fre-

quency shift of 3 kHz. The velocity of sound in blood is 1500 m/s. If the probe

was held at an angle of 45° to the direction of blood flow, the maximum velocity of blood flow through the artery is \_\_\_\_ m/s. (Give your answer rounded off to two decimal places.)



(BM 2024)

35. The wavelength of the peak emission from a human body at a temperature of  $37^{\circ}$  due to black-body radiation is \_\_\_\_\_  $\mu$ m. The value of Wienâs displacement constant is  $2.898 \times 10^{-3}$  m K. (Give your answer rounded off to 2 decimal places.) (GATE BM 2024)

#### Q.36 - Q.65 Carry TWO marks each

36. If 
$$A = \begin{pmatrix} 1 & -1 \\ 2 & -2 \end{pmatrix}$$
, the eigenvalues of  $A$  are \_\_\_\_\_\_.

(GATE BM 2024)

(a) 
$$-1$$
 and 0

(b) 
$$-1$$
 and  $+1$  (c)  $-1$  and  $-1$ 

(c) 
$$-1$$
 and  $-1$ 

(d) 
$$+1$$
 and 0

37. Consider a system of the following two partial differential equations:

$$\frac{\partial \alpha}{\partial x} = -2\frac{\partial \beta}{\partial t}$$

$$\frac{\partial \beta}{\partial x} = -2 \frac{\partial \alpha}{\partial t}$$

Which one of the following choices is a possible solution for the system?

(a) 
$$\alpha(t, x) = (x - t)^2 + (x + t)^2$$
 and  $\beta(t, x) = (x - t)^2 - (x + t)^2$ .

(b) 
$$\alpha(t, x) = (x - 2t)^2 + (x + 2t)^2$$
 and  $\beta(t, x) = (x - 2t)^2 - (x + 2t)^2$ .

(c) 
$$\alpha(t, x) = \left(x - \frac{t}{2}\right)^2 + \left(x + \frac{t}{2}\right)^2$$
 and  $\beta(t, x) = \left(x - \frac{t}{2}\right)^2 - \left(x + \frac{t}{2}\right)^2$ 


(d) 
$$\alpha(t, x) = \left(x - \frac{t}{2}\right)^2 + 2\left(x + \frac{t}{2}\right)^2$$
 and  $\beta(t, x) = 2\left(x - \frac{t}{2}\right)^2 - \left(x + \frac{t}{2}\right)^2$ 

38. The end-diastolic ventricular volume is found to be 125 mL and the end-systolic ventricular volume is found to be 50 mL. If the heart rate is 65 beats/minute, what is the cardiac output in liters per minute? (Rounded off to 2 decimal places.)

(GATE BM 2024)


- (a) 3.25
- (b) 4.88
- (c) 5.20
- (d) 3.00
- 39. Which of the following waveforms represents the output  $V_o$  of the circuit given below? The Zener diode used has a Zener breakdown voltage of 1 V and can be assumed ideal while in forward bias.

(GATE BM 2024)



40. In magnetic resonance imaging (MRI), pulse repetition time (T R), time to echo (T E),  $T_1$  relaxation time,  $T_2$  relaxation time are some of the important pulse sequence design parameters. Which one of the following specifications is used for proton density weighted imaging?

- (a)  $TR >> T_1, TE << T_2$
- (b)  $TR >> T_1, TE >> T_2$
- (c)  $TR \ll T_1, TE \ll T_2$
- (d)  $TR << T_1, TE >> T_2$
- 41. An orthopaedic implant when monitored over 6 months showed the following normalized curves for polymer molecular weight (MW), mass of implant and mechanical strength. Among the choices, what is the most probable reason for the observed changes?



- (a) Bulk erosion
- (b) Surface erosion
- (c) Bulk initially followed by surface erosion
- (d) No erosion but mechanical breakage due to injury
- 42. In an attempt to integrate engineered tissue with native tissue, three samples of engineered tissue, X, Y, Z, with identical material properties, were co-cultured adjacent to three different native tissues (bone, cartilage and liver). The adhesive strengths of X, Y, Z were observed after 8 weeks as follows.

Adhesive strength for X = 150 kPa, Y = 250 kPa, Z = 350 kPa


Match the native tissue that were used to co-culture X, Y and Z from the following.

I: Liver Tissue

II: Articular Cartilage

III: Devitalized Bone

- (a) X with I, Y with II and Z with III
- (b) X with II, Y with III and Z with I
- (c) X with I, Y with III and Z with II
- (d) X with III, Y with II and Z with I
- 43. In a catheter-sensor system to measure blood pressure (P) as shown in the below figure, the liquid resistance ( $R_L$ ) of the catheter is due to friction between shearing molecules flowing through the catheter. Which of the following is **TRUE** for  $R_L$  if only the radius of the catheter is doubled. Assume that the pressure difference across the catheter segment is fixed.




- (a)  $R_L$  will decrease by 16 times
- (b)  $R_L$  will decrease by 8 times
- (c)  $R_L$  will decrease by 4 times
- (d)  $R_L$  will decrease by 2 times
- 44. What is the value of the following integral using the residue integration method?


$$\int_{-\infty}^{\infty} \frac{dx}{1 + x^4}$$

(GATE BM 2024)

- (a)  $\frac{\pi}{\sqrt{2}}$
- (b)  $\frac{\pi}{2\sqrt{2}}$
- (c)  $\frac{\pi}{4}$
- (d)  $\frac{\pi}{2}$
- 45. A neurologist needs to observe the alpha wave in EEG recordings of a patient. The system block diagram with ideal filter blocks is shown below. Which one of the following design choices is correct?




- (a) fh = 8 Hz, fl = 12 Hz, fs = 12 Hz
- (b) fh = 4 Hz, fl = 6 Hz, fs = 24 Hz
- (c) fh = 6 Hz, fl = 4 Hz, fs = 12 Hz
- (d) fh = 8 Hz, fl = 12 Hz, fs = 48 Hz
- 46. In the circuit below, what is the value of  $I_L$  to transfer the maximum power to load?



- (a) 3 A
- (b) 6 A
- (c) 4 A
- (d) 2 A
- 47. A mechanical ventilator operating in volume controlled mode is set to deliver 600mL of tidal volume (TV) with a flow rate of 40 L/min. The frequency of breathing is set to 10 breaths per minute. If the flow rate is doubled which one of the following happens?


- (a) The inspiratory time will increase.
- (b) The expiratory time will increase.
- (c) The tidal volume will increase.
- (d) The frequency of breathing will decrease.
- 48. The X-ray attenuation coefficients as a function of photon energy for three materials are shown in the figure below. A tissue phantom containing these three materials is imaged at two different X-ray photon energies of 50 keV and 150 keV. When the developed X-ray film is viewed, which of the following statements is/are TRUE?



- (a) Bone will appear relatively brighter than DCA in 50 keV.
- (b) Bone will appear relatively brighter than DCA in 50 keV.
- (c) Bone will appear relatively brighter than DCA in 150 keV.
- (d) DCA will appear relatively brighter than bone in 150 keV.
- 49. Which of the following is/are **TRUE** for a surface electromyography (sEMG) signal of a muscle experiencing fatigue?

(GATE BM 2024)

- (a) The median frequency of power spectral density of sEMG will decrease.
- (b) The median frequency of power spectral density of sEMG will increase.
- (c) The root mean square (RMS) value of sEMG will increase.
- (d) The root mean square (RMS) value of sEMG will decrease
- 50. For  $\mathbf{F} = (x+y)\hat{i} + (x+y)\hat{j}$  the value of  $\oint \mathbf{F} \cdot d\hat{r}$  along the path shown in the figure is \_\_\_\_. Give your answer as an integer.



51. The approximate total cross sectional areas of various types of blood vessels are given below. It was estimated that the velocity of blood in the aorta is 30 cms<sup>-1</sup>. The time it will take for the blood to travel through a capillary of length 0.5 mm is \_\_\_\_ seconds. Give your answer rounded off to two decimal places.

vessel type	Approximation total cross sectional area (cm <sup>2</sup> )
Aorta	4.5
Artery	20
Arteriole	400
Capillary	4500
Venule	40
Vein	15

(GATE BM 2024)

52. A DNA extract solution with a concentration of 15 ng/ $\mu$ L placed in a microcuvette of sample thickness 0.5 mm gave an absorbance of 0.24 at a wavelength of 260 nm in a spectrophotometer. After further concentration, the sample was found to give an absorbance of 0.38 at the same wavelength under identical conditions. The final concentration of the sample is \_\_\_\_ ng/ $\mu$ L. (Give your answer rounded off to 2 decimal places.)

(GATE BM 2024)

53. An X-ray beam of initial intensity  $I_o$  of 70 keV imaging the chest is assumed to undergo attenuation through the muscle tissue for a thickness of 16 cm and further through the bone tissue for a thickness of 4 cm. The half value layer (HVL) thicknesses for the muscle and bone are 3.5 cm and 1.8 cm, respectively. The percentage of X-ray intensity transmitted through the body is \_\_\_\_\_. Give your answer rounded off to 2 decimal places.

(GATE BM 2024)

54. A person standing one meter away from a 4000 curie radioactive source receives a lethal dose of radiation in about 5 minutes. At 3 meters away from the same source, the time in which he will receive the same lethal dose is \_\_\_\_\_minutes. Give your answer rounded off to the nearest integer.

(GATE BM 2024)

55. If a circular ultrasound transducer of radius a = 8 mm operating at a central frequency of 1 MHz has a pressure beam pattern in a medium as given below:


$$p(r,0) \propto \sin \frac{ka^2}{4r}$$

Here, k is the wave number, r is the axial distance from the center of aperture. The speed of sound in the medium is  $1600 \text{ ms}^{-1}$ 

The reduction in intensity between r=8 cm and r=16 cm is \_\_\_\_\_ dB. Give your answer as a positive quantity rounded off to two decimal places.


(GATE BM 2024)

56. The source in the figure is a current source and the circuit is in steady state. At  $t = 0.5\pi$  seconds, the value of **v** in the circuit given below is \_\_\_\_\_ volts. Give your answer rounded off to 2 decimal digits.



(GATE BM 2024)

57. The equivalent impedance,  $Z_{AB}$ , in the circuit given below is \_\_\_\_  $\Omega$ . Give your answer rounded off to one decimal place.




(GATE BM 2024)

58. The bandwidth of ECG signal ranges from 0.5 Hz to 100 Hz. If a single ADC is used to digitize data from 8 ECG channels then the minimum ADC sampling rate is \_\_\_\_\_ Hz. Give your answer rounded off to the nearest integer.

- 59. If x[n] = u[n] u[n-5], and  $h[n] = \delta[n] \delta[n-1]$  and y[n] = x[n] + h[n]. then the value of  $\sum_{n=-\infty}^{\infty} y[n]$  is \_\_\_\_\_. Give your answer rounded off to the nearest integer. (GATE BM 2024)
- 60. In the figure below, the diode is ideal. The current reading shown in the ammeter is \_\_\_\_\_ A. Give your answer rounded off to the nearest integer.


(GATE BM 2024)



61. In the figure below, the Fourier series of v(t), in volts, is given as:

$$v(t) = v_o + 2\cos(\omega_o t) + \cos(5\omega_o t)$$

The capacitor is a short circuit for all AC signals. The power absorbed by the  $1\Omega$  resistor is \_\_\_\_\_ W. Give your answer rounded off to the nearest integer.



62.	An artificial fore-arm has a moment-of-inertia around the center of mass as 0.3kg.m <sup>2</sup> .
	The mass of the artificial fore-arm is 3 kg. If the distance from the elbow joint
	to the center of mass of the fore-arm is 20 cm, the moment-of-inertia of the fore-
	arm about the elbow joint is kg.m <sup>2</sup> . Give your answer rounded off to two
	decimal places.

63. A bio-potential signal of 4 mV on the skin surface was fed to an amplifier with a differential gain of 2000. The noise in the signal is 1000 mV. If the amplifier output produces a noise output of 200 mV, the common mode rejection ratio of the amplifier is \_\_\_\_\_ dB. Give your answer rounded to the nearest integer.

(GATE BM 2024)

64. In a motor nerve conduction velocity experiment, the distance between the distal and the recording sites is 4 cm and the distance between the proximal and the recording sites is 24 cm. The distal and proximal latencies were recorded as 6 ms and 10 ms, respectively. The nerve conduction velocity is \_\_\_\_\_ meters per second. Give your answer rounded off to the nearest integer.

(GATE BM 2024)

65. A person creates an apparatus as shown in the figure to exercise the extensor muscle of the hand. It is given that OP = 0.15 m, OQ = 0.35 m,  $\theta = 30^{\circ}$ , the weight of the lower arm = 20 N, the center of mass of the lower arm is at point P, the magnitude of the applied tensile force F = 50 N. If the extensor muscle is acting with a moment arm of 0.25 m, the muscle force required to hold the hand at the position shown in the figure \_\_\_\_N. Give your answer rounded off to the nearest integer.

