

Num of Trains=10 (5 up, 5 down)  
 End\_sim\_time = 30000,  
 getSpottingNowTime = 21000,  
 peakThres=5 (500 meters both sides)  
 PosConf calculated for each point at distance of= 100 meters  
 Starting time gap between trains=30 min (1800 sec)  
 Halt\_time\_of\_Train = 20 sec  
 Speed\_of\_The\_Train = 14 m/sec (50.4 km/h)

## 0.1 No. of passengers=10

### 0.1.1 western up route

Table 1: Ground truth value		Table 2: Estimated Value		
<i>Positions</i>	<i>NearestEstDis</i>	<i>Positions</i>	<i>NearestTruthDis</i>	<i>PosConf</i>
m	m	m	m	
17 886.00	14.00	17 900.00	14.00	1.00
40 278.00	22.00	40 300.00	22.00	1.00
64 082.00	18.00	64 100.00	18.00	1.00
88 444.00	56.00	88 500.00	56.00	1.00
		115 200.00	26 756.00	0.25
		115 300.00	26 856.00	0.25

### 0.1.2 western down route

Table 3: Ground truth value		Table 4: Estimated Value		
<i>Positions</i>	<i>NearestEstDis</i>	<i>Positions</i>	<i>NearestTruthDis</i>	<i>PosConf</i>
m	m	m	m	
3114.00	86.00	3200.00	86.00	1.00
20 066.00	34.00	17 400.00	2666.00	1.00
43 026.00	74.00	20 100.00	34.00	1.00
66 824.00	76.00	43 100.00	74.00	1.00
90 896.00	4.00	66 900.00	76.00	1.00
115 254.00	24 354.00	90 900.00	4.00	1.00

Num of Trains=10 (5 up, 5 down)  
 End\_sim\_time = 30000,  
 getSpottingNowTime = 21000,  
 peakThres=5 (500 meters both sides)  
 PosConf calculated for each point at distance of= 100 meters  
 Starting time gap between trains=30 min (1800 sec)  
 Halt\_time\_of\_Train = 20 sec  
 Speed\_of\_The\_Train = 14 m/sec (50.4 km/h)

## 0.2 No. of passengers=10

### 0.2.1 central up route

Table 5: Ground truth value		Table 6: Estimated Value		
<i>Positions</i>	<i>NearestEstDis</i>	<i>Positions</i>	<i>NearestTruthDis</i>	<i>PosConf</i>
m	m	m	m	
10 918.00	82.00	11 000.00	82.00	1.00
16 406.00	94.00	16 500.00	94.00	1.00
33 324.00	76.00	33 400.00	76.00	1.00
39 080.00	20.00	38 300.00	780.00	1.00
		39 100.00	20.00	1.00

### 0.2.2 central down route

Table 7: Ground truth value		Table 8: Estimated Value		
<i>Positions</i>	<i>NearestEstDis</i>	<i>Positions</i>	<i>NearestTruthDis</i>	<i>PosConf</i>
m	m	m	m	
1720.00	80.00	1800.00	80.00	1.00
10 076.00	24.00	10 100.00	24.00	1.00
23 278.00	22.00	23 300.00	22.00	1.00
32 474.00	26.00	32 500.00	26.00	1.00
46 244.00	56.00	46 300.00	56.00	1.00
51 718.00	82.00	51 800.00	82.00	1.00

Num of Trains=10 (5 up, 5 down)  
 End\_sim\_time = 30000,  
 getSpottingNowTime = 21000,  
 peakThres=5 (500 meters both sides)  
 PosConf calculated for each point at distance of= 100 meters  
 Starting time gap between trains=30 min (1800 sec)  
 Halt\_time\_of\_Train = 20 sec  
 Speed\_of\_The\_Train = 14 m/sec (50.4 km/h)

### 0.3 No. of passengers=10

#### 0.3.1 harbour up route

Table 10: Estimated Value

Table 9: Ground truth value				
<i>Positions</i>	<i>NearestEstDis</i>	<i>Positions</i>	<i>NearestTruthDis</i>	<i>PosConf</i>
m	m	m	m	
3640.00	60.00	3700.00	60.00	1.00
11 114.00	86.00	11 200.00	86.00	1.00
25 760.00	40.00	25 000.00	760.00	1.00
33 526.00	74.00	25 800.00	40.00	1.00
35 274.00	26.00	33 200.00	326.00	1.00
		33 600.00	74.00	1.00
		35 300.00	26.00	1.00

#### 0.3.2 harbour down route

Table 12: Estimated Value

Table 11: Ground truth value				
<i>Positions</i>	<i>NearestEstDis</i>	<i>Positions</i>	<i>NearestTruthDis</i>	<i>PosConf</i>
m	m	m	m	
9880.00	20.00	9900.00	20.00	1.00
17 082.00	18.00	17 100.00	18.00	1.00
18 844.00	56.00	18 700.00	144.00	1.00
40 034.00	66.00	18 900.00	56.00	1.00
41 796.00	4.00	39 700.00	334.00	1.00
		40 100.00	66.00	1.00
		41 800.00	4.00	1.00