

Lecture: 2-1

- Prerequisites for this lecture are: 1-1 and .

John Romero Programming Proverbs

- 2. “It’s incredibly important that your game can always be run by your team. Bulletproof your engine by providing defaults (for input data) upon load failure.”
- John Romero, “The Early Days of Id Software - John Romero @ WeAreDevelopers Conference 2017”

Python

- Python is a scripting language

Python Gotha's

- blocks are defined by indentation!
- turn off tabs in your favourite editor
- in your own programs examples never create a name clash with a Python library module
- Python2 vs Python3
 - we will be using Python3

Python verses similar tools

- Python is a scripting language
 - it can be compiled if necessary to increase speed
- is more powerful than many other scripting languages, Tcl
 - applicable to larger systems development (games, net admin)
- has a much cleaner syntax than Perl
 - easier to maintain
- does not compete head on with Java
 - Java is a systems language like C++

Python and games

- examples of games which use Python `<http://wiki.python.org/moin/PythonGames>`

Python can be simple



```
#!/usr/bin/python3  
print("hello world")
```

Python Modules allow for problem decomposition

- similar to Modula-2

- myfile.py

```
#!/usr/bin/python3  
  
title = "hello world"
```

- foo.py

```
#!/usr/bin/python3  
  
import myfile  
print(myfile.title)
```

- when run prints hello world

Alternative import



bar.py

```
#!/usr/bin/python3  
  
from myfile import title  
print(title)
```

- note that all python modules need to be saved as *name.py*
 - so in our example the module `myfile` was saved into a file called `myfile.py`

Python builtin types

- python contains many builtin types
 - use them..
- builtin objects make simple programs easy to understand
 - lists, dictionaries, exist, don't reinvent the wheel
- built in objects are more efficient than custom data types

Builtin objects



numbers	3.14159, 1234
strings	'spam', "fred's"
lists	[1, [2, 'three'], 4]
dictionaries	{ 'food': 'spam', 'taste': 'yum' }
tuples	(1, 'spam', 4, 'U')
files	text=open('/etc/passwd', 'r').read()

Expression operators

■ or, and, not

logical operators (short circuit)

<, <=, >, >=, ==, <>, !=

comparison operators

x | y

bitwise or

z & y

bitwise and

x << y

shift left by y bits

x >> y

shift right by y bits

x[i]

indexing

x[i:y]

slicing

x.y

qualifying (imports)

x(y)

function calls

Strings

- concatenation via +
 - repeated via *
-