

## John Romero Programming Proverbs

- 8. “Write your code for this game only - not for a future game. You’re going to be writing new code later because you’ll be smarter.”
- John Romero, “The Early Days of Id Software - John Romero @ WeAreDevelopers Conference 2017”

## Finishing implementation of health (server side)

- so far the Python bot can call the server and we always get the value 42!
- need to find the real value of the server side bot health
- the health is contained inside the structure `entity_t` and can be accessed via the `entities` array

## Finishing implementation of health (server side)

■ `$HOME/Sandpit/ioquake-latest/ioquake3/code/game/ai_main.c`

```
void  
call_trap_rpc (int client, int character)  
{  
    g_entities[client].info.health = g_entities[client].health;  
    trap_CheckRPC(client, character, &g_entities[client].info);  
}
```

- notice that `call_trap_rpc` copies the health value into an parameter area before calling `trap_CheckRPC`

## New file

■ `$HOME/Sandpit/ioquake-latest/ioquake3/code/botlib/pybotinfo.h`

```
#if !defined (PYBOTINFO_H)
#  define PYBOTINFO_H

typedef struct pybotinfo_s {
    int health;
    // you can obviously extend this struct to contain more useful data
} pybotinfo;

#endif
```

## New file

- this is included from within `g_local.h`

- `$HOME/Sandpit/ioquake-latest/ioquake3/code/game/g_local.h`

```
#if !defined(G_LOCAL_H)
# define G_LOCAL_H
#include "../qcommon/q_shared.h"
#include "bg_public.h"
#include "g_public.h"
#include "../botlib/pybotinfo.h"

...
```

## be\_ai\_char.c

■ `$HOME/Sandpit/ioquake-latest/ioquake3/code/botlib/be_ai_char.c`

```
int dohealth (void *p)
{
    py_bot_t *py = (py_bot_t *)p;

    returnInt (p, py->info->health);
    return qtrue;
}
```

## Obtaining a copy with health implemented server side

- you don't need to get this copy, but if you want the all health changes then this version has the complete changes applied

- ```
$ ssh mcgreg.comp.glam.ac.uk
<enter your linux password>
$ cd $HOME/Sandpit
$ wget http://floppsie.comp.glam.ac.uk/download/c/ioquake-20161114.tar.gz
$ rm -rf ioquake-latest
$ tar xzf ioquake-20161114.tar.gz
$ exit
# your command line is back on the client
$ cd $HOME/Sandpit/ioquake-latest3/ioquake
$ ./compilequake
```