

## Task #26

### Requests in Postman

<https://petstore.swagger.io/v2/swagger.json>

#### GET Login

The screenshot shows the Postman interface with a GET request configured. The URL is `https://petstore.swagger.io/v2/user/login?username=nova&password=psnova`. The request is part of a collection named 'Collection Petstore' under the 'Users' folder. The 'Query Params' section shows two parameters: 'username' with value 'nova' and 'password' with value 'psnova'. The response is displayed in the 'Body' tab, showing a JSON object with status 200, type 'unknown', and a message 'logged in user session:1696253370780'.

Key	Value	Description
username	nova	
password	psnova	

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "logged in user session:1696253370780"
5 }
```

#### POST Create user

The screenshot shows the Postman interface with a POST request configured. The URL is `https://petstore.swagger.io/v2/user`. The request is part of a collection named 'Collection Petstore' under the 'Users' folder. The 'Body' tab is selected, showing a JSON object with user details. The response is displayed in the 'Body' tab, showing a JSON object with status 200, type 'unknown', and a message '9223372836854758867'.

```
1 {
2   "id": 0,
3   "username": "nova",
4   "firstName": "G",
5   "lastName": "B",
6   "email": "novapost",
7   "password": "psnova",
8   "phone": "phonenova",
9   "userStatus": 0
10 }
```

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "9223372836854758867"
5 }
```

## GET Get user by user name

The screenshot shows the Postman interface with a GET request configured. The URL is `https://petstore.swagger.io/v2/user/{username}`. The request is sent, and the response is displayed in the 'Body' tab, showing a JSON object with user details.

**Request:**

- Method: GET
- URL: `https://petstore.swagger.io/v2/user/{username}`

**Response:**

```
1 {
2   "id": 9223372636854758658,
3   "username": "nova",
4   "firstName": "G",
5   "lastName": "B",
6   "email": "postnova",
7   "password": "xxnova",
8   "phone": "novaphone",
9   "userStatus": 0
10 }
```

## PUT Update user

The screenshot shows the Postman interface with a PUT request configured. The URL is `https://petstore.swagger.io/v2/user/{username}`. The request body is set to raw JSON. The request is sent, and the response is displayed in the 'Body' tab, showing a JSON object with a code, type, and message.

**Request:**

- Method: PUT
- URL: `https://petstore.swagger.io/v2/user/{username}`
- Body (raw):

```
1 {
2   "id": 0,
3   "username": "{{username}}",
4   "firstName": "Galyna",
5   "lastName": "Balakhtar",
6   "email": "postpost",
7   "password": "psnova",
8   "phone": "string",
9   "userStatus": 0
10 }
```

**Response:**

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "9223372636854759117"
5 }
```

## GET confirm update

The screenshot shows the Postman interface with a GET request configured. The URL is `https://petstore.swagger.io/v2/user/{username}`. The response is a JSON object with user details.

**Request:**

- Method: GET
- URL: `https://petstore.swagger.io/v2/user/{username}`

**Response:**

```
1 {
2   "id": 9223372836854758659,
3   "username": "nova",
4   "firstName": "Galyne",
5   "lastName": "Balakhtar",
6   "email": "postpost",
7   "password": "psnova",
8   "phone": "novaphone",
9   "userStatus": 0
10 }
```

Status: 200 OK, Time: 147 ms, Size: 488 B

## GET Logout

The screenshot shows the Postman interface with a GET request configured. The URL is `https://petstore.swagger.io/v2/user/logout`. The response is a JSON object with a success message.

**Request:**

- Method: GET
- URL: `https://petstore.swagger.io/v2/user/logout`

**Response:**

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "ok"
5 }
```

Status: 200 OK, Time: 472 ms, Size: 370 B

## DELETE Delete user

The screenshot shows the Postman interface with a workspace named 'My Workspace'. The left sidebar shows a collection 'Collection Petstore' with a sub-collection 'Users'. The 'DELETE Delete user' endpoint is selected. The main panel shows the request details for the DELETE method with the URL 'https://petstore.swagger.io/v2/user/{username}'. The 'Query Params' table is empty. The 'Body' tab is selected, showing a JSON response in 'Pretty' format: 

```
{  "code": 200,  "type": "unknown",  "message": "nova"}
```

. The status bar at the bottom indicates 'Status: 200 OK', 'Time: 559 ms', and 'Size: 372 B'.

Collection Petstore / Users / DELETE Delete user

DELETE <https://petstore.swagger.io/v2/user/{username}> Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers (8) Test Results Status: 200 OK Time: 559 ms Size: 372 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "nova"
5 }
```

## GET Confirm delete

The screenshot shows the Postman interface with the same workspace. The 'GET Get user by user name' endpoint is selected. The main panel shows the request details for the GET method with the URL 'https://petstore.swagger.io/v2/user/{username}'. The 'Query Params' table is empty. The 'Body' tab is selected, showing a JSON response in 'Pretty' format: 

```
{  "code": 1,  "type": "error",  "message": "User not found"}
```

. The status bar at the bottom indicates 'Status: 404 Not Found', 'Time: 440 ms', and 'Size: 385 B'.

Collection Petstore / Users / GET Get user by user name

GET <https://petstore.swagger.io/v2/user/{username}> Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers (8) Test Results Status: 404 Not Found Time: 440 ms Size: 385 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "code": 1,
3   "type": "error",
4   "message": "User not found"
5 }
```

# POST Place order

My Workspace

NewImport

Collection Petstore / Store / POST Place order

POST

https://petstore.swagger.io/v2/store/order

Send

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

JSON

1

2

3

4

5

6

7

8

"id": 6,

"petId": 8,

"quantity": 1,

"shipDate": "2023-10-02T15:36:13.203Z",

"status": "placed",

"complete": true

Body

Cookies

Headers (8)

Test Results

200 OK

Time: 479 ms

Size: 433 B

Save as Example

1

2

3

4

5

6

7

8

"id": 6,

"petId": 8,

"quantity": 1,

"shipDate": "2023-10-02T15:36:13.203+0000",

"status": "placed",

"complete": true

# GET Find order by ID order

My Workspace

NewImport

Collection Petstore / Store / GET Find order by ID

GET

https://petstore.swagger.io/v2/store/order/{orderId}

Send

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Query Params

Key

Value

Description

Bulk Edit

Key

Value

Description

Body

Cookies

Headers (8)

Test Results

200 OK

Time: 569 ms

Size: 433 B

Save as Example

1

2

3

4

5

6

7

8

"id": 6,

"petId": 8,

"quantity": 1,

"shipDate": "2023-10-02T15:36:13.203+0000",

"status": "placed",

"complete": true

# GET Get inventory by status

My Workspace

NewImport

Collection Petstore / Store / GET inventory by status

GET

https://petstore.swagger.io/v2/store/inventory

Send

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body

Cookies

Headers (8)

Test Results

Status: 200 OK Time: 612 ms Size: 532 B Save as Example

Pretty

Raw

Preview

Visualize

JSON

```
1{"name": 1,  
2  "sold": 8,  
3  "new_status_added": 1,  
4  "string": 601,  
5  "available": 1,  
6  "unavailable": 1,  
7  "pending": 10,  
8  "run away": 1,  
9  "available": 326,  
10 "update binz status": 1,  
11 "available": 1.  
12  
13
```

# DELETE Delete order by ID

My Workspace

NewImport

Collection Petstore / Store / DELETE Delete order by Id

DELETE

https://petstore.swagger.io/v2/store/order/{orderId}

Send

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body

Cookies

Headers (8)

Test Results

Status: 200 OK Time: 479 ms Size: 369 B Save as Example

Pretty

Raw

Preview

Visualize

JSON

```
1{"code": 200,  
2  "type": "unknown",  
3  "message": "6"  
4  
5
```