Advanced Systems Lab - Design

Lukas Elmer, Matthias Ganz

September 23, 2013

Table of content

Overview

Database

Messaging System

Client

Communication Protocol

Management Interface

Measurements

System Overview




Figure : System Overview

The messaging system utilizes a single database instance. On the logic tier multiple broker instances may be running. Each broker serves a certain number of clients.

Database Schema




Figure: Database Schema

Server

- Threading
- Java NIO (Reactor or Leader/Followers)

http://www.kircher-schwanninger.de/michael/publications/lf.pdf

Client to Broker Communication

Describe Communication between clients and broker

- simplified http, only http post
- xml over http with fixed content-length

Are we allowed to use this:

```
http://docs.oracle.com/javase/7/docs/jre/api/net/httpserver/spec/com/sun/net/httpserver/HttpServer.html HTTP in Java:
```

 $\label{lem:http://docs.oracle.com/javase/6/docs/jre/api/net/httpserver/spec/com/sun/net/httpserver/HttpExchange.html$

-¿ Problem: no keep-alive -¿ bad...?

Client

Browser: good idea for development and management console. But: cannot do many requests and measure them?

- May be implemented as a simple html page running in any browser
- Management console in HTTP?

Communication Protocol

Communication Protocol used by client and server

Management Interface

Use JMX?

What experiments are performed

- 1. what kind of experiments are performed
- 2. how to perform measurements
- 3. where to store measurement results (Format, Use DB, etc)