

1. C

A. $f(x) = (\sqrt{x})^2 - g(x) = x$

B. $f(x) = \sqrt{x^2} - g(x) = x$

C. $f(x) = \ln x^3 - g(x) = 3 \ln x$

D. $f(x) = x - 1 - g(x) = \frac{x^2 - 1}{x - 1}$

2. $f(x)$ (,) $f(x) = f(-x)$ C

A.

B. x

C. y

D. $y = x$

3. B

A. $y = \ln(1 - x^2)$

B. $y = x \cos x$

C. $y = \frac{a^x - a^{-x}}{2}$

D. $y = \ln(1 - x)$

4. C

A. $y = x - 1$

B. $y = x$

C. $y = x^{\sqrt{2}}$

D. $y = \begin{cases} 1, & x < 0 \\ 1, & x > 0 \end{cases}$

5. D

A. $\lim_{x \rightarrow 2} \frac{x^2}{x^2 - 2} = 1$

B. $\lim_{x \rightarrow 0} \ln(1 - x) = 0$

C. $\lim_{x \rightarrow 0} \frac{\sin x}{x} = 0$

D. $\lim_{x \rightarrow 0} x \sin \frac{1}{x} = 0$

6. $x > 0$ C

A. $\frac{\sin x}{x}$

B. $\frac{1}{x}$

C. $x \sin \frac{1}{x}$

D. $\ln(x - 2)$

7. $\lim_{x \rightarrow x_0} f(x) = f(x_0)$ A $\lim_{x \rightarrow x_0} f(x) = f(x_0)$

A. $\lim_{x \rightarrow x_0} f(x) = f(x_0)$

B. $f(x) = x_0$

C. $\lim_{x \rightarrow x_0} f(x) = f(x_0)$

D. $\lim_{x \rightarrow x_0} f(x) = \lim_{x \rightarrow x_0} f(x)$

1. $f(x) = \frac{\sqrt{x^2 - 9}}{x - 3} \ln(1 - x)$ $x > 3$

2. $f(x - 1) = x^2 - x$ $f(x) = \underline{x^2 - x}$

3. $\lim_{x \rightarrow \infty} (1 - \frac{1}{2x})^x = -\frac{1}{2}$

$$4. \quad f(x) = \begin{cases} (1-x)^{\frac{1}{x}}, & x \neq 0 \\ k, & x = 0 \end{cases} \quad \lim_{x \rightarrow 0} f(x) = \underline{k = e}$$

$$5. \quad y = \begin{cases} x-1, & x \neq 0 \\ \sin x, & x = 0 \end{cases} \quad \lim_{x \rightarrow 0} y = \underline{x=0}$$

$$6. \quad \lim_{x \rightarrow x_0} f(x) = A \quad \Leftrightarrow \quad \forall \epsilon > 0 \quad \exists \delta > 0 \quad \text{such that } 0 < |x - x_0| < \delta \Rightarrow |f(x) - A| < \epsilon$$

1.

$$f(x) = \begin{cases} e^x, & x \neq 0 \\ x, & x = 0 \end{cases}$$

$$f(-2), f(0), f(1)$$

$$f(-2) = e^{-2}$$

$$f(0) = 0$$

$$f(1) = e^1 = e$$

$$2. \quad y = \lg \frac{2x-1}{x}$$

$$\lg \frac{2x-1}{x} > 0$$

$$\frac{2x-1}{x} > 1$$

$$2x-1 > x$$

$$x > 1$$

$$3. \quad R$$

$$CM = DM = \sqrt{R^2 - 2^2}$$

$$DC = 2\sqrt{R^2 - 2^2} \quad AB = 2R$$

$$S = \frac{2\sqrt{R^2 - 2^2} + 2R}{2} = \left(\sqrt{R^2 - 2^2} + R \right) \quad (0 < \theta < \pi)$$

$$4. \quad \lim_{x \rightarrow 0} \frac{\sin 3x}{\sin 2x}$$

$$= \frac{\lim_{x \rightarrow 0} \sin 3x}{\lim_{x \rightarrow 0} \sin 2x} = \frac{\sin 3 \cdot \frac{1}{2}}{\sin 2 \cdot \frac{1}{2}} = \frac{\sin \frac{3}{2}}{\sin 1} = \frac{3}{2}$$

$$5. \quad \lim_{x \rightarrow 1} \frac{x^2 - 1}{\sin(x - 1)}$$

$$6. \quad \lim_{x \rightarrow 0} \frac{\tan 3x}{x}$$

$$7. \quad \lim_{x \rightarrow 0} \frac{\sqrt{1 - x^2} - 1}{\sin x}$$

$$8. \quad \lim_{x \rightarrow \infty} \left(\frac{x-1}{x+3} \right)^x$$

$$9. \quad \lim_{x \rightarrow 4} \frac{x^2 - 6x + 8}{x^2 - 5x + 4}$$

10.

$$f(x) = \begin{cases} (x-2)^2, & x \leq 1 \\ x, & 1 < x < 1 \\ x-1, & x \geq 1 \end{cases}$$

$$f(x)$$

$$1. \quad f(0) = 0 \quad \lim_{x \rightarrow 0} \frac{f(x)}{x} = \lim_{x \rightarrow 0} \frac{f(x)}{x} \quad \mathbf{B}$$

$$\mathbf{A.} \quad f(0)$$

$$\mathbf{B.} \quad f'(0)$$

$$\mathbf{C.} \quad f'(x)$$

$$\mathbf{D.} \quad 0$$

$$2. \quad f(x) = x_0 \quad \lim_{h \rightarrow 0} \frac{f(x_0 + 2h) - f(x_0)}{2h} \quad \mathbf{D}$$

A. $2f(x_0)$

B. $f(x_0)$

C. $2f(x_0)$

D. $f(x_0)$

3. $f(x) = e^x \quad \lim_{x \rightarrow 0} \frac{f(1-x) - f(1)}{x} = \text{A}$

A. e

B. $2e$

C. $\frac{1}{2}e$

D. $\frac{1}{4}e$

4. $f(x) = x(x-1)(x-2) \cdots (x-99) \quad f'(0) = \text{D}$

A. 99

B. -99

C. $99!$

D. $-99!$

5. $\lim_{x \rightarrow x_0} \frac{f(x) - f(x_0)}{x - x_0} = \text{C}$

A. $f(x) = x_0 \quad x_0$

B. $f(x) = x_0 \quad x_0$

C. $f(x) = x_0 \quad x_0$

D. $f(x) = x_0 \quad x_0$

1. $f(x) = \begin{cases} x^2 \sin \frac{1}{x}, & x \neq 0 \\ 0, & x = 0 \end{cases} \quad f'(0) = \underline{0}$

2. $f(e^x) = e^{2x} - 5e^x \quad \frac{df(\ln x)}{dx} = \underline{\underline{\frac{2}{x} - 5}} \underline{\underline{\quad}}$

$$3. \quad f(x) = \sqrt{x} - 1 \quad (1, 2) \quad \underline{\quad 1/2 \quad}$$

$$4. \quad f(x) = \sin x \quad \left(\frac{\pi}{2}, 1\right) \quad \underline{\quad y=1 \quad}$$

$$5. \quad y = x^{2x} \quad y = \underline{-2}(2 \pm 2)$$

$$6. \quad y = x \ln x \quad y = \underline{\frac{1}{-}}$$

$$1. \quad y$$

$$1 \quad y = (x\sqrt{x} - 3)e^x$$

$$2 \quad y = \cot x - x^2 \ln x$$

$$3 \quad y = \frac{x^2}{\ln x}$$

$$4 \quad y = \frac{\cos x - 2^x}{x^3}$$

$$5 \quad y = \frac{\ln x - x^2}{\sin x}$$

$$6 \quad y = x^4 - \sin x \ln x$$

$$7 \quad y = \frac{\sin x - x^2}{3^x}$$

$$8 \quad y = e^x \tan x - \ln x$$

$$2. \quad y$$

$$1 \quad y = e^{\sqrt{x}}$$

$$2 \quad y = \ln \cos x$$

$$3 \quad y = \sqrt{x\sqrt{x\sqrt{x}}}$$

$$4 \quad y = \sin^2 x$$

$$5 \quad y = \sin x^2$$

$$6 \quad y = \operatorname{cose}^x$$

$$7 \quad y = \sin^n x \cos nx$$

$$8 \quad y = 5^{\sin x}$$

$$9 \quad y = e^{\cos x}$$

$$3. \quad y = y(x) \quad y$$

$$1 \quad y \cos x = e^{2y}$$

$$2 \quad y = \cos y \ln x$$

$$3 \quad 2x \sin y = \frac{x^2}{y}$$

$$4 \quad y = x \ln y$$

$$5 \quad \ln x = e^y - y^2$$

$$6 \quad y^2 - 1 - e^x \sin y$$

$$7 \quad e^y - e^x - y^3$$

$$8 \quad y - 5^x - 2^y$$

$$4. \quad \frac{dy}{dx}$$

$$1 \quad y - \cot x - \csc x$$

$$2 \quad y - \frac{\ln x}{\sin x}$$

$$3 \quad y = \sin^2 e^x$$

$$4 \quad y = \tan e^{x^3}$$

5.

$$1 \quad y = \sqrt{x}$$

$$2 \quad y = 3^x$$

$$3 \quad y = \ln x$$

$$4 \quad y = x \sin x$$

$$f(x)$$

$$f'(x)$$

$$1. \quad f(x) \quad D \quad (a, b) \quad f'(\xi) = \frac{f(b) - f(a)}{b - a}$$

$$A. \quad (a, b)$$

$$B. \quad (a, b)$$

$$C. \quad (a, b)$$

$$D. \quad [a, b] \quad (a, b)$$

$$2. \quad f(x) = x^2 - 4x + 1 \quad D$$

$$A. \quad (-1, 2)$$

$$B. \quad (-1, 1)$$

C. $(2, \quad)$

D. $(-2, \quad)$

3. $y = x^2 - 4x + 5$ has a minimum at $(-6, 6)$. A

A.

B.

C.

D.

4. $f(x) = f'(x) = 0$ at $x = 0$. C

A.

B.

C.

D.

5. $f(x) = (a, b)$ is a function. $x_0 \in (a, b)$. C $f(x)$

x_0

A. $f(x_0) = 0, f'(x_0) = 0$

B. $f(x_0) = 0, f'(x_0) = 0$

C. $f(x_0) = 0, f'(x_0) = 0$

D. $f(x_0) = 0, f'(x_0) = 0$

6. $f(x) = (a, b)$ is a function. $f'(x) = 0, f''(x) = 0$ at $x = x_0$. $f(x)$

A

A.

B.

C.

D.

1. $f(x) = (a, b)$ is a function. $x_0 \in (a, b)$. $x = x_0$. $f'(x) = 0$. $x = x_0$

$$f'(x) = 0 \quad x_0 = f(x) \quad \underline{\hspace{2cm}}$$

$$2. \quad f(x) = x_0 \quad x_0 = f(x) \quad f'(x_0) = \underline{0}$$

$$3. \quad y = \ln(1 - x^2) \quad \underline{\hspace{2cm}} - \underline{0}$$

$$4. \quad f(x) = e^{x^2} \quad \underline{0} + \underline{\hspace{2cm}}$$

$$5. \quad f(x) = [a, b] \quad f'(x) = 0 \quad f(x) = [a, b] \quad \underline{f(a)}$$

$$6. \quad f(x) = 2 - 5x - 3x^3 \quad \underline{(0,2)}$$

$$1. \quad y = (x - 1)(x - 5)^2$$

$$2. \quad y = x^2 - 2x - 3 \quad [0, 3]$$

3. $y^2 = 2x$ $A(2, 0)$

4. L

5. V

6. 62.5

$$1. \quad x > 0 \qquad \qquad x = \ln(1-x)$$

$$2. \quad x > 0 \qquad \qquad e^x = x + 1$$

$$1. \quad f(x) \qquad \qquad \frac{1}{x} \qquad f'(x) \qquad D$$

$$A. \quad \ln|x|$$

$$B. \quad \frac{1}{x^2}$$

$$C. \quad \frac{1}{x}$$

$$D. \quad \frac{2}{x^3}$$

$$2. \qquad \qquad D$$

$$A. \quad \int f'(x)dx = f(x)$$

$$B. \quad d f(x) = f(x)$$

$$C. \quad d \int f(x)dx = f(x)$$

$$D. \quad \frac{d}{dx} \int f(x)dx = f(x)$$

3. $\int f(x) \cos x \, dx = \int f(x) \, dx + C$ B

A. $\sin x + C$

B. $\cos x + C$

C. $-\sin x + C$

D. $-\cos x + C$

4. $\frac{d}{dx} \int x^2 f(x^3) dx = \int f(x^3) dx + C$ B

A. $f(x^3)$

B. $x^2 f(x^3)$

C. $\frac{1}{3} f(x)$

D. $\frac{1}{3} f(x^3)$

5. $\int f(x) dx = F(x) + C$ $\int \frac{1}{\sqrt{x}} f(\sqrt{x}) dx = \int f(x) dx + C$ B

A. $F(\sqrt{x}) + C$

B. $2F(\sqrt{x}) + C$

C. $F(2\sqrt{x}) + C$

D. $\frac{1}{\sqrt{x}} F(\sqrt{x}) + C$

6. $\int_1^x \frac{1}{t} dt = \ln x$ D

A. $\int_1^x \frac{1}{t} dt$

B. $\int_0^x e^x dx$

C. $\int_1^x \frac{1}{\sqrt{x}} dx$

D. $\int_1^x \frac{1}{x^2} dx$

1. $f(x) = \frac{1}{x} \Rightarrow f'(x) = -\frac{1}{x^2}$

$$2. \quad F(x) - G(x) \qquad F(x) - G(x) \qquad \underline{G}$$

$$(_) \equiv F(_) \pm c$$

$$3. d \, e^{x^2} dx \quad \underline{\quad -^2 \quad}$$

$$4. (\tan x) dx \quad \underline{\tan x + c}$$

$$5. \quad f(x) dx = \cos 3x + c \qquad f(x) = \underline{-9 \cos 3x}$$

$$6. \quad \int_3^3 (\sin^5 x - \frac{1}{2}) dx = \underline{3}$$

$$7. \quad \int_1^1 \frac{1}{x^p} dx \qquad p \underline{>1}$$

$$1. \quad \frac{\cos \frac{1}{x}}{x^2} dx =$$

$$2. \quad \frac{e^{\sqrt{x}}}{\sqrt{x}} dx =$$

$$3. \quad \frac{1}{x \ln x} dx =$$

$$4. \quad x \sin 2x dx =$$

$$5. \quad \int_1^e \frac{3 \ln x}{x} dx =$$

$$6. \quad \int_0^1 x e^{-2x} dx$$

$$7. \int_1^e x \ln x dx$$

$$8. \int_1^e \frac{\ln x}{x^2} dx =$$

$$1. \int_{-a}^a f(x) dx = 0$$

$$2. \int_{-a}^a f(x) dx = 2 \int_0^a f(x) dx$$