

Program of the GAP Days 2014, August 25–29

Version from August 28, 2014 at 20:04

Talks are at **Pontdriesch 14/16** in room 008, coding sessions in rooms 003 and 103.

Monday, August 25

- 10:00 Coding session and discussion
- 14:00 Welcome session (room 008)
- 15:00 Vinay Wagh
LessGenerators – finding small generating sets for modules (part of the homalg project)
- 15:30 Martin Bies
String theory, sheaf cohomology and the homalg package
- 16:00 Johannes Hahn
Coxeter groups and Kazhdan-Lusztig theory in GAP
- 16:30 Chris Jefferson
Ferret – a modern C++ rewrite of Partition Backtracking in GAP
- 17:00 Max Horn
libsing – an interface between *Singular* and GAP
- 17:30 Christof Söger
NormalizInterface – an interface between *normaliz* and GAP

Tuesday, August 26

- 10:00 Sebastian Gutsche & Max Horn
How to make a GAP package
- 16:00 Pedro A. García-Sánchez
New features of the numericalsgps package
- 16:30 Manuel Delgado
intpic – a package for drawing integers, by emphasizing some subsets.
- 17:00 Hebert Perez-Roses
Graph construction via voltage assignment with GAP
- 17:30 Delaram Kahrobaei
Conjugacy problem in polycyclic groups in GAP and applications

Wednesday, August 27

- 10:00 Reimer Behrends
HPC-GAP: Design and Implementation of a Concurrency Model for GAP
- 16:20 Markus Pfeiffer
Two (HPC)GAP infrastructure packages in the making: GAPData and Matrix
- 16:50 Sebastian Gutsche & Sebastian Posur
CategoriesForHomalg - A GAP-based meta language for category theory based computations & ToolsForHomalg - Tools for caching and propagation
- 17:30 Thomas Breuer
Recent progress concerning the GAP packages AtlasRep, CTblLib, CTBlocks, MFER
- 19:00 Dinner at the “**Labyrinth**”

Thursday, August 28

- 10:00 Alexander Konovalov
Continuous integration, package update mechanism and release management in GAP
- 14:00 Group photo (in front of the building)
- 15:00 Open discussion on the GAP decision making process, development model and more

Friday, August 29

- 10:00 Open discussion: Your wishes for the future of GAP
- 13:30 Open discussion: Results of the meeting, feedback

Abstracts of talks and sessions

Pedro A. García-Sánchez (Universidad de Granada)

“New features of the numericalsgps package”

We will talk about the new functionalities of the development version of numericalsgps, that will become a new version during the gap days. We will also review some issues we encountered on the way, specifically dealing with polynomials and solutions of linear Diophantine equations. For the functions dealing with polynomials we dealt with the singular package, for the second we used 4ti2Interface. The difficulty for the average user to install and work with these packages prevented us to include some already implemented functions in the package. Finally, we will discuss some of the future plans for numericalsgps.

Sebastian Gutsche & Max Horn (TU Kaiserslautern & JLU Gießen)

“How to make a GAP package”

In this hands-on workshop, we will explain the basic requirements for creating a simple GAP package from scratch. After a brief introduction, participants can immediately apply this with our help. For this, participants should bring their laptops and, if present, some code they want to publish in a package. We also plan to cover more advanced aspects of creating and maintaining a GAP package. Which topics are covered in part also depends on requests by participants. Some possibilities include:

- “Package manuals done right: GAPDoc and AutoDoc” (this will definitely be covered)
- Integrating C / C++ code into a GAP package
- Using GitHub pages as website for your package
- Automating the package release process with GitHub
- The importance of package tests and continuous integration
- Example for automated testing using GitHub and Jenkins
- ...

Delaram Kahrobaei (City University of New York)

“Conjugacy problem in polycyclic groups in GAP and applications”

Polycyclic Package in GAP has a great computational capacity. B. Eick and W. Nickel, Polycyclic: Computation with polycyclic groups, a GAP 4 package, <http://www.gap-system.org/Packages/polycyclic.html>.

In this talk particularly, I discuss constructing some infinite polycyclic groups and solving the conjugacy problem (both deterministically and heuristically) using GAP Polycyclic package.

I also will address some cryptographic applications of polycyclic groups.

Hebert Perez-Roses (University of Lleida, Spain)

“Graph construction via voltage assignment with GAP”

The voltage assignment technique takes a directed "base" graph B , and a group G , and constructs another graph L with $|L| = |B||G|$ vertices, where $|B|$ is the number of vertices of B . L is usually called the lift of B by G , and is a generalization of Cayley graphs. The voltage assignment technique has been very successful in the construction of large graphs with small degree and diameter. We are now working on the implementation of this technique in GAP, and we would like to bring into consideration of the GAP community the algorithms and data structures used, as well as to discuss the best alternatives for an efficient implementation.

Christof Söger (Universität Osnabrück)

*“**NormalizInterface** – an interface between **normaliz** and GAP”*

Normaliz is a software for computations with rational cones and affine monoids. It pursues two main computational goals: finding the Hilbert basis, a minimal generating system of the monoid of lattice points of a cone; and counting elements degree-wise in a generating function, the Hilbert series. As a recent extension, Normaliz can handle unbounded polyhedra. The Hilbert basis computation can be considered as solving a linear diophantine system of inhomogeneous equations, inequalities and congruences.

We are working on a Normaliz interface to GAP. It encapsulates a libnormaliz cone and gives access to it in the GAP environment. In this way GAP can be used as interactive interface to libnormaliz. We will show how it can be used currently.

Vinay Wagh (IIT Guwahati, India)

*“**LessGenerators** – finding small generating sets for modules (part of the homalg project)”*

A GAP package called "LessGenerators" has been developed by Mohamed Barakat and myself, to implement the Quillen-Suslin algorithm in computer algebra systems SINGULAR and GAP. The package is part of the homalg project. The aim of this package is to provide a tool for finding a minimal generating set for a given module. The package provides universal implementation in the sense of CASs, i.e. it can use any CAS supported by the homalg project for ring arithmetic.