




Graph Theory and Gerrymandering: Computationally Assessing Fairness

Garrett J. Kepler
Washington State University
Cal State East Bay Colloquium
April 16th, 2025


- ① My Life & I
- ② Gerrymandering Goodies
- ③ Gerrymandering Goodies
- ④ Graph Theory Essentials
- ⑤ Spectral Graph Theory
- ⑥ Invitation for Exploration

- 1 My Life & I
- 2 Gerrymandering Goodies
- 3 Gerrymandering Goodies
- 4 Graph Theory Essentials
- 5 Spectral Graph Theory
- 6 Invitation for Exploration


Epoch 1: Gary Isaacs



Epoch 2: Jaime Garcia



Epoch 3: Andrea Arauza Rivera



Epoch 3: Andrea Arauza Rivera (continued)



Figure 1: High School Standardized Test Data in RUMBA v1






Figure 2: Food Desert Data Clustering in RUMBA v2

Epoch 4: Daryl DeFord



Epoch 4: Daryl DeFord (continued)




Figure 3: Machine Learning Metrics
Bias




Figure 4: Spectral Partitioning
from MCMC

- 1 My Life & I
- 2 Gerrymandering Goodies
- 3 Gerrymandering Goodies
- 4 Graph Theory Essentials
- 5 Spectral Graph Theory
- 6 Invitation for Exploration

The Story of Gerrymandering



Figure 5: Elbridge Gerry Himself

- Coined in 1812, “gerrymander” arose in the Boston Gazette as a jab at the redrawing of state senate election districts Elbridge Gerry.



Figure 6: His Gerrymandered Salamander



- He blatantly redrew the map so that his part, the Democratic-Republican Party would win the election.

- 1 My Life & I
- 2 Gerrymandering Goodies
- 3 Gerrymandering Goodies**
- 4 Graph Theory Essentials
- 5 Spectral Graph Theory
- 6 Invitation for Exploration

The Story of Gerrymandering


- So you want to be a gerrymanderer. . .

How Do I Know You Gerrymandered?



- “I mean...look at it!”


Perhaps Compactness?




(a) City Boundary



(b) Bounding Circle



(c) Convex Hull




Metrics

The set of metrics for these maps is infinite! To name some popular ones:

- Compactness
- Contiguity
- Mean-Median Score
- Polsby-Popper Score
- Racial Representation
- Population Balance
- And whatever we decide to make in the future!

Ensemble Analysis



- “If the map you gave me is soooo fair, it better be fairer than lots of random maps!”

Gerrymandering Resources

<https://mgggg.org/districtr>



<https://redistrictingdatahub.org/>



Check-In


Any questions so far?

- 1 My Life & I
- 2 Gerrymandering Goodies
- 3 Gerrymandering Goodies
- 4 Graph Theory Essentials**
- 5 Spectral Graph Theory
- 6 Invitation for Exploration


Graph Theory Basics

Definition

A graph $G = (V, E)$ consists of a set of vertices (nodes) V with a corresponding set of edges (arcs).



Dual Graph



- Assign each district a node
- Connect nodes if those districts are adjacent in the map!

Main idea: a proposed district “map” will correspond to some partitioning of our dual graph.

Motivating Questions

In order to detect some level of bias in a proposal map, we want to compare our proposal map to a lot of maps matching similar characteristics.

Question

- How can we find graphs that are similar with respect to our state's chosen characteristics?
- How can we make sure that these graphs are truly random?
- Can we do this efficiently?


Sampling Maps

We now have an object we can more easily manipulate! What we now want is to sample from graphs with properties we desire (or properties we do not want!). We will make a series of steps:

- Start with some uniformly random graph
- Make some perturbation to the node assignments
- If our perturbed graph is more desirable to us, we will move forward to that map
- If not, we will stay where we are and try another perturbation
- After repeating this process satisfying some specific conditions, we are guaranteed to converge to some graph with our desired property!

Rabbit hole: this is called Markov Chain Monte Carlo (MCMC)

MCMC Example 1



MCMC Example 2



0



40,000



80,000



100,000



300,000



500,000

Potential Questions

Question

- Is it fair to say that I drew a thousand maps that are better than a proposed map so the proposed map is gerrymandered? What about ten thousand? A million? A billion?
- Is it fair to compare a proposed map to a map that is generated randomly?
- What role should these algorithms play in these social settings?

- 1 My Life & I
- 2 Gerrymandering Goodies
- 3 Gerrymandering Goodies
- 4 Graph Theory Essentials
- 5 Spectral Graph Theory**
- 6 Invitation for Exploration


Laplacian

Definition

The *Laplacian* of G is the matrix L defined such that

$$L_{ij} = \begin{cases} \text{degree of node } i & \text{if } i = j \\ -1 & \text{if } i \neq j \text{ and node } i \sim \text{node } j \\ 0 & \text{otherwise} \end{cases}$$

Laplacian Example



$$L = \begin{bmatrix} 1 & -1 & 0 & 0 \\ -1 & 3 & -1 & -1 \\ 0 & -1 & 2 & -1 \\ 0 & -1 & -1 & 2 \end{bmatrix}$$

Eigen-Refresher

Definition

An *eigenvector* of a matrix A is any vector x such that $Ax = \lambda x$ where λ is a scalar. λ is called an *eigenvalue*

- If my matrix A takes in a vector x and outputs the same vector times some number λ , then I have an eigenvector.

Fiedler Vector

Definition

We call the second smallest eigenvalue of L , λ_2 , and its corresponding eigenvector, x_2 , the *Fiedler value* and *Fiedler vector* respectively.

- Miraculously, we can use the Fiedler vector to partition graphs in two!
- The process:
 - ① Find the Fiedler vector for your graph G
 - ② Look at the nodes assigned negative values in your Fiedler vector and put them in one group
 - ③ Look at the nodes assigned non-negative values to another group
 - ④ You now have two connected parts of your graph

talks/ks/593/593/poster/barberingina

talks/aldus593/593/ph/post/itairn1.pngbin

talks/abstracts/593/593/593/pol/comp/scholarship

fsjks\malp23\brofos\griekrpusil·h
talks\alk593\p593\otsubijanyapogse

talk

Question

Given the two connected components of a Fiedler-partitioned graph, can we determine what set of edges are missing using the entries of the Fiedler vector?

<https://www.wsu.edu/pts/593/photos/jump/ptstr>

Progress & Future Progress

- The answer is: not always!
- When is it the case? No idea!
- For any class of graphs you can name, we can construct the Fiedler vector. But, for any Fiedler vector we do not know if we can construct the graph.

Equitable Spectral Partitions

Motivation:

- We like maps with balance and compactness!
- How can we draw maps that have balance and compactness?
- Potentially with spectral partitioning!

Intuition:

- There is a bottleneck in the graph G
- Using the Fiedler vector, finding edges between oppositely signed nodes helps us find bottlenecks
- Let's use this to our advantage!

Spectral Partitioning Algorithm

The Process:

- Take a random graph cut into k -parts
- Randomly select 2 adjacent parts to form a subgraph
- Reassign nodes in this subgraph using the Fiedler vector
- Repeat on newly obtained graph



Figure 7: Convergence to a “Nice” Partition of the Algorithm After 10,000 Steps on a 36 by 36 Grid Graph

Main Questions

Question

- Does this always converge?
- What happens if we choose different classes of graphs?
- Does this also converge using other spectral clustering techniques?
- In what context is it appropriate to use these types of algorithms while drawing maps?

- 1 My Life & I
- 2 Gerrymandering Goodies
- 3 Gerrymandering Goodies
- 4 Graph Theory Essentials
- 5 Spectral Graph Theory
- 6 Invitation for Exploration**

Conclusion

- Math is wherever we put it!

Rabbit Holes

① Networks & Data Science:

- ① <https://networkrepository.com/>
- ② “Network Science” by Barabási
<https://networksciencebook.com/>

② Gerrymandering:

- ① <https://redistrictingdatahub.org/>
- ② <https://mggg.org/districtr>
- ③ “Political Geometry” by Duchin & Walch
<https://mggg.org/gerrybook.html>

Questions?

Thanks!
garrett.kepler@wsu.edu

Citations

State and district graphics, as well as ensemble analysis plot:

- “Political Geometry” by Duchin & Walch
<https://mgggg.org/gerrybook.html>

Network graphics in talk:

- Produced via Networkx in Python

Elbridge Gerry photo and corresponding salamander taken from:

- Elbridge Gerry Wikipedia Page Link: [Here](#)