



Exercise 3.2 : Solutions of Questions on Page Number : 44

**Q1 :**

**Find  $x$  in the following figures.**



(a)



(b)


**Answer :**

We know that the sum of all exterior angles of any polygon is  $360^\circ$ .

(a)  $125^\circ + 125^\circ + x = 360^\circ$

$250^\circ + x = 360^\circ$   $x = 110^\circ$

(b)



$60^\circ + 90^\circ + 70^\circ + x = 360^\circ$

$$310^\circ + x = 360^\circ - x$$

$$= 50^\circ$$

**Q2 :**

**Find the measure of each exterior angle of a regular polygon of**

**(i) 9 sides**

**(ii) 15 sides**

**Answer :**

(i) Sum of all exterior angles of the given polygon =  $360^\circ$

Each exterior angle of a regular polygon has the same measure.

Thus, measure of each exterior angle of a regular polygon of 9 sides

$$= \frac{360^\circ}{9} = 40^\circ$$

(ii) Sum of all exterior angles of the given polygon =  $360^\circ$

Each exterior angle of a regular polygon has the same measure.

Thus, measure of each exterior angle of a regular polygon of 15 sides

$$= \frac{360^\circ}{15} = 24^\circ$$

**Q3 :**

**How many sides does a regular polygon have if the measure of an exterior angle is  $24^\circ$**

**Answer :**

Sum of all exterior angles of the given polygon =  $360^\circ$   
Measure of each exterior angle =  $24^\circ$

Thus, number of sides of the regular polygon  $= \frac{360^\circ}{24^\circ} = 15$

**Q4 :**

**How many sides does a regular polygon have if each of its interior angles is  $165^\circ$**

**Answer :**

Measure of each interior angle =  $165^\circ$

Measure of each exterior angle =  $180^\circ - 165^\circ = 15^\circ$

The sum of all exterior angles of any polygon is  $360^\circ$ .

Thus, number of sides of the polygon  $= \frac{360^\circ}{15^\circ} = 24$

**Q5 :**

**(a) Is it possible to have a regular polygon with measure of each exterior angle as  $22^\circ$  (b)  
Can it be an interior angle of a regular polygon Why**

**Answer :**

The sum of all exterior angles of all polygons is  $360^\circ$ . Also, in a regular polygon, each exterior angle is of the same measure. Hence, if  $360^\circ$  is a perfect multiple of the given exterior angle, then the given polygon will be possible.

(a) Exterior angle =  $22^\circ$

$360^\circ$  is not a perfect multiple of  $22^\circ$ . Hence, such polygon is not possible.

(b) Interior angle =  $22^\circ$

$$\text{Exterior angle} = 180^\circ - 22^\circ = 158^\circ$$

Such a polygon is not possible as  $360^\circ$  is not a perfect multiple of  $158^\circ$ .

**Q6 :**

**(a) What is the minimum interior angle possible for a regular polygon**

**(b) What is the maximum exterior angle possible for a regular polygon**

**Answer :**

Consider a regular polygon having the lowest possible number of sides (i.e., an equilateral triangle). The exterior angle of this triangle will be the maximum exterior angle possible for any regular polygon.

Exterior angle of an equilateral triangle  $= \frac{360^\circ}{3} = 120^\circ$


Hence, maximum possible measure of exterior angle for any polygon is  $120^\circ$ . Also, we know that an exterior angle and an interior angle are always in a linear pair.

$$\text{Hence, minimum interior angle} = 180^\circ - 120^\circ = 60^\circ$$

### Exercise 3.3 : Solutions of Questions on Page Number : 50

**Q1 :**

**Given a parallelogram ABCD. Complete each statement along with the definition or property used.**



**(i)  $AD = \dots$**

**(ii)  $\angle DCB = \dots$**

(iii)  $OC = \dots$

(iv)  $m\angle DAB + m\angle CDA = \dots$

**Answer :**

(i) In a parallelogram, opposite sides are equal in length.

$$AD = BC$$

(ii) In a parallelogram, opposite angles are equal in measure.

$$\angle DCB = \angle DAB$$

(iii) In a parallelogram, diagonals bisect each other.

$$\text{Hence, } OC = OA$$

(iv) In a parallelogram, adjacent angles are supplementary to each other.


$$\text{Hence, } m\angle DAB + m\angle CDA = 180^\circ$$

**Q2 :**


**Consider the following parallelograms. Find the values of the unknowns  $x, y, z$ .**




(i)




(ii)



(iii)



(iv)



(v)

**Answer :**

(i)  $x + 100^\circ = 180^\circ$  (Adjacent angles are supplementary)  $x = 80^\circ$   $z = x = 80^\circ$  (Opposite angles are equal)  $y = 100^\circ$  (Opposite angles are equal)

(ii)  $50^\circ + y = 180^\circ$  (Adjacent angles are supplementary)  $y = 130^\circ$   $x = y = 130^\circ$  (Opposite angles are equal)  $z = x = 130^\circ$  (Corresponding angles) (iii)  $x = 90^\circ$  (Vertically opposite angles)  $x + y + 30^\circ = 180^\circ$  (Angle sum property of triangles)

$120^\circ + y = 180^\circ$   $y = 60^\circ$   $z = y = 60^\circ$  (Alternate interior angles) (iv)  $z = 80^\circ$  (Corresponding angles)  $y = 80^\circ$  (Opposite angles are equal)  $x + y = 180^\circ$  (Adjacent angles are supplementary)  $x = 180^\circ - 80^\circ = 100^\circ$

(v)  $y = 112^\circ$  (Opposite angles are equal)  $x + y + 40^\circ = 180^\circ$  (Angle sum property of triangles)  $x + 112^\circ +$

$$40^\circ = 180^\circ - x + 152^\circ = 180^\circ - x = 28^\circ \quad z = x = 28^\circ$$

(Alternate interior angles)

**Q3 :**

**Can a quadrilateral ABCD be a parallelogram if**

**(i)  $\angle D + \angle B = 180^\circ$**

**(ii)  $AB = DC = 8 \text{ cm}$ ,  $AD = 4 \text{ cm}$  and  $BC = 4.4 \text{ cm}$**

**(iii)  $\angle A = 70^\circ$  and  $\angle C = 65^\circ$**

**Answer :**

(i) For  $\angle D + \angle B = 180^\circ$ , quadrilateral ABCD may or may not be a parallelogram. Along with this condition, the following conditions should also be fulfilled.

The sum of the measures of adjacent angles should be  $180^\circ$ .

Opposite angles should also be of same measures.

(ii) No. Opposite sides AD and BC are of different lengths.


(iii) No. Opposite angles A and C have different measures.

**Q4 :**

**Draw a rough figure of a quadrilateral that is not a parallelogram but has exactly two opposite angles of equal measure.**

**Answer :**

Here, quadrilateral ABCD (kite) has two of its interior angles,  $\angle B$  and  $\angle D$ , of same measures. However, still the quadrilateral ABCD is not a parallelogram as the measures of the remaining pair of opposite angles,  $\angle A$  and  $\angle C$ , are not equal.



**Q5 :**

**The measures of two adjacent angles of a parallelogram are in the ratio 3:2. Find the measure of each of the angles of the parallelogram.**

**Answer :**

Let the measures of two adjacent angles,  $\angle A$  and  $\angle B$ , of parallelogram ABCD are in the ratio of 3:2. Let  $\angle A = 3x$  and  $\angle B = 2x$

We know that the sum of the measures of adjacent angles is  $180^\circ$  for a parallelogram.

$$\angle A + \angle B = 180^\circ$$

$$3x + 2x = 180^\circ$$

$$5x = 180^\circ$$

$$x = \frac{180^\circ}{5} = 36^\circ$$

$$\angle A = \angle C = 3x = 108^\circ \text{ (Opposite angles)}$$

$$\angle B = \angle D = 2x = 72^\circ \text{ (Opposite angles)}$$

Thus, the measures of the angles of the parallelogram are  $108^\circ$ ,  $72^\circ$ ,  $108^\circ$ , and  $72^\circ$ .

**Q6 :**



**Two adjacent angles of a parallelogram have equal measure. Find the measure of each of the angles of the parallelogram.**

**Answer :**

Sum of adjacent angles =  $180^\circ$

$$\angle A + \angle B = 180^\circ$$

$$2\angle A = 180^\circ (\angle A = \angle B)$$

$$\angle A = 90^\circ$$

$$\angle B = \angle A = 90^\circ$$


$$\angle C = \angle A = 90^\circ (\text{Opposite angles})$$

$$\angle D = \angle B = 90^\circ (\text{Opposite angles})$$

Thus, each angle of the parallelogram measures  $90^\circ$ .

**Q7 :**

**The adjacent figure HOPE is a parallelogram. Find the angle measures  $x$ ,  $y$  and  $z$ . State the properties you use to find them.**



**Answer :**

$$y = 40^\circ (\text{Alternate interior angles})$$

$$70^\circ = z + 40^\circ (\text{Corresponding angles})$$


$$70^\circ - 40^\circ = z \quad z = 30^\circ \quad x + (z + 40^\circ) = 180^\circ$$

$$(\text{Adjacent pair of angles}) \quad x + 70^\circ = 180^\circ \quad x =$$


$$110^\circ$$

**Q8 :**

**The following figures GUNS and RUNS are parallelograms. Find  $x$  and  $y$ . (Lengths are in cm)**



(i)



(ii)

**Answer :**

(i) We know that the lengths of opposite sides of a parallelogram are equal to each other.

$$GU = SN$$

$$3y - 1 = 26$$

$$3y = 27$$

$$y = 9$$

$$SG = NU$$

$$3x = 18 \quad x =$$

$$= 6$$

Hence, the measures of  $x$  and  $y$  are 6 cm and 9 cm respectively. (ii) We know that the diagonals of a parallelogram bisect each other.

$$y + 7 = 20 \quad y$$


$$= 13 \quad x + y =$$

$$16 \quad x + 13 =$$

$$16 \quad x = 3$$

Hence, the measures of  $x$  and  $y$  are 3 cm and 13 cm respectively.

**Q9 :**



**In the above figure both RISK and CLUE are parallelograms. Find the value of  $x$ .**

**Answer :**

Adjacent angles of a parallelogram are supplementary.

In parallelogram RISK,  $\angle RKS + \angle ISK = 180^\circ$

$$120^\circ + \angle ISK = 180^\circ$$

$$\angle ISK = 60^\circ$$

Also, opposite angles of a parallelogram are equal.


In parallelogram CLUE,  $\angle ULC = \angle CEU = 70^\circ$

The sum of the measures of all the interior angles of a triangle is  $180^\circ$ .

$$x + 60^\circ + 70^\circ = 180^\circ \quad x = 50^\circ$$

**Q10 :**

**Explain how this figure is a trapezium. Which of its two sides are parallel**



**Answer :**

If a transversal line is intersecting two given lines such that the sum of the measures of the angles on the same side of transversal is  $180^\circ$ , then the given two lines will be parallel to each other.


$$\text{Here, } \angle NML + \angle MLK = 180^\circ$$

Hence,  $NM \parallel LK$

As quadrilateral KLMN has a pair of parallel lines, therefore, it is a trapezium.

**Q11 :**

**Find  $m\angle C$  in the following figure if  $\overline{AB} \parallel \overline{DC}$**



**Answer :**

Given that,  $\overline{AB} \parallel \overline{DC}$


$\angle B + \angle C = 180^\circ$  (Angles on the same side of transversal)

$$120^\circ + \angle C = 180^\circ$$

$$\angle C = 60^\circ$$

**Q12 :**

Find the measure of  $\angle P$  and  $\angle S$ , if  $\overline{SP} \parallel \overline{RQ}$  in the following figure. (If you find  $m\angle R$ , is there more than one method to find  $m\angle P$  )



**Answer :**

$\angle P + \angle Q = 180^\circ$  (Angles on the same side of transversal)

$$\angle P + 130^\circ = 180^\circ$$

$$\angle P = 50^\circ$$

$\angle R + \angle S = 180^\circ$  (Angles on the same side of transversal)

$$90^\circ + \angle R = 180^\circ$$

$$\angle S = 90^\circ$$

Yes. There is one more method to find the measure of  $m\angle P$ .

$m\angle R$  and  $m\angle Q$  are given. After finding  $m\angle S$ , the angle sum property of a quadrilateral can be applied to find  $m\angle P$ .

Exercise 3.4 : Solutions of Questions on Page Number : 55

**Q1 :**

**State whether True or False.**

- (a) All rectangles are squares.**
- (b) All rhombuses are parallelograms.**
- (c) All squares are rhombuses and also rectangles.**
- (d) All squares are not parallelograms.**
- (e) All kites are rhombuses.**
- (f) All rhombuses are kites.**
- (g) All parallelograms are trapeziums.**
- (h) All squares are trapeziums.**

**Answer :**

- (a) False. All squares are rectangles but all rectangles are not squares.
- (b) True. Opposite sides of a rhombus are equal and parallel to each other.
- (c) True. All squares are rhombuses as all sides of a square are of equal lengths. All squares are also rectangles as each internal angle measures  $90^\circ$ .
- (d) False. All squares are parallelograms as opposite sides are equal and parallel.
- (e) False. A kite does not have all sides of the same length.
- (f) True. A rhombus also has two distinct consecutive pairs of sides of equal length.
- (g) True. All parallelograms have a pair of parallel sides.
- (h) True. All squares have a pair of parallel sides.

**Q2 :**

**Identify all the quadrilaterals that have**

**(a) four sides of equal length**

**(b) four right angles**

**Answer :**

(a) Rhombus and Square are the quadrilaterals that have 4 sides of equal length.

(b) Square and rectangle are the quadrilaterals that have 4 right angles.

**Q3 :**

**Explain how a square is.**

**(i) a quadrilateral**

**(ii) a parallelogram**

**(iii) a rhombus**

**(iv) a rectangle**

**Answer :**

(i) A square is a quadrilateral since it has four sides.

(ii) A square is a parallelogram since its opposite sides are parallel to each other. (iii) A square is a rhombus since its four sides are of the same length.

(iv) A square is a rectangle since each interior angle measures  $90^\circ$ .

**Q4 :**

**Name the quadrilaterals whose diagonals.**

**(i) bisect each other**

**(ii) are perpendicular bisectors of each other**

**(iii) are equal**

**Answer :**

(i) The diagonals of a parallelogram, rhombus, square, and rectangle bisect each other.

(ii) The diagonals of a rhombus and square act as perpendicular bisectors.

(iii) The diagonals of a rectangle and square are equal.

**Q5 :**


**Explain why a rectangle is a convex quadrilateral.**

**Answer :**

In a rectangle, there are two diagonals, both lying in the interior of the rectangle. Hence, it is a convex quadrilateral.

**Q6 :**

**ABC is a right-angled triangle and O is the mid point of the side opposite to the right angle. Explain why O is equidistant from A, B and C. (The dotted lines are drawn additionally to help you).**



**Answer :**

Draw lines AD and DC such that  $AD \parallel BC$ ,  $AB \parallel DC$

$AD = BC$ ,  $AB = DC$



ABCD is a rectangle as opposite sides are equal and parallel to each other and all the interior angles are of  $90^\circ$ .

In a rectangle, diagonals are of equal length and also these bisect each other.

Hence,  $AO = OC = BO = OD$

Thus, O is equidistant from A, B, and C.