
## Ex 21.1

### Areas of Bounded Regions Ex 21.1 Q1

Given equations are

$$x = 2$$
 --- (1  
and  $y^2 = 8x$  --- (2

Equation (1) represents a line parallel to y-axis and equation (2) represents a parabola with vertex at origin and x-axis as its axis, A rough sketch is given as below:-



We have to find the area of shaded region . We sliced it in vertical rectangle width of rectangle =  $\Delta x$ ,

Length = 
$$(y - 0) = y$$

This rectangle can move horizontal from x = 0 to x = 2

Required area = Shaded region OCBO

$$=2\int_0^2 y\,dx$$

$$=2\int_0^2 \sqrt{8x} \, dx$$

$$= 2.2\sqrt{2} \int_0^2 \sqrt{x} \, dx$$

$$=4\sqrt{2}\left[\frac{2}{3}x\sqrt{x}\right]_0^2$$

$$= 4\sqrt{2} \left[ \left( \frac{2}{3}, 2\sqrt{2} \right) - \left( \frac{2}{3}, 0, \sqrt{0} \right) \right]$$


$$= 4\sqrt{2} \left( \frac{4\sqrt{2}}{3} \right)$$

Required area =  $\frac{32}{3}$  square units

To find area of region bounded by x-axis the ordinates x = -2 and x = 3 and

Equation (1) is a line that meets at axes at (0,1) and (-1,0).

A rough sketch of the curve is as under:-



Shaded region is required area.

Required area = Region ABCA + Region ADEA

$$A = \int_{-1}^{3} y dx + \left| \int_{-2}^{-1} y dx \right|$$

$$= \int_{-1}^{3} (x+1) dx + \left| \int_{-2}^{-1} (x+1) dx \right|$$

$$= \left( \frac{x^{2}}{2} + x \right)_{-1}^{3} + \left| \left( \frac{x^{2}}{2} + x \right)_{-2}^{-1} \right|$$

$$= \left[ \left( \frac{9}{2} + 3 \right) - \left( \frac{1}{2} - 1 \right) \right] + \left| \left( \frac{1}{2} - 1 \right) - \left( 2 - 2 \right) \right|$$


$$= \left[ \frac{15}{2} + \frac{1}{2} \right] + \left| -\frac{1}{2} \right|$$

$$= 8 + \frac{1}{2}$$

$$A = \frac{17}{2}$$
 sq. units

We have to find the area of the region bounded by

Equation (1) represents a line parallel to y-axis and equation (2) represents a parabola with vertex at origin and axis as x-axis. A rough sketch of the two curves is as below:-



We have to find the area of the shaded region. Now, we slice it in rectangles. Width  $= \Delta x$ , Length = y - 0 = y

Area rectangle =  $y \Delta x$ 

This approximating rectangle can move from x = 0 to x = a.

Required area = Region *OCBO*

$$= 2 \left( \text{Region } OABO \right)$$

$$= 2 \int_0^s \sqrt{4ax} \, dx$$

$$= 2 \cdot 2 \sqrt{a} \int_0^s \sqrt{x} \, dx$$

$$= 4 \sqrt{a} \cdot \left( \frac{2}{3} x \sqrt{x} \right)_0^s$$


$$= 4 \sqrt{a} \cdot \left( \frac{2}{3} a \sqrt{a} \right)$$

Required area =  $\frac{8}{3}a^2$  square units

We have to find area bounded by x-axis and parabola  $y = 4x - x^2$ 

$$\Rightarrow x^2 - 4x + 4 = -y + 4 \Rightarrow (x - 2)^2 = -(y - 4) --- (1)$$

Equation (1) represents a downward parabola with vertex (2,4) and passing through (0,0) and (0,4). A rough sketch is as below:-



the shaded region represents the required area. We slice the region in approximation rectangles with width  $= \Delta x$ , length = y - 0 = y

Area of rectangle =  $y \triangle x$ .

This approximation rectangle slide from x = 0 to x = a, so

Required area = Region *OABO*  
= 
$$\int_0^4 \left(4x - x^2\right) dx$$
  
=  $\left(4\frac{x^2}{2} - \frac{x^3}{3}\right)_0^4$   
=  $\left(\frac{4 \times 16}{2} - \frac{64}{3}\right) - \left(0 - 0\right)$ 


$$=\frac{64}{6}$$

Required area =  $\frac{32}{3}$  square units

To find area bounded by

Equation (1) represents a parabola with vertex at origin and axis as x-axis and equation (2) represents a line parallel to y-axis.

A rough sketch of the equations is as below:-



Shaded region represents the required area we slice this area with approximation rectangles with Width  $= \Delta x$ , length = y - 0 = y

Area of rectangle =  $y \triangle x$ .

This approximation rectangle can slide from x = 0 to x = 3, so

Required area = Region OCBO

$$= 2 \int_0^3 y dx$$

$$=2\int_0^3 \sqrt{4x} dx$$

$$=4(^3\sqrt{x}dx)$$

$$=4\left(\frac{2}{3}x\sqrt{x}\right)$$

$$=\frac{8}{3}.3\sqrt{3}$$


Required area =  $8\sqrt{3}$  square units

Areas of Bounded Regions Ex 21.1 Q6

We have to find the area enclosed by

Equation (1) represent a downward parabola with vertex at (0,4) and passing through (2,0), (-2,0). Equation (2) represents y-axis and equation (3) represents a line parallel to y-axis.

A rough sketch of curves is as below:-



Shaded region represents the required area. We slice this region into approximation rectangles with Width  $= \Delta x$ , length = y - 0 = y

Area of rectangle =  $y \Delta x$ .

This approximation rectangle move from x = 0 to x = 2, so

Required area = (Region *OABO*)  
= 
$$\int_0^2 (4 - x^2) dx$$

$$= \left(4x - \frac{x^3}{3}\right)_0^2$$
$$= \left[4(2) - \frac{(2)^3}{3}\right] - [0]$$

$$= \left\lceil \frac{24 - 8}{3} \right\rceil$$

Required area =  $\frac{16}{3}$  square units


We have to find area enclosed by x-axis and

$$y = \sqrt{x+1}$$

$$\Rightarrow y^2 = x+1 \qquad ---(1)$$
and  $x = 0 \qquad ---(2)$ 

$$x = 4 \qquad ---(3)$$

Equation (1) represent a parabola with vertex at (-1,0) and passing through (0,1) and (0,-1). Equation (2) is y-axis and equation (3) is a line parallel to y-axis passing through (4,0). So rough sketch of the curve is as below:-



We slice the required region in approximation rectangle with its Width =  $\Delta x$ , and length = y – 0 = y

Area of rectangle =  $y \triangle x$ .

Approximation rectangle moves from x = 0 to x = 4. So


Required area = Shaded region  
= 
$$\left(\text{Re gion OECDO}\right)$$
  
=  $\int_0^4 y dx$   
=  $\int_0^4 \sqrt{x+1} dx$   
=  $\left(\frac{2}{3}(x+1)\sqrt{x+1}\right)_0^4$   
=  $\frac{2}{3}\left[\left((4+1)\sqrt{4+1}\right) - \left((0+1)\sqrt{0+1}\right)\right]$ 

Required area =  $\frac{2}{3} \left[ 5\sqrt{5} - 1 \right]$  square units

Thus, Required area = 
$$\frac{2}{3} \left( 5^{\frac{3}{2}} - 1 \right)_{\text{square units}}$$

We have to find area enclosed by x-axis

Equation (1) represents y-axis and a line parallel to y-axis passing through (2,0) respectively. Equation (2) represents a parabola with vertex at  $\left(-\frac{2}{3},0\right)$  and passes through the points (0,2),(0,-2), so rough sketch of the curves is as below:-



Shaded region represents the required area. It is sliced in approximation rectangle with its Width  $= \Delta x$ , and length = (y - 0) = y

Area of rectangle =  $y \triangle x$ .

This approximation rectangle slide from x = 0 to x = 2, so


Required area = Region *OABCO*  
= 
$$\int_0^2 \sqrt{6x + 4} dx$$
  
=  $\left\{ \frac{2}{3} \frac{(6x + 4)\sqrt{6x + 4}}{6} \right\}_0^2$   
=  $\frac{1}{9} \left[ \left( (12 + 4)\sqrt{12 + 4} \right) - \left( (0 + 4)\sqrt{0 + 4} \right) \right]$   
=  $\frac{1}{9} \left[ 16\sqrt{16} - 4\sqrt{4} \right]$   
=  $\frac{1}{9} \left( 64 - 8 \right)$ 

Required area =  $\frac{56}{9}$  square units

We have to find area endosed by

Equation (1) is a parabola with vertex at (1,0) and axis as x-axis. Equation (2) represents a line parallel to y-axis passing through (2,0).

A rough sketch of curves is as below:-




Shaded region shows the required area. We slice it in approximation rectangle with its Width = $\Delta x$  and length = y - 0 = y

Area of the rectangle =  $y \Delta x$ .

This rectangle can slide from x = 1 to x = 2, so

Required area = Region ABCA  
= 2 (Region AOCA)  
= 
$$2\int_{1}^{2} y dx$$
  
=  $2\int_{1}^{2} \sqrt{x - 1} dx$   
=  $2\left(\frac{2}{3}(x - 1)\sqrt{x - 1}\right)_{1}^{2}$   
=  $\frac{4}{3}\left[\left((2 - 1)\sqrt{2 - 1}\right) - \left((1 - 1)\sqrt{1 - 1}\right)\right]$   
=  $\frac{4}{3}(1 - 0)$ 

Required area =  $\frac{4}{3}$  square units



It can be observed that ellipse is symmetrical about x-axis.

Area bounded by ellipse =  $2\int_{0}^{2} y dx$ 

$$=2\int_{0}^{2}3\sqrt{1-\frac{x^{2}}{4}} dx$$

$$= 3\int_{0}^{2} \sqrt{4-x^2} dx$$

$$= 3\left[\frac{x}{2}\sqrt{4-x^2} + \frac{4}{2}\sin^{-1}\frac{x}{2}\right]_0^2$$

$$= 3[1(0) + 2\sin^{-1}(1) - 0 - 2\sin^{-1}(0)]$$
$$= 3[\pi]$$

= 
$$3\pi$$
 sq. units

$$\Rightarrow \frac{x^2}{4} + \frac{y^2}{9} = 1$$

$$\Rightarrow y = \pm \sqrt{\frac{36 - 9x^2}{4}}$$
Area of Sector OABCO =
$$\int_{0}^{2} \sqrt{\frac{36 - 9x^2}{4}} dx$$

$$\int_{0}^{2} \sqrt{\frac{36 - 9x^{2}}{4}} dx$$

$$=\frac{3}{2}\int_{0}^{2}\sqrt{4-x^{2}}dx$$

$$= \frac{3}{2} \left[ \frac{x\sqrt{4-x^2}}{2} + \frac{2^2}{2} \sin^{-1} \left( \frac{x}{2} \right) \right]_0^2$$

$$= \frac{3}{2} \left[ \frac{2\sqrt{4-2^2}}{2} + \frac{2^2}{2} \sin^{-1} \left( \frac{2}{2} \right) \right] - \frac{3}{2} \left[ \frac{0\sqrt{4-0^2}}{2} + \frac{2^2}{2} \sin^{-1} \left( \frac{0}{2} \right) \right]$$

$$= \frac{3}{2}.2.\frac{\pi}{2} - 0$$

$$=\frac{3\pi}{2}$$
 sq. units

 $= \frac{3\pi}{2} \text{ sq. units}$ Area of the whole figure = 4 × Ar. D OABCO  $= 4 \times \frac{3\pi}{2}$ 

$$=4\times\frac{3\pi}{2}$$


Areas of Bounded Regions Ex 21.1 Q12

We have to find area enclosed between the curve and x-axis.

$$y = 2\sqrt{1 - x^2}, x \in [0, 1]$$
  
 $\Rightarrow y^2 + 4x^2 = 4, x \in [0, 1]$   
 $\Rightarrow \frac{x^2}{1} + \frac{y^2}{4} = 1, x \in [0, 1]$  ---{1}

Equation (1) represents an ellipse with centre at origin and passes through  $(\pm 1,0)$  and  $(0,\pm 2)$  and  $x \in [0,1]$  as represented by region between y-axis and line x=1.

A rough sketch of curves is as below:-



Shaded region represents the required. We slice it into approximation rectangles of Width  $= \Delta x$  and length = y

Area of the rectangle =  $y \Delta x$ .

The approximation rectangle slides from x = 0 to x = 1, so

Required area = Region OAPBO  
= 
$$\int_0^1 y dx$$
  
=  $\int_0^1 2\sqrt{1 - x^2} dx$   
=  $2\left[\frac{x}{2}\sqrt{1 - x^2} + \frac{1}{2}\sin^{-1}(x)\right]_0^1$   
=  $2\left[\left(\frac{1}{2}\sqrt{1 - 1} + \frac{1}{2}\sin^{-1}(1)\right) - (0 + 0)\right]$   
=  $2\left[0 + \frac{1}{2} \cdot \frac{\pi}{2}\right]$ 

Required area =  $\frac{\pi}{2}$  square units

To find area under the curves

$$y = \sqrt{a^2 - x^2}$$


$$\Rightarrow x^2 + y^2 = a^2$$

$$\Rightarrow ---(1)$$
Between  $x = 0$ 

$$\Rightarrow x = a$$

Equation (1) represents a circle with centre (0,0) and passes axes at (0,±a)  $(\pm a,0)$  equation (2) represents y-axis and equation x=a represent a line parallel to y-axis passing through (a,0).

A rough sketch of the curves is as below:-



Shaded region represents the required area. We slice it into approximation rectangles of Width =  $\Delta x$  and length = y - 0 = y

Area of the rectangle =  $y \triangle x$ .

The approximation rectangle can slide from x = 0 to x = a, so

Required area = Region OAPBO
$$= \int_0^2 y dx$$

$$= \int_0^2 \sqrt{a^2 - x^2} dx$$

$$= \left[ \frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \left( \frac{x}{a} \right) \right]_0^2$$

$$= \left[ \left( \frac{a}{2} \sqrt{a^2 - a^2} + \frac{a^2}{2} \sin^{-1} \left( 1 \right) \right) - \left( 0 \right) \right]$$


$$= \left[ 0 + \frac{a^2}{2} \cdot \frac{\pi}{2} \right]$$

Required area =  $\frac{\pi}{4}a^2$  square units

To find area bounded by x-axis and

Equation (1) represents line passing through  $\left(-\frac{7}{5},0\right)$  and  $\left(0,\frac{7}{2}\right)$  equation (2),(3)shows line parallel to y-axis passing through (2,0),(8,0) respectively.

A rough sketch of curves is as below:-



Shaded region represents the required area. We slice the region into approximation rectangles of Width  $= \omega X$  and length = y

Area of the rectangle =  $y \Delta x$ .

This approximation rectangle slides from x = 2 to x = 8, so

$$= \int_2^8 \left( \frac{5x + 7}{2} \right) dx$$


$$=\frac{1}{2}\left(\frac{5x^2}{2}+7x\right)_2^8$$

$$= \frac{1}{2} \left[ \left( \frac{5(8)^2}{2} + 7(8) \right) - \left( \frac{5(2)^2}{2} + 7(2) \right) \right]$$
$$= \frac{1}{2} \left[ (160 + 56) - (10 + 14) \right]$$

Required area = 96 square units

We have to find the area of circle

Equation (1) represents a circle with centre (0,0) and radius a, so it meets the axes at  $(\pm a,0)$ ,  $(0,\pm a)$ . A rough sketch of the curve is given below:-



Shaded region is the required area. We slice the region AOBA in rectangles of width  $\Delta X$  and length = y – 0 = y

Area of rectangle =  $y \triangle x$ .

This approximation rectangle can slide from x = 0 to x = a, so

Required area = Region ABCDA

$$=4\left(\int_0^a y dx\right)$$

$$=4\int_0^a \sqrt{a^2-x^2} dx$$

$$=4\left[\frac{x}{2}\sqrt{a^2-x^2}+\frac{a^2}{2}\sin^{-1}\frac{x}{a}\right]_0^3$$

$$=4\left[\left(\frac{\partial}{2}\sqrt{\partial^2-\partial^2}+\frac{\partial^2}{2}\sin^{-1}\frac{\partial}{\partial}\right)-\left(0+0\right)\right]$$

$$=4\left[0+\frac{a^2}{2},\frac{\pi}{2}\right]$$

$$=4\left(\frac{a^2\pi}{4}\right)$$


Required area =  $\pi a^2$  sq.units

To find area enclosed by 
$$x = -2$$
,  $x = 3$ ,  $y = 0$  and  $y = 1 + |x + 1|$ 

$$\Rightarrow y = 1 + x + 1, \text{ if } x + 1 \ge 0$$

$$\Rightarrow y = 2 + x \qquad ---\{1\}, \text{ if } x \ge -1$$

So, equation (1) is a straight line that passes through (0,2) and (-1,1). Equation (2) is a line passing through (-1,1) and (-2,2) and it is enclosed by line x=2 and x=3 which are lines parallel to y-axis and pass through (2,0) and (3,0) respectively y=0 is x-axis. So, a rough sketch of the curves is given as:-



Shaded region represents the required area.


region *ECDFE* is sliced into approximation rectangle with width  $\Delta x$  and length  $y_1$ . Area of those approximation rectangle is  $y_1 \Delta x$  and these slids from x = -2 to x = -1.

Region ABEFA is sliced into approximation rectangle with width  $\Delta x$  and length  $y_2$ . Area of those rectangle is  $y_2 \Delta x$  which slides from x = -1 to x = 3. So, using equation (1),

Required area = 
$$\int_{-2}^{-1} y_1 dx + \int_{-1}^{3} y_2 dx$$
  
=  $\int_{-2}^{-1} (-x) dx + \int_{-1}^{3} (x+2) dx$   
=  $-\left[\frac{x^2}{2}\right]_{-2}^{-1} + \left[\frac{x^2}{2} + 2x\right]_{-1}^{3}$   
=  $-\left[\frac{1}{2} - \frac{4}{2}\right] + \left[\left(\frac{9}{2} + 6\right) - \left(\frac{1}{2} - 2\right)\right]$   
=  $\frac{3}{2} + \left(\frac{21}{2} + \frac{3}{2}\right)$   
=  $\frac{27}{2}$ 

Required area =  $\frac{27}{2}$  sq.units

Consider the sketch of the given graph:y = |x - 5|



Therefore,

Required area = 
$$\int_0^1 y dx$$

$$= \int_0^1 |x - 5| dx$$

$$= \int_0^1 |x - 5| dx$$
$$= \int_0^1 -(x - 5) dx$$

$$= \left[\frac{-x^2}{2} + 5x\right]_0^1$$

$$= \left[ -\frac{1}{2} + 5 \right]$$

$$=\frac{9}{2}$$
sq. units


Therefore, the given integral represents the area bounded by the curves, x = 0, y = 0, x = 1 and y = -(x - 5).

The given equation is y = |x+3|

The corresponding values of x and y are given in the following table.

x	- 6	-5	-4	-3	-2	- 1	0
y	3	2	1	0	1	2	3

On plotting these points, we obtain the graph of y = |x+3| as follows.



It is known that,  $(x+3) \le 0$  for  $-6 \le x \le -3$  and  $(x+3) \ge 0$  for  $-3 \le x \le 0$ 

$$\therefore \int_{-6}^{0} |(x+3)| dx = -\int_{-6}^{-3} (x+3) dx + \int_{-3}^{0} (x+3) dx$$

$$= -\left[ \frac{x^{2}}{2} + 3x \right]_{-6}^{-3} + \left[ \frac{x^{2}}{2} + 3x \right]_{-3}^{0}$$

$$= -\left[ \left( \frac{(-3)^{2}}{2} + 3(-3) \right) - \left( \frac{(-6)^{2}}{2} + 3(-6) \right) \right] + \left[ 0 - \left( \frac{(-3)^{2}}{2} + 3(-3) \right) \right]$$

$$= -\left[ -\frac{9}{2} \right] - \left[ -\frac{9}{2} \right]$$

$$= 9$$


We have,

$$y = |x+1| = \begin{cases} x+1, & \text{if } x+1 \ge 0 \\ -(x+1), & \text{if } x+1 < 0 \end{cases}$$
$$y = \begin{cases} (x+1), & \text{if } x \ge -1 \\ -x-1, & \text{if } x < -1 \end{cases}$$

$$\Rightarrow y = x + 1 \tag{1}$$
 and  $y = -x - 1$  (2)

Equation (1) represents a line which meets axes at (0,1) and (-1,0). Equation (2) represents a line passing through (0,-1) and (-1,0)

A rough sketch is given below:-



$$\int_{-4}^{2} \left| x + 1 \right| dx = \int_{-4}^{-1} - \left( x + 1 \right) dx + \int_{-1}^{2} \left( x + 1 \right) dx$$

$$= -\left[\frac{x^2}{2} + x\right]_{-4}^{-1} + \left[\frac{x^2}{2} + x\right]_{-1}^{2}$$

$$= -\left[\left(\frac{1}{2} - 1\right) - \left(\frac{16}{2} - 4\right)\right] + \left[\left(\frac{4}{2} + 2\right) - \left(\frac{1}{2} - 1\right)\right]$$

$$= -\left[\left(-\frac{1}{2} - 4\right)\right] + \left[4 + \frac{1}{2}\right]$$

$$= \frac{9}{2} + \frac{9}{2}$$

$$=\frac{18}{2}$$

Required area = 9 sq. unit


To find the area bounded by

x axis, 
$$x = 3$$
,  $x = 4$  and  $xy - 3x - 2y - 10 = 0$ 

$$\Rightarrow y(x-2) = 3x + 10$$

$$\Rightarrow y = \frac{3x + 10}{x - 2}$$

A rough sketch of the curves is given below:-



Shaded region is required region.

It is sliced in rectangle with width  $= \Delta x$  and length = y

Area of rectangle =  $y \Delta x$ 

This approximation rectangle slide from x = 3 to x = 4. So,

$$= \int_3^3 y dx$$

$$= \int_3^4 \left(\frac{3x + 10}{x - 2}\right) dx$$

$$= \int_3^4 \left(3 + \frac{16}{x - 2}\right) dx$$

$$= (3x)_3^4 + 16\{\log|x-2|_3^4$$

Required area =  $(3 + 16 \log 2)$  sq. units


To find area bounded by  $y = \frac{\pi}{2} + 2\sin^2 x$ ,

$$x$$
-axis,  $x = 0$  and  $x = \pi$ 

A table for values of  $y = \frac{\pi}{2} + 2\sin^2 x$  is:-

X	0	<u>π</u>	$\frac{\pi}{4}$	<u>π</u>	<u>π</u>	<u>2π</u>	<u>Зя</u>	<u>5π</u>	Я
$\frac{\pi}{2} + 2 \sin^2 x$	1.57	2.07	2.57	3.07	3.57	3.07	2.57	2.07	1.57

A rough sketch of the curves is given below:-



Shaded region represents required area. We slice it into rectangles of width = $\Delta x$  and length = y

Area of rectangle =  $y \Delta x$ 

The approximation rectangle slides from x = 0 to  $x = \pi$ . So,

$$= \int_0^x y dx$$

$$= \int_0^x \left(\frac{\pi}{2} + 2\sin^2 x\right) dx$$

$$= \int_0^x \left(\frac{\pi}{2} + 1 - \cos 2x\right) dx$$

$$= \left[\frac{\pi}{2}x + x - \frac{\sin 2x}{2}\right]_0^x$$

$$= \left\{\left(\frac{\pi^2}{2} + \pi - \frac{\sin 2x}{2}\right) - \left(0\right)\right\}$$

$$= \frac{\pi^2}{2} + \pi$$


Required area =  $\frac{\pi}{2} (\pi + 2)$  sq. units

To find area between by x-axis, x = 0,  $x = \pi$  and

$$y = \frac{x}{\pi} + 2\sin^2 x \qquad ---(1)$$

The table for equation (1) is:-

X	0	$\frac{\pi}{c}$	<u>π</u>	<u>π</u>	<u>π</u>	$\frac{2\pi}{2}$	<u>3π</u>	$\frac{5\pi}{6}$	Я
ů	0	0.66	1 25	1.88	2	1.88	1.25	0.66	0



Shaded region is the required area. We slice the area into rectangles with width = $_{\Delta}x$ , length = y

Area of rectangle =  $y \Delta x$ 

The approximation rectangle slides from x = 0 to  $x = \pi$ . So,

Required area = (Region ABOA)

$$= \int_0^{\pi} y dx$$


$$= \int_0^{\pi} \left(\frac{x}{\pi} + 2\sin^2 x\right) dx$$

$$= \int_0^{\pi} \left(\frac{x}{\pi} + 1 - \cos 2x\right) dx$$

$$= \left[\frac{x^2}{2\pi} + x - \frac{\sin 2x}{2}\right]_0^{\pi}$$

$$= \left(\frac{\pi^2}{2\pi} + \pi - 0\right) - \left(0\right)$$

Required area =  $\frac{3\pi}{2}$  sq. units



From the figure, we notice that

The required area= area of the region OABO + area of the region BCDB + area of the region DEFD

Thus, the reqd. area = 
$$\int_0^{\pi/2} \cos x \, dx + \left| \int_{\pi/2}^{3\pi/2} \cos x \, dx \right| + \int_{3\pi/2}^{2\pi} \cos x \, dx$$

$$= \left[ \sin x \right]_0^{\pi/2} + \left[ \sin x \right]_{\pi/2}^{3\pi/2} \left| + \left[ \sin x \right]_{3\pi/2}^{2\pi} \right|$$

$$= \left[ \sin \frac{\pi}{2} - \sin 0 \right] + \left| \sin \frac{3\pi}{2} - \sin \frac{\pi}{2} \right| + \left[ \sin 2\pi - \sin \frac{3\pi}{2} \right]$$

$$= 1 + 2 + 1 = 4 \text{ square units}$$


## Areas of Bounded Regions Ex 21.1 Q24

To find area under the curve

between x = 0 and  $x = \frac{\pi}{3}$ .

X	0	$\frac{\pi}{6}$	$\frac{\pi}{4}$	$\frac{\pi}{3}$	$\frac{\pi}{2}$
Y=sin x	0	0.5	0.7	0.8	1
Y=sin 2 x	0	0.8	1	0.8	0

A rough sketch of the curve is given below:-



Area under curve  $y = \sin 2x$ 

It is sliced in rectangles with width = $\Delta x$  and length =  $y_1$ 

Area of rectangle =  $y_1 \Delta x$ 

This approximation rectangle slides from x = 0 to  $x = \frac{\pi}{3}$ . So,

Required area = Region *OPACO* 

$$A_{1} = \int_{0}^{\frac{\pi}{3}} y_{1} dx$$

$$= \int_{0}^{\frac{\pi}{3}} \sin 2x \, dx$$

$$= \left[ \frac{-\cos 2x}{2} \right]_{0}^{\frac{\pi}{3}}$$

$$= -\left[ -\frac{1}{4} - \frac{1}{2} \right]$$

$$A_1 = \frac{3}{4}$$
 sq.units

Area under curve  $y = \sin x$ :

It is sliced in rectangles with width  $\Delta x$  and langth  $y_2$  Area of rectangle =  $y_2 \Delta x$ 

This approximation rectangle slides from x=0 to  $x=\frac{\pi}{3}$ . So,

Required area = Region OQACO

$$= \int_{0}^{\frac{\pi}{3}} y_{2} dx$$

$$= \int_{0}^{\frac{\pi}{3}} \sin x \, dx$$

$$= \left[ -\cos x \right]_{0}^{\frac{\pi}{3}}$$

$$= -\left[ \cos \frac{\pi}{3} - \cos 0 \right]$$

$$= -\left( \frac{1}{2} - 1 \right)$$

$$A_2 = \frac{1}{2}$$
 sq.units

So.


$$A_2:\,A_1=\frac{1}{2}:\frac{3}{4}$$

$$A_2: A_1 = 2:3$$

To compare area under curves  $y = \cos^2 x$  and  $y = \sin^2 x$  between x = 0 and  $x = \pi$ .

Table for  $v = \cos^2 x$  and  $v = \sin^2 x$  is

X	0	$\frac{\pi}{6}$	$\frac{\pi}{4}$	$\frac{\pi}{3}$	$\frac{\pi}{2}$	<u>2π</u> 3	$\frac{3\pi}{4}$	$\frac{5\pi}{6}$	π
Y=cos²x	1	0.75	0.5	0.25	0	0.25	0.5	0.75	1
Y=sin²x	0	0.25	0.5	0.75	1	0.75	0.5	0.25	0



Area of region enclosed by  $y = \cos^2 x$  and axis

 $A_1$  = Region OABO + Region BCDB

= 
$$2 (Region BCDB)$$

$$=2\int_{\frac{\pi}{2}}^{\pi}\cos^2x\,dx$$

$$=2\int_{\frac{\pi}{2}}^{\pi} \left(\frac{1-\cos 2x}{2}\right) dx$$

$$= \left[ x - \frac{\sin 2x}{2} \right]_{\frac{x}{2}}^{x}$$

$$= \left[ \left( \pi - 0 \right) - \left( \frac{\pi}{2} - 0 \right) \right]$$

$$= \pi - \frac{\pi}{2}$$

$$A_1 = \frac{\pi}{2}$$
 sq.units

Area of region enclosed by  $y = \sin^2 x$  and axis

 $A_2$  = Region *OEDO* 

$$= \int_0^{\pi} \sin^2 x \, dx$$

$$= \int_0^{\pi} \left( \frac{1 - \cos 2x}{2} \right) dx$$

$$=\frac{1}{2}\left[x-\frac{\sin 2x}{2}\right]_0^x$$

$$=\frac{1}{2}\Big[\big(\pi-0\big)-\big(0\big)\Big]$$

$$A_2 = \frac{\pi}{2} \text{ sq. units} \qquad ---(2)$$

From equation (1) and (2),


$$A_1 = A_2$$


So,

Area enclosed by  $y = \cos^2 x = \text{Area enclosed by } y = \sin^2 x$ 

The required area fig., of the region BOB'RFSB is enclosed by the ellipse and the lines x = 0 and x = ae.

lines x = 0 and x = ae.  
Note that the area of the region BOB'RFSB  
= 
$$2\int_0^{ae} y dx = 2\frac{b}{a} \int_0^{ae} \sqrt{a^2 - x^2} dx$$
  
=  $\frac{2b}{a} \left[ \frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \frac{x}{a} \right]_0^{ae}$   
=  $\frac{2b}{2a} \left[ ae \sqrt{a^2 - a^2}e^2 + a^2 \sin^{-1} e \right]$   
=  $ab \left[ e\sqrt{1 - e^2} + \sin^{-1} e \right]$ 





Area of the minor segment of the circle


$$=2\int_{\frac{a}{2}}^{\frac{a}{2}} \sqrt{a^{2}-x^{2}} dx$$

$$=2\left[\frac{x}{2}\sqrt{a^{2}-x^{2}} + \frac{a^{2}}{2}\sin^{-1}\frac{x}{2}\right]_{\frac{a}{2}}^{\frac{a}{2}}$$

$$=2\left[\frac{a}{2}(0) + \frac{a^{2}}{2}\sin^{-1}\left(\frac{a}{2}\right) - \frac{a}{4}\sqrt{a^{2}-\frac{a^{2}}{4}} - \frac{a^{2}}{2}\sin^{-1}\frac{a}{4}\right]$$

$$=2\left[\frac{a^{2}}{2}\sin^{-1}\left(\frac{a}{2}\right) - \frac{a}{4}\sqrt{a^{2}-\frac{a^{2}}{4}} - \frac{a^{2}}{2}\sin^{-1}\frac{a}{4}\right]$$

$$=\frac{a^{2}}{12}\left(4\pi - 3\sqrt{3}\right) \text{sq. units}$$



Area of the bounded region

$$=2\int_{1}^{2}y\,\frac{dx}{dt}dt$$


$$=2\int\limits_{1}^{2}(2at)(2at)dt$$

$$=8a^2\int_{0}^{2}t^2dt$$

$$=8a^2\left[\frac{t^3}{3}\right]_1^2$$

$$= 8a^2 \left[ \frac{8}{3} - \frac{1}{3} \right]$$

= 
$$\frac{56a^2}{3}$$
 sq. units



Area of the bounded region

$$=4\int_{0}^{\frac{\pi}{2}}2\sin t\,dt$$

= 
$$-8[\cos t]^{\frac{2}{5}}$$
  
=  $-8[0-1]$   
= 8sq units


## Ex 21.2

#### Areas of Bounded Regions Ex-21-2 Q1

To find the area enclosed in first quadrant by

$$x = 0$$
,  $y = 1$ ,  $y = 4$  and  $y = 4x^2$  --- (1)

Equation (1) represents a parabola with vertex (0,0) and axis as y-axis. x = 0 is y-axis and y = 1, y = 4 are lines parallel to x-axis passing through (0,1) and (0,4) respectively. A rough sketch of the curves is given as:-



Shaded region is required area and it is sliced into rectangles with area  $x \triangle y$  it slides from y = 1 to y = 4, so

Required area = Region ABCDA

$$= \int_{1}^{4} x dy$$

$$= \int_{1}^{4} \sqrt{\frac{y}{4}} dy$$

$$= \frac{1}{2} \int_{1}^{4} \sqrt{y} dy$$

$$= \frac{1}{2} \left[ \frac{2}{3} y \sqrt{y} \right]_{1}^{4}$$

$$= \frac{1}{2} \left[ \left( \frac{2}{3} \cdot 4 \cdot \sqrt{4} \right) - \left( \frac{2}{3} \cdot 1 \cdot \sqrt{1} \right) \right]$$


$$= \frac{1}{2} \left[ \frac{16}{3} - \frac{2}{3} \right]$$

Required area =  $\frac{7}{3}$  sq. units

To find region in first quadrant bounded by y = 1, y = 4 and y-axis and

Equation (1) represents a parabola with vertex (0,0) and axes as y-axis.

A rough sketch of the curves is as under:-



Shaded region is required area it is sliced in rectangles of area  $x \triangle y$  which slides from y = 1 to y = 4, so

Required area = Region ABCDA

$$A = \int_{1}^{4} x \, dy$$


$$= \int_{1}^{4} 4 \sqrt{y} \, dy$$

$$= 4 \left[ \frac{2}{3} y \sqrt{y} \right]_{1}^{4}$$

$$= 4 \cdot \left[ \left( \frac{2}{3} \cdot 4 \sqrt{4} \right) - \left( \frac{2}{3} \cdot 1 \cdot \sqrt{1} \right) \right]$$

$$=4\left[\frac{16}{3}-\frac{2}{3}\right]$$

$$A = \frac{56}{3}$$
 sq. units



Area of the region =  $2 \times \int_{0}^{4} \left( a - \frac{x^2}{4a} \right) dx$ 

$$= 2x \left[ ax - \frac{x^3}{12a} \right]_0^{2a}$$


$$= 2 \left[ a(2a - 0) - \frac{(2a)^3 - 0^3}{12a} \right]$$

$$= 2 \left[ 2a^2 - \frac{8a^3}{12a} \right]$$

$$= 2 \left[ \frac{16a^3}{12a} \right]$$

$$= \frac{8}{3} a^2 \text{ sq. units}$$

## Areas of Bounded Regions Ex-21-2 Q4



Area of the region =  $2 \times \int_{0}^{8} \left[ -\frac{x^2}{16} - (-4) \right] dx$ 

$$= 2x \left[ -\frac{x^3}{48} + 4x \right]_0^8$$

$$=2\times\left[4\times-\frac{x^3}{48}\right]_0^8$$


$$=2x\left[4(8-0)-\frac{(8)^3-0^3}{48}\right]$$

$$=2\times\left[32-\frac{512}{48}\right]$$

$$=2\times\left[32-\frac{32}{3}\right]$$

$$=2\times\left[\frac{96-32}{3}\right]$$

$$=2 \times \frac{64}{3} = \frac{128}{3}$$
 sq. units



$$= \int_{3}^{2\pi} \left(ay^{2}\right)^{\frac{1}{3}} dy$$

$$=a^{\frac{1}{3}}\int_{3}^{2}y^{\frac{2}{3}}dy$$

$$= a^{\frac{1}{3}} \left[ \frac{3}{5} y^{\frac{5}{3}} \right]^{2}$$

Area of the bounded region
$$= \int_{a}^{2a} (ay^{2})^{\frac{1}{3}} dy$$


$$= a^{\frac{1}{3}} \int_{a}^{2} y^{\frac{2}{3}} dy$$

$$= a^{\frac{1}{3}} \left[ \frac{3}{5} y^{\frac{3}{3}} \right]_{0}^{2a}$$

$$= \frac{3}{5} \left( 2^{\frac{5}{3}} - 1 \right) a^{2} \text{ sq units}$$

# Ex 21.3

## Areas of Bounded Regions Ex-21-3 Q1




Area of the bounded region

$$= \int_{0}^{6} \sqrt{6x} - \frac{x^2}{6} dx$$

$$= \left[ \sqrt{6} \frac{x^{\frac{3}{2}}}{\frac{3}{2}} - \frac{x^{\frac{3}{2}}}{18} \right]_{0}^{6}$$

$$= \left[ \sqrt{6} \frac{x^{\frac{3}{2}}}{\frac{3}{2}} - \frac{x^{\frac{3}{2}}}{18} \right]_{0}^{6}$$

## Areas of Bounded Regions Ex-21-3 Q2



Area of the region =  $\int_{0}^{4} \left[ \frac{3\sqrt{x}}{2} - \frac{3x^{2}}{16} \right] dx$ 

$$= \left[ \times^{\frac{3}{2}} - \frac{\times^3}{16} \right]_0^4$$

$$= \left[ (4)^{\frac{3}{2}} - \frac{(4)^3}{16} \right]$$


$$= \left[8 - \frac{64}{16}\right]$$

$$= \left[8 - \frac{64}{16}\right]$$
$$= \left[8 - 4\right] = 4 \text{ squnits}$$

We have to find area of region bounded by

Equation (1) represents parabola with vertex (0,0) and axis as x-axis and equation (2) represents a line passing through origin and intersecting parabola at (0,0) and (1,1).

A rough sketch of curves is as below:-



Shaded region represents the required area. We slice it in rectangle with Width = $_{\Delta}x$ , length =  $y_1$  -  $y_2$ 

Area of rectangle =  $(y_1 - y_2)\Delta x$ 

The approximation triangle can slide from x = 0 to x = 1.

Required area = region AOBPA

$$= \int_0^1 (y_1 - y_2) dx$$
$$= \int_0^1 (\sqrt{x} - x) dx$$

$$= \left[\frac{2}{3}x\sqrt{x} - \frac{x^2}{2}\right]_0^1$$
$$= \left[\frac{2}{3}\cdot 1\cdot\sqrt{1} - \frac{\left(1\right)^2}{2}\right] - \left[0\right]$$

$$= \left[\frac{2}{3} - \frac{1}{2}\right]$$


Required area =  $\frac{1}{6}$  square units

We have to find area bounded by the curves

$$y = 4 - x^{2}$$
  
 $\Rightarrow x^{2} = -(y - 4)$  --- (1)  
and  $y = 0$  --- (2)  
 $y = 3$  --- (3)

Equation (1) represents a parabola with vertex (0,4) and passes through (0,2), (0,-2) Equation (1) is x-axis and equation (3) is a line parallel to x-axis passing through (0,3).

A rough sketch of curves is below:-



Shaded region represents the required area. We slice it in approximation rectangle with its Width  $= \Delta x$  and length = y - 0 = y

Area of the rectangle =  $y \Delta x$ .

This approximation rectangle can slide from x = 0 to x = 2 for region OABCO.

$$=2\int_0^2 y dx$$

$$= 2\int_0^2 (4 - x^2) dx$$

$$= 2\left(4x - \frac{x^3}{3}\right)_0^2$$


$$=2\left[\left(8-\frac{8}{3}\right)-\left(0\right)\right]$$

Required area =  $\frac{32}{3}$  square units

Here to find area 
$$\left\{ \left(x,y\right): \frac{x^2}{a^2} + \frac{y^2}{b^2} \le 1 \le \frac{x}{a} + \frac{y}{b} \right\}$$
  
So, 
$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1 \qquad \qquad ---\left(1\right)$$

Equation (1) represents ellipse with centre at origin and passing through  $(\pm a,0)$ ,  $(0,\pm b)$  equation (2) represents a line passing through (a,0) and (0,b).

A rough sketch of curves is below: - let a > b



Shaded region is the required region as by substituting (0,0) in  $\frac{x^2}{a^2} + \frac{y^2}{b^2} \le 1$  gives a true statement and by substituting (0,0) in  $1 \le \frac{x}{a} + \frac{y}{b}$  gives a false statement.

We slice the shaded region into approximation rectangles with Width =  $\Delta x$ , length =  $(y_1 - y_2)$ 


Area of the rectangle =  $(y_1 - y_2)$ 

The approximation rectangle can slide from x = 0 to x = a, so

Required area = 
$$\int_0^a \left[ \frac{b}{a} \sqrt{a^2 - x^2} - \frac{b}{a} (a - x) \right] dx$$
  
=  $\frac{b}{a} \int_0^a \left[ \sqrt{a^2 - x^2} - (a - x) \right] dx$   
=  $\frac{b}{a} \left[ \frac{x}{2} \sqrt{a^2 - x^2} + \frac{a^2}{2} \sin^{-1} \left( \frac{x}{a} \right) - ax + \frac{x^2}{2} \right]_0^a$   
=  $\frac{b}{a} \left[ \left( \frac{a}{2} \sqrt{a^2 - a^2} + \frac{a^2}{2} \sin^{-1} \left( 1 \right) - a^2 + \frac{a^2}{2} \right) - \left( 0 + 0 + 0 + 0 \right) \right]$   
=  $\frac{b}{a} \left[ \frac{a^2}{2} \cdot \frac{\pi}{2} - \frac{a^2}{2} \right]$   
=  $\frac{b}{a} \frac{a^2}{2} \left( \frac{\pi - 2}{2} \right)$ 

Required area =  $\frac{ab}{4}(\pi-2)$  square units

Here we have find area of the triangle whose vertices are A(2,1), B(3,4) and C(5,2)



Equation of AB,

$$y - y_1 = \left(\frac{y_2 - y_1}{x_2 - x_1}\right) (x - x_1)$$
$$y - 1 = \left(\frac{4 - 1}{3 - 2}\right) (x - 2)$$
$$y - 1 = \frac{3}{1}(x - 2)$$

$$y = 3x - 6 + 1$$

$$y = 3x - 5$$

---(2)

Equation of BC,

$$y - 4 = \left(\frac{2 - 4}{5 - 3}\right)(x - 3)$$
$$= \frac{-2}{2}(x - 3)$$
$$y - 4 = -x + 3$$

$$y = -x + 7$$

Equation of AC,  
$$y - 1 = \left(\frac{2 - 1}{5 - 2}\right) (x - 2)$$

$$y-1=\frac{1}{3}\big(x-2\big)$$

$$y=\frac{1}{3}x-\frac{2}{3}+1$$

$$y = \frac{1}{3}x + \frac{1}{3} \qquad ---(3)$$

Shaded area ABC is the required area.

$$ar(\triangle ABC) = ar(\triangle ABD) + ar(\triangle BDC)$$

For  $ar(\triangle ABD)$ : we slice the region into approximation rectangle with width  $= \triangle X$ and length  $(y_1 - y_3)$  area of rectangle =  $(y_1 - y_3) \Delta x$ 

This approximation rectangle slides from x = 2 to x = 3

ar 
$$\{ \triangle ABD \} = \int_{2}^{3} (y_{1} - y_{3}) dx$$
  

$$= \int_{2}^{3} \left[ (3x - 5) - \left( \frac{1}{3}x + \frac{1}{3} \right) \right] dx$$

$$= \int_{2}^{3} \left( 3x - 5 - \frac{1}{3}x - \frac{1}{3} \right) dx$$

$$= \int_{2}^{3} \left( \frac{8x}{3} - \frac{16}{3} \right) dx$$

$$= \frac{8}{3} \left( \frac{x^{2}}{2} - 12x \right)_{2}^{3}$$

$$= \frac{8}{3} \left[ \left( \frac{9}{2} - 6 \right) - (2 - 4) \right]$$

$$= \frac{8}{3} \left[ -\frac{3}{2} + 2 \right]$$

$$= \frac{8}{3} \times \frac{1}{2}$$

$$ar(\triangle ABD) = \frac{4}{3}$$
 sq. unit

For  $ar(\triangle BDC)$ : we slice the region into rectangle with width  $= \triangle X$ and length  $(y_2 - y_3)$ . Area of rectangle =  $(y_2 - y_3) \triangle x$ 

The approximation rectangle slides from x = 3 to x = 5.


$$ar\left(\triangle BDC\right) = \frac{8}{3}$$
 sq. units

So, 
$$ar(\triangle ABC) = ar(\triangle ABD) + ar(\triangle BDC)$$

$$= \frac{4}{3} + \frac{8}{3}$$
$$= \frac{12}{3}$$

$$ar(\triangle ABC) = 4 \text{ sq. units}$$

We have to find area of the triangle whose vertices are A(-1,1), B(0,5), C(3,2)



Equation of AB,

$$y - y_1 = \left(\frac{y_2 - y_1}{x_2 - x_1}\right) (x - x_1)$$

$$y-1=\left(\frac{5-1}{0+1}\right)(x+1)$$

$$y - 1 = \frac{4}{1}(x + 1)$$
  
 $y = 4x + 4 + 1$ 

$$y = 4x + 4 + 1$$

$$y = 4x + 5$$

Equation of BC,

$$y-5=\left(\frac{2-5}{3-0}\right)(x-0)$$

$$=\frac{-3}{3}(x-0)$$

$$y-5=-x$$

$$y = 5 - x$$

Equation of AC,

$$y-5=\left(\frac{2-5}{3-0}\right)(x-0)$$

$$=\frac{-3}{3}(x-0)$$
$$y-5=-x$$

$$y - 5 = -x$$

$$y = 5 - x$$

Equation of AC,

$$y-1=\left(\frac{2-1}{3+1}\right)(x+1)$$

$$y-1=\frac{1}{4}\left( x+1\right)$$

$$y = \frac{1}{4}x + \frac{1}{4} + 1$$

Shaded area  $\triangle ABC$  is the required area.

$$ar(\triangle ABC) = ar(\triangle ABD) + ar(\triangle BDC)$$

For  $ar(\triangle ABD)$ : we slice the region into approximation rectangle with width  $= \triangle X$ and length  $(y_1 - y_3)$  area of rectangle =  $(y_1 - y_3) \triangle x$ 

This approximation rectangle slides from x = -1 to x = 0, so

$$ar \left( \triangle ABD \right) = \int_{-1}^{0} \left( y_1 - y_3 \right) dx$$

$$= \int_{-1}^{0} \left[ \left( 4x + 5 \right) - \frac{1}{4} \left( x + 5 \right) \right] dx$$

$$= \int_{-1}^{0} \left( 4x + 5 - \frac{x}{4} - \frac{5}{4} \right) dx$$

$$= \int_{-1}^{0} \left( \frac{15}{4} x + \frac{15}{4} \right) dx$$

$$= \frac{15}{4} \left( \frac{x^2}{2} + x \right)_{-1}^{0}$$

$$= \frac{15}{4} \left[ \left( 0 \right) - \left( \frac{1}{2} - 1 \right) \right]$$

 $=\frac{15}{4} \times \frac{1}{2}$ 

$$ar\left(\triangle ABD\right) = \frac{15}{8}$$
 sq. units

For  $ar(\triangle BDC)$ : we slice the region into rectangle with width  $= \triangle X$ and length  $(y_2 - y_3)$ . Area of rectangle =  $(y_2 - y_3) \triangle x$ 

The approximation rectangle slides from x = 0 to x = 3.

Area (aBDC) = 
$$\int_0^3 (y_2 - y_3) dx$$
  
=  $\int_0^3 \left[ (5 - x) - \left( \frac{1}{4} x + \frac{5}{4} \right) \right] dx$   
=  $\int_0^3 \left( 5 - x - \frac{1}{4} x - \frac{5}{4} \right) dx$   
=  $\int_0^3 \left( -\frac{5}{4} x + \frac{15}{4} \right) dx$   
=  $\frac{5}{4} \left( 3x - \frac{x^2}{2} \right)_0^3$   
=  $\frac{5}{4} \left[ 9 - \frac{9}{2} \right]$ 

$$ar(\Delta BDC) = \frac{45}{8}$$
 sq. units

So, 
$$ar(\triangle ABC) = ar(\triangle ABD) + ar(\triangle BDC)$$

$$= \frac{15}{8} + \frac{45}{8}$$
$$= \frac{60}{8}$$

$$ar\left(\triangle ABC\right) = \frac{15}{2}$$
 sq. units

# Areas of Bounded Regions Ex-21-3 Q8

To find area of triangular region bounded by

$$y = 2x + 1$$
 (Say, line AB)

$$y = 3x + 1$$
 (Say, line BC)

$$y = 4$$
 (Say, line AC)


equation (1) represents a line passing through points (0,1) and  $\left(-\frac{1}{2},0\right)$ , equation

(2) represents a line passing through points (0,1) and  $\left(-\frac{1}{3},0\right)$ . Equation (3) represents a line parallel to y-axis passing through (4,0).

Solving equation (1) and (2) gives point B(0,1)

Solving equation (2) and (3) gives point C(4,13)

Solving equation (1) and (3) gives point A(4,9)



Shaded region ABCA gives required triangular region. We slice this region into approximation rectangle with width  $= \Delta x$ , length  $= (y_1 - y_2)$ .

Area of rectangle =  $(y_1 - y_2)\Delta x$ 

This approximation rectangle slides from x = 0 to x = 4, so

Required area = (Region ABCA)

$$= \int_0^4 (y_1 - y_2) dx$$

$$= \int_0^4 [(3x + 1) - (2x + 1)] dx$$

$$= \int_0^4 x dx$$


$$= \left[\frac{x^2}{2}\right]_0^4$$

Required area = 8 sq. units

To find area  $\{(x,y): y^2 \le 8x, x^2 + y^2 \le 9\}$  given equation is

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis, equation (2) represents a circle with centre (0,0) and radius  $\sqrt{9} = 3$ , so it meets area at (±3,0), (0,±3), point of intersection of parabola and circle is  $(1,2\sqrt{2})$  and  $(1,-2\sqrt{2})$ .

A rough sketch of the curves is as below:-



Shaded region is the required region.

Required area = 2 (region ODCO + region DBCD)

$$= 2 \left[ \int_0^1 \sqrt{8x} dx + \int_1^3 \sqrt{9 - x^2} dx \right]$$

$$\begin{split} &=2\left[\left(2\sqrt{2},\frac{2}{3}x\sqrt{x}\right)_{0}^{1}+\left(\frac{x}{2}\sqrt{9-x^{2}}+\frac{9}{2}\sin^{-1}\frac{x}{3}\right)_{1}^{3}\right]\\ &=2\left[\left(\frac{4\sqrt{2}}{3},1,\sqrt{1}\right)+\left\{\left(\frac{3}{2},\sqrt{9-9}+\frac{9}{2}\sin^{-1}\left(1\right)\right)-\left(\frac{1}{2}\sqrt{9-1}+\frac{9}{2}\sin^{-1}\frac{1}{3}\right)\right\}\right]\\ &=2\left[\frac{4\sqrt{2}}{3}+\left\{\left(\frac{9}{2},\frac{\pi}{2}\right)-\left(\frac{2\sqrt{2}}{2}-\frac{9}{2}\sin^{-1}\left(\frac{1}{3}\right)\right)\right\}\right] \end{split}$$


$$= 2 \left[ \frac{4\sqrt{2}}{3} + \frac{9\pi}{4} - \sqrt{2} - \frac{9}{2} \sin^{-1} \left( \frac{1}{3} \right) \right]$$

Required area =  $2\left[\frac{\sqrt{2}}{3} + \frac{9\pi}{4} - \frac{9}{2}\sin^{-1}\left(\frac{1}{3}\right)\right]$  square units

To find the area of common to

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis, equation (2) represents a circle with centre (0,0) and radius  $\sqrt{16}$  = 4, so it meets areas at (±4,0), (0,±4,0), points of intersection of parabola and circle are (2,2 $\sqrt{3}$ ) and (2,-2 $\sqrt{3}$ ).

A rough sketch of the curves is as below:-



Shaded region represents the required area.


Required area = Region OBCAORequired area = 2 (region ODAO + region DCAD) ---(1)


Region *ODAO* is divided into approximation rectangle with area  $y_1 \triangle x$  and slides from x = 0 to x = 2. And region *DCAD* is divided into approximation rectangle with area  $y_2 \triangle x$  and slides from x = 2 and x = 4. So using equation (1),

Required area = 
$$2\left(\int_0^2 y_1 dx + \int_2^4 y_2 dx\right)$$
  
=  $2\left[\int_0^2 \sqrt{6x} dx + \int_2^4 \sqrt{16 - x^2} dx\right]$   
=  $2\left[\left\{\sqrt{6} \cdot \frac{2}{3} x \sqrt{x}\right\}_0^2 + \left\{\frac{x}{2}\sqrt{16 - x^2} + \frac{16}{2}\sin^{-1}\frac{x}{4}\right\}_2^4\right]$   
=  $2\left[\left\{\sqrt{6} \cdot \frac{2}{3} \cdot 2 \cdot \sqrt{2}\right\} + \left\{\left(\frac{4}{2}\sqrt{16 - 16} + \frac{16}{2}\sin^{-1}\frac{4}{4}\right) - \left(\frac{2}{2}\sqrt{16 - 4} + \frac{16}{2}\sin^{-1}\frac{2}{4}\right)\right\}\right]$   
=  $2\left[\frac{4}{3}\sqrt{12} + \left\{\left(0 + 8\sin^{-1}\left(1\right)\right) - \left(1 \cdot \sqrt{12} + 8\sin^{-1}\left(\frac{1}{2}\right)\right)\right\}\right]$   
=  $2\left[\frac{8\sqrt{3}}{3} + \left\{\left(8 \cdot \frac{\pi}{2}\right) - \left(2\sqrt{3} + 8 \cdot \frac{\pi}{6}\right)\right\}\right]$   
=  $2\left\{\frac{8\sqrt{3}}{3} + 4\pi - 2\sqrt{3} - \frac{4\pi}{3}\right\}$   
=  $2\left\{\frac{2\sqrt{3}}{3} + \frac{8\pi}{3}\right\}$ 

Required area =  $\frac{4}{3} \left( 4\pi + \sqrt{3} \right)$  sq.units

Equation of the given circles are  $x^2 + y^2 = 4$  $(x - 2)^2 + y^2 = 4$ And ...(2) Equation (1) is a circle with centre O at eh origin and radius 2. Equation (2) is a circle with centre C (2,0) and radius 2. Solving equations (1) and (2), we have  $(x-2)^2+y^2=x^2+y^2$  $x^2 - 4x + 4 + y^2 = x^2 + y^2$ x = 1 which gives  $y \pm \sqrt{3}$ Or Thus, the points of intersection of the given circles are A  $(1,\sqrt{3})$  and A'  $(1,-\sqrt{3})$  as shown in the fig., Required area of the enclosed region OACA'O between circle = 2 [area of the region ODCAO] (Why?) = 2 [area of the region ODAO + area of the region DCAD]  $= 2 \left[ \int_{0}^{1} y dx + \int_{1}^{2} y dx \right]$   $= 2 \left[ \int_{0}^{1} \sqrt{4 - (x - 2)^{2}} dx + \int_{1}^{2} \sqrt{4 - x^{2}} dx \right] \quad \text{(Why?)}$ 






To find region enclosed by

Equation (1) represents a parabola with vertex at origin and its axis as x-axis, equation (2) represents a line passing through (2,0) and (0,2), points of intersection of line and parabola are (1,1) and (4,-2).

A rough sketch of curves is as below:-



Shaded region represents the required area. We slice it in rectangles of width  $\Delta y$  and length =  $(x_1 - x_2)$ .

Area of rectangle =  $(x_1 - x_2)\Delta y$ .

This approximation rectangle slides from y = -2 to y = 1, so

Required area = Region AOBA

$$= \int_{-2}^{1} (x_1 - x_2) dy$$

$$= \int_{-2}^{1} (2 - y - y^2) dy$$

$$= \left[ 2y - \frac{y^2}{2} - \frac{y^3}{3} \right]_{-2}^{1}$$

$$= \left[ \left( 2 - \frac{1}{2} - \frac{1}{3} \right) - \left( -4 - 2 + \frac{8}{3} \right) \right]$$

$$= \left[ \left( \frac{12 - 3 - 2}{6} \right) - \left( \frac{-12 - 6 + 8}{3} \right) \right]$$

$$= \frac{7}{6} + \frac{10}{3}$$

Required area =  $\frac{9}{2}$  sq.units


To find area  $\{(x,y): y^2 \le 3x, 3x^2 + 3y^2 \le 16\}$ 

$$y^{2} = 3x \qquad --- \{1\}$$

$$3x^{2} + 3y^{2} = 16$$

$$x^{2} + y^{2} = \frac{16}{3} \qquad --- \{2\}$$

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis, equation (2) represents a circle with centre (0,0) and radius  $\frac{4}{\sqrt{3}}$  and meets axes at  $\left(\pm\frac{4}{\sqrt{3}},0\right)$  and  $\left(0,\pm\frac{4}{\sqrt{3}}\right)$ . A rough sketch of the curves is given below:-



Required area = Region OCBAO   
= 2 (Region OBAO)   
= 2 (Region ODAO + Region DBAD)   
= 
$$2 \left[ \int_0^3 \sqrt{3x} dx + \int_3^{\frac{4}{\sqrt{3}}} \sqrt{\left(\frac{4}{\sqrt{3}}\right)^2 - x^2} dx \right]$$
   

$$A = 2 \left[ \left( \sqrt{3} \cdot \frac{2}{3} x \sqrt{x} \right)_0^3 + \left( \frac{x}{2} \sqrt{\left(\frac{4}{\sqrt{3}}\right)^2 - x^2} + \frac{16}{6} \sin^{-1} \frac{x \sqrt{3}}{4} \right)_3^{\frac{4}{\sqrt{3}}} \right]$$
   
=  $2 \left[ \left( \frac{2}{\sqrt{3}} a \sqrt{a} \right) + \left\{ \left( 0 + \frac{8}{3} \sin^{-1} \left( 1 \right) \right) - \left( \frac{a}{2} \sqrt{\left(\frac{4}{\sqrt{3}}\right)^2 - a^2} + \frac{8}{3} \sin^{-1} \frac{a \sqrt{3}}{4} \right) \right\} \right]$    
Thus,  $A = \frac{4}{\sqrt{3}} a^{\frac{3}{2}} + \frac{8\pi}{3} - a \sqrt{\frac{16}{3} - a^2} - \frac{16}{3} \sin^{-1} \left( \frac{\sqrt{3}a}{4} \right)$ 

To find area  $\{(x,y): y^2 \le 5x, 5x^2 + 5y^2 \le 36\}$ 

$$y^{2} = 5x --- (1)$$

$$5x^{2} + 5y^{2} = 36$$


$$x^{2} + y^{2} = \frac{36}{5} --- (2)$$

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis.

Equation (2) represents a circle with centre (0,0) and radius  $\frac{6}{\sqrt{5}}$  and meets axes at

 $\left(\pm\frac{6}{\sqrt{5}},0\right)$  and  $\left(0,\pm\frac{6}{\sqrt{5}}\right)$ . x ordinate of point of intersection of circle and parabola is

a where  $a = \frac{-25 + \sqrt{1345}}{10}$ . A rough sketch of curves is:-



Required area = Region OCBAO

$$A = 2 \left( \text{Region } OBAO \right)$$

$$= 2 \left( \text{Region } ODAO + \text{Region } DBAD \right)$$

$$= 2 \left[ \int_{0}^{2} \sqrt{5x} dx + \int_{0}^{\frac{6}{\sqrt{5}}} \sqrt{\left(\frac{6}{\sqrt{5}}\right)^{2} - x^{2}} dx \right]$$

$$= 2 \left[ \left( \sqrt{5} \cdot \frac{2}{3} x \sqrt{x} \right)_{0}^{2} + \left( \frac{x}{2} \sqrt{\left(\frac{6}{\sqrt{5}}\right)^{2} - x^{2}} + \frac{36}{10} \sin^{-1} \left( \frac{x\sqrt{5}}{6} \right) \right]_{0}^{\frac{6}{\sqrt{5}}} \right]$$


$$= \frac{4\sqrt{5}}{3} a \sqrt{a} + 2 \left\{ \left( 0 + \frac{18}{5} \cdot \frac{\pi}{2} \right) - \left( \frac{a}{2} \sqrt{\left(\frac{6}{\sqrt{5}}\right)^{2} - a^{2}} + \frac{18}{5} \sin^{-1} \left( \frac{a\sqrt{5}}{6} \right) \right] \right\}$$
Thus,  $A = \frac{4\sqrt{5}}{a} a^{\frac{3}{2}} + \frac{18\pi}{5} - a\sqrt{\frac{36}{5} - a^{2}} - \frac{36}{5} \sin^{-1} \left( \frac{a\sqrt{5}}{6} \right)$ 
Where,  $a = \frac{-25 + \sqrt{1345}}{10}$ 

To find area bounded by

$$x^2 = 4y$$
 --- (2)

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis. Equation (2) represents a parabola with vertex (0,0) and axis as y-axis. Points of intersection of parabolas are (0,0) and (4,4).

A rough sketch is given as:-



The shaded region is required area and it is sliced into rectangles with width  $\Delta x$  and length  $(y_1 - y_2)$ . Area of rectangle =  $(y_1 - y_2)\Delta x$ .

This approximation rectangle slide from x = 0 to x = 4, so

Required area = Region OQAPO

$$A = \int_0^4 (y_1 - y_2) dx$$

$$= \int_0^4 \left( 2\sqrt{x} - \frac{x^2}{4} \right) dx$$

$$= \left[ 2 \cdot \frac{2}{3} x \sqrt{x} - \frac{x^3}{12} \right]_0^4$$

$$= \left[ \left( \frac{4}{3} \cdot 4\sqrt{4} - \frac{64}{12} \right) - (0) \right]$$


$$A = \frac{32}{3} - \frac{16}{3}$$

$$A = \frac{16}{3}$$
 sq.units

To find area enclosed by

Equation (1) represents a parabola with vertex (0,0) and axis as x-axis, equation (2) represents a parabola with vertex (0,0) and axis as y-axis, points of intersection of parabolas are (0,0) and  $\left(4a\frac{1}{3}b\frac{2}{3},4a\frac{2}{3}b\frac{1}{3}\right)$ 

A rough sketch is given as:-



The shaded region is required area and it is sliced into rectangles of width =  $\Delta x$  and length  $(y_1 - y_2)$ .

Area of rectangle =  $(y_1 - y_2)\Delta x$ .

This approximation rectangle slides from x = 0 to  $x = 4a\frac{1}{3}b\frac{2}{3}$ , so

Required area = Region OQAPO

$$= \int_{0}^{4s^{\frac{1}{3}}} \frac{b^{\frac{2}{3}}}{3} (y_{1} - y_{2}) dx$$

$$= \int_{0}^{4s^{\frac{1}{3}}} \frac{b^{\frac{2}{3}}}{3} \left( 2\sqrt{a} \cdot \sqrt{x} - \frac{x^{2}}{4b} \right) dx$$

$$= \left[ 2\sqrt{a} \cdot \frac{2}{3} x \sqrt{x} - \frac{x^{3}}{12b} \right]_{0}^{4s^{\frac{1}{3}}} \frac{b^{\frac{2}{3}}}{3}$$

$$= \frac{32\sqrt{a}}{3} \cdot a \cdot \frac{1}{3} \cdot b \cdot \frac{2}{3} \cdot a \cdot \frac{1}{6} \cdot b \cdot \frac{1}{3} - \frac{64ab^{2}}{12b}$$


$$= \frac{32}{3} ab - \frac{16}{3} ab$$

$$A = \frac{16}{3} ab \text{ sq.units}$$

To find area in first quadrant enclosed by x-axis.

Equation (1) represents a line passing through  $(0,0), (-\sqrt{3},-1), (\sqrt{3},1)$ . Equation (2) represents a circle with centre (0,0) and passing through  $(\pm 2,0), (0,\pm 2)$ . Points of intersection of line and circle are  $(-\sqrt{3},-1)$  and  $(\sqrt{3},1)$ .

A rough sketch of curves is given below:-



Required area = Region *OABO* 

$$= \int_0^{\sqrt{3}} y_1 dx + \int_{\sqrt{3}}^2 y_2 dx$$


$$= \int_0^{\sqrt{3}} \frac{x}{\sqrt{3}} dx + \int_{\sqrt{3}}^2 \sqrt{4 - x^2} dx$$

$$= \left(\frac{x^2}{2\sqrt{3}}\right)_0^{\sqrt{3}} + \left[\frac{x}{2}\sqrt{4-x^2} + \frac{4}{2}\sin^{-1}\left(\frac{x}{2}\right)\right]_{\sqrt{3}}^2$$

$$= \left(\frac{3}{2\sqrt{3}} - 0\right) + \left[\left(0 + 2\sin^{-1}\left(1\right)\right) - \left(\frac{\sqrt{3}}{2} \cdot 1 + 2\sin^{-1}\left(\frac{\sqrt{3}}{2}\right)\right)\right]$$

$$=\frac{\sqrt{3}}{2}+2.\frac{\pi}{2}-\frac{\sqrt{3}}{2}-2.\frac{\pi}{3}$$

$$A = \frac{\pi}{3}$$
 sq.units



Area of the bounded region
$$= \int_{0}^{3} \sqrt{x} \, dx + \int_{3}^{9} \sqrt{x} - \left(\frac{x-3}{2}\right) \, dx$$

$$= \left[\frac{x^{\frac{9}{2}}}{\frac{3}{2}}\right]_{0}^{3} + \left[\frac{x^{\frac{9}{2}}}{\frac{3}{2}} - \frac{x^{2}}{4} + \frac{3x}{2}\right]_{3}^{9}$$

$$= \left[\frac{(3)^{\frac{9}{2}}}{\frac{3}{2}} - 0\right] + \left[\frac{(9)^{\frac{9}{2}}}{\frac{3}{2}} - \frac{(9)^{2}}{4} + \frac{3(9)}{2} - \frac{(3)^{\frac{9}{2}}}{\frac{3}{2}} + \frac{(3)^{2}}{4} - \frac{3(3)}{2}\right]$$


$$= 9 \text{ s.g. units}$$

To find area in enclosed by

$$x^{2} + y^{2} = 16a^{2}$$
 --- (1)  
and  $y^{2} = 6ax$  --- (2)

Equation (1) represents a circle with centre (0,0) and meets axes  $(\pm 4a,0)$ ,  $(0,\pm 4a)$ . Equation (2) represents a parabola with vertex (0,0) and axis as x-axis. Points of intersection of circle and parabola are  $(2a,2\sqrt{3}a)$ ,  $(2a,-2\sqrt{3}a)$ .

A rough sketch of curves is given as:-



Region ODCO is sliced into rectangles of area =  $y_1 \triangle x$  and it slides from x = 0 to x = 2a.

Region BCDB is sliced into rectangles of area =  $y_{2}\Delta x$  it slides from x = 2a to x = 4a. So,

Required area = 2 [Region OD CO + Region BCDB]

$$\begin{split} &=2\left[\int_{0}^{2s}y_{1}dx+\int_{2s}^{4s}y_{2}dx\right]\\ &=2\left[\int_{0}^{2s}\sqrt{6ax}dx+\int_{2s}^{4s}\sqrt{16a^{2}-x^{2}}dx\right]\\ &=2\left[\sqrt{6a}\left(\frac{2}{3}x\sqrt{x}\right)_{0}^{2s}+\left[\frac{x}{2}\sqrt{16a^{2}-x^{2}}+\frac{16a^{2}}{2}\sin^{-1}\left(\frac{x}{4a}\right)\right]_{2s}^{4s}\right]\\ &=2\left[\left(\sqrt{6a}\cdot\frac{2}{3}2a\sqrt{2a}\right)+\left[\left(0+8a^{2}\cdot\frac{\pi}{2}\right)-\left(a\sqrt{12a^{2}}+8a^{2}\cdot\frac{\pi}{6}\right)\right]\right]\\ &=2\left[\frac{8\sqrt{3}a^{2}}{3}+4a^{2}\pi-2\sqrt{3}a^{2}-\frac{4}{3}a^{2}\pi\right]\\ &=2\left[\frac{2\sqrt{3}a^{2}}{3}+\frac{8a^{2}\pi}{3}\right] \end{split}$$


$$A = \frac{4a^2}{3} \left( 4\pi + \sqrt{3} \right) \text{ sq.units}$$

To find area lying above x-axis and included in the circle

$$x^{2} + y^{2} = 8x$$
  
 $(x - 4)^{2} + y^{2} = 16$   
and  $y^{2} = 4x$ 
 $---(2)$ 

Equation (1) represents a circle with centre (4,0) and meets axes at (0,0) and (8,0). Equation(2) represent a parabola with vertex (0,0) and axis as x-axis. They intersect at (4,-4) and (4,4).

A rough sketch of the curves is as under:-



Shaded region is the required region

Required area = Region OABO

Required area = Region 
$$ODBO + Region DABD$$
  $---(1)$ 

Region *ODBO* is sliced into rectangles of area  $y_1 \triangle x$ . This approximation rectangle can slide from x = 0 to x = 4. So,

Region ODBO = 
$$\int_0^4 y_1 dx$$
  
=  $\int_0^4 2\sqrt{x} dx$   
=  $2\left(\frac{2}{3}x\sqrt{x}\right)_0^4$ 

Region 
$$ODBO = \frac{32}{3}$$
 sq. units

Region DABD is sliced into rectangles of area  $y_2 \triangle x$ . Which moves from x = 4 to x = 8. So,

---(3)

Region DABD = 
$$\int_{4}^{8} y_{2} dx$$
  
=  $\int_{4}^{8} \sqrt{16 - (x - 4)^{2}} dx$   
=  $\left[ \frac{(x - 4)}{2} \sqrt{16 - (x - 4)^{2}} + \frac{16}{2} \sin^{-1} \left( \frac{x - 4}{4} \right) \right]_{4}^{8}$   
=  $\left[ \left( 0 + 8 \cdot \frac{\pi}{2} \right) - \left( 0 + 0 \right) \right]$ 

Region 
$$DABD = 4\pi$$
 sq. units

Using (1),(2) and (3), we get

Required area = 
$$\left(\frac{32}{3} + 4\pi\right)$$


$$A = 4\left(\pi + \frac{8}{3}\right)$$
 sq.units

To find area enclosed by

$$y = 5x^2$$
 --- (1)  
 $y = 2x^2 + 9$  --- (2)

Equation (1) represents a parabola with vertex (0,0) and axis as y-axis. Equation (2) represents a parabola with vertex (0,9) and axis as y-axis. Points of intersection of parabolas are  $(\sqrt{3},15)$  and  $(-\sqrt{3},15)$ .

A rough sketch of curves is given as:-



Region AOCA is sliced into rectangles with area  $(y_1 - y_2) \Delta x$ . It slides from x = 0 to  $x = \sqrt{3}$ , so


Required area = Region AOBCA  
= 2 (Region AOCA)  
= 
$$2\int_0^{\sqrt{3}} (y_1 - y_2) dx$$
  
=  $2\int_0^{\sqrt{3}} (2x^2 + 9 - 5x^2) dx$   
=  $2\int_0^{\sqrt{3}} (9 - 3x^2) dx$   
=  $2\left[9x - x^3\right]_0^{\sqrt{3}}$   
=  $2\left[(9\sqrt{3} - 3\sqrt{3}) - (0)\right]$ 

Required area =  $12\sqrt{3}$  sq.units

To find area enclosed by

Equation (1) represents a parabola with vertex (0,0) and axis as y-axis. Equation (2) represents a parabola with vertex (0,4) and axis as y-axis. Points of intersection of parabolas are (2,8) and (-2,8).

A rough sketch of curves is given as:-



Region AOCA is sliced into rectangles with area  $(y_1 - y_2)\Delta x$ . And it slides from x = 0 to x = 2

Required area = Region AOBCA

$$A = 2$$
 (Region  $AOCA$ )

$$=2\int_{0}^{2}(y_{1}-y_{2})dx$$


$$=2\int_{0}^{2}\left( x^{2}+4-2x^{2}\right) dx$$

$$=2\int_{0}^{2}(4-x^{2})dx$$

$$=2\left[4x-\frac{x^3}{3}\right]_0^2$$

$$=2\left[\left(8-\frac{8}{3}\right)-\left(0\right)\right]$$

$$A = \frac{32}{3}$$
 sq.units



Equation of side AB,

$$\frac{x+1}{1+1} = \frac{y-2}{5-2}$$

$$\Rightarrow \frac{x+1}{2} = \frac{y-2}{3}$$

$$\Rightarrow 3x+3 = 2y-4$$

$$\Rightarrow 2y-3x = 7$$

$$\therefore y = \frac{3x+7}{2} \dots (i)$$

Equation of side BC,  

$$\frac{x-1}{3-1} = \frac{y-5}{4-5}$$

$$\Rightarrow \frac{x-1}{2} = \frac{y-5}{-1}$$

$$\Rightarrow -x+1 = 2y-10$$

$$\Rightarrow 2y = 11-x$$

$$\therefore y = \frac{11-x}{2} \dots (ii)$$

Equation of side AC,  

$$\frac{x+1}{3+1} = \frac{y-2}{4-2}$$

$$\Rightarrow \frac{x+1}{4} = \frac{y-2}{2}$$

$$\Rightarrow \frac{x+1}{2} = \frac{y-2}{1}$$


$$\Rightarrow x+1 = 2y-4$$

$$\Rightarrow 2y = 5+x$$

$$\therefore y = \frac{5+x}{2}$$

Area of required region = Area of EABFE + Area of BFGCB - Area of AEGCA

$$\begin{split} &= \int_{-1}^{1} Y_{AB} dx + \int_{1}^{3} Y_{BC} dx - \int_{-1}^{3} Y_{AC} dx \\ &= \int_{-1}^{1} \frac{3x + 7}{2} dx + \int_{1}^{3} \frac{11 - x}{2} dx - \int_{-1}^{3} \frac{5 + x}{2} dx \\ &= \frac{1}{2} \left[ \frac{3x^{2}}{2} + 7x \right]_{-1}^{1} + \frac{1}{2} \left[ 11x - \frac{x^{2}}{2} \right]_{1}^{3} - \frac{1}{2} \left[ 5x + \frac{x^{2}}{2} \right]_{-1}^{3} \\ &= \frac{1}{2} \left[ \frac{3(1^{2} - 1^{2})}{2} + 7(1 - (-1)) \right] + \frac{1}{2} \left[ 11(3 - 1) - \frac{(3)^{2} - 1^{2}}{2} \right] \\ &- \frac{1}{2} \left[ 5(3 - (-1)) + \frac{(3)^{2} - 1^{2}}{2} \right] \\ &= \frac{1}{2} \left[ 0 + 14 \right] + \frac{1}{2} \left[ 22 - 4 \right] - \frac{1}{2} \left[ 20 + 4 \right] \\ &= 7 + \frac{1}{2} \times 18 - \frac{1}{2} \times 24 \\ &= 7 + 9 - 12 \\ &= 4 \text{ sq units} \end{split}$$




Area of the bounded region
$$= \int_{0}^{1} \sqrt{x} - x \, dx$$

$$= \left[ \frac{x^{\frac{3}{2}}}{\frac{3}{2}} - \frac{x^{2}}{\frac{2}{2}} \right]_{0}^{1}$$

$$= \left[ \frac{2}{3} - \frac{1}{2} \right]$$

$$= \frac{1}{6} \text{ sq. units}$$

Consider the following graph.



We have,  $y = \sqrt{3}x$ 

Substituting this value in  $x^2 + y^2 = 16$ ,

$$x^2 + (\sqrt{3}x)^2 = 16$$

$$\Rightarrow x^2 + 3x^2 = 16$$

$$\Rightarrow$$
 4 $\times^2$  = 16

$$\Rightarrow x^2 = 4$$

$$\Rightarrow x = \pm 2$$

Since the shaded region is in the first quadrant, let us take the positive value of x

Therefore, x = 2 and  $y = 2\sqrt{3}$  are the coordinates

of the intersection point A.

Thus, area of the shaded region OAB = Area OAC + Area ACB

$$\Rightarrow Area OAB = \int_0^2 \sqrt{3} \times dx + \int_2^4 \sqrt{16 - x^2} dx$$

⇒ Area OAB = 
$$\left(\frac{\sqrt{3}x^2}{2}\right)_0^2 + \frac{1}{2}\left[x\sqrt{16-x^2} + 16\sin^{-1}\left(\frac{x}{4}\right)\right]_2^4$$

$$\Rightarrow \textit{Area OAB} = \left(\frac{\sqrt{3} \times 4}{2}\right) + \frac{1}{2} \left[16 \sin^{-1}\!\!\left(\frac{4}{4}\right)\right] - \frac{1}{2} \left[4\sqrt{16 - 12} + 16 \sin^{-1}\!\!\left(\frac{2}{4}\right)\right]$$

⇒ Area OAB = 
$$2\sqrt{3} + \frac{1}{2} \left[ 16 \times \frac{\pi}{2} \right] - \frac{1}{2} \left[ 4\sqrt{3} + 16\sin^{-1}\left(\frac{1}{2}\right) \right]$$

⇒ Area 
$$OAB = 2\sqrt{3} + 4\pi - 2\sqrt{3} - \frac{4\pi}{3}$$


$$\Rightarrow$$
 Area OAB =  $4\pi - \frac{4\pi}{3}$ 

⇒ Area OAB = 
$$\frac{8\pi}{3}$$
 sq. units.

To find area bounded by

Equation (1) is a parabola with vertex  $\left(-\frac{1}{2},0\right)$  and passes through (0,1),(0,-1). Equation (2) is a line passing through (1,0) and (0,-1). Points of intersection of parabola and line are (3,2) and (0,-1).

A rough sketch of the curves is given as:-



Shaded region represents the required area. It is sliced in rectangles of area  $(x_1 - x_2)\Delta y$ . It slides from y = -1 to y = 3, so


Required area = Region 
$$ABCDA$$
  
=  $\int_{-1}^{3} (x_1 - x_2) dy$   
=  $\int_{-1}^{3} (1 + y - \frac{y^2 - 1}{2}) dy$   
=  $\frac{1}{2} \int_{-1}^{3} (2 + 2y - y^2 + 1) dy$   
=  $\frac{1}{2} \int_{-1}^{3} (3 + 2y - y^2) dy$   
=  $\frac{1}{2} \left[ 3y + y^2 - \frac{y^3}{3} \right]_{-1}^{3}$   
=  $\frac{1}{2} \left[ (9 + 9 - 9) - \left( -3 + 1 + \frac{1}{3} \right) \right]$   
=  $\frac{1}{2} \left[ 9 + \frac{5}{3} \right]$   
=  $\frac{32}{6}$ 

Required area =  $\frac{16}{3}$  sq. units

To find region bounded by curves

Equation (1) represents a line passing through (1,0) and (0,-1) equation (2) represents a parabola with vertex (-1,1) passes through (0,3), (0,-1),  $\left(-\frac{3}{4},0\right)$ . Their points of intersection (0,-1) and (8,7).

A rough sketch of curves is given as:-



Shaded region is required area. It is sliced in rectangles of area  $(x_1 - x_2)\Delta y$ . It slides from y = -1 to y = 7, so

Required area = Region ABCDA

Required area = Region ABCDA
$$A = \int_{-1}^{7} (x_1 - x_2) dy$$

$$= \int_{-1}^{7} \left( y + 1 - \frac{(y - 1)^2}{4} + 1 \right) dy$$

$$= \frac{1}{4} \int_{-1}^{7} (4y + 4 - y^2 - 1 + 2y + 4) dy$$


$$= \frac{1}{4} \int_{-1}^{7} (6y + 7 - y^2) dy$$

$$= \frac{1}{4} \left[ 3y^2 + 7y - \frac{y^3}{3} \right]_{-1}^{7}$$

$$= \frac{1}{4} \left[ \left( 147 + 49 - \frac{343}{3} \right) - \left( 3 - 7 + \frac{1}{3} \right) \right]$$

$$= \frac{1}{4} \left[ \frac{245}{3} + \frac{11}{3} \right]$$

$$A = \frac{64}{3} \text{ sq. units}$$



Area of the bounded region

$$= \int_{1}^{2} -x^{2} - (-2-x) dx$$

$$= \left[ -\frac{x^{2}}{3} + 2x + \frac{x^{2}}{2} \right]_{1}^{2}$$

$$= \left[ -\frac{8}{3} + 6 \right] - \left( \frac{1}{3} + \frac{1}{2} - 2 \right)$$


$$= \frac{9}{2} \text{ sq. units}$$

To find area bounded by

$$y = 2 - x^2$$
 --- (1)  
and  $y + x = 0$  --- (2)

Equation (1) represents a parabola with vertex (0,2) and downward, meets axes at  $(\pm\sqrt{2},0)$ . Equation (2) represents a line passing through (0,0) and (2, -2). The points of intersection of line and parabola are (2, -2) and (-1,1).

A rough sketch of curves is as follows:-



Shaded region is sliced into rectangles with area =  $(y_1 - y_2)\Delta x$ . It slides from x = -1 to x = 2, so

Required area = Region ABPCOA

$$A = \int_{-1}^{2} (y_1 - y_2) dx$$

$$= \int_{-1}^{2} (2 - x^2 + x) dx$$


$$= \left[ 2x - \frac{x^3}{3} + \frac{x^2}{2} \right]_{-1}^{2}$$

$$= \left[ \left( 4 - \frac{8}{3} + 2 \right) - \left( -2 + \frac{1}{3} + \frac{1}{2} \right) \right]$$

$$= \left[ \frac{10}{3} + \frac{7}{6} \right]$$

$$=\frac{27}{6}$$

$$A = \frac{9}{2}$$
 sq. units



# Area of the bounded region

$$= \int_{0}^{3} 3x - 3 - \left(\frac{x - 1}{2}\right) dx + \int_{3}^{5} 12 - 2x - \left(\frac{x - 1}{2}\right) dx$$


$$= \left[\frac{3x^{2}}{2} - 3x - \frac{x^{2}}{4} + \frac{1}{2}x\right]_{0}^{3} + \left[12x - 2\frac{x^{2}}{2} - \frac{x^{2}}{4} + \frac{1}{2}x\right]_{3}^{5}$$

$$= \left[\frac{27}{2} - 9 - \frac{9}{4} + \frac{3}{2}\right] + \left[60 - 25 - \frac{25}{4} + \frac{5}{2} - 36 + 9 + \frac{9}{4} - \frac{3}{2}\right]$$

$$= 11 \text{ sq.units}$$

To find area bounded by x = 0, x = 1 and

Equation (1) is a line passing through (2,2) and (0,0). Equation (2) is a parabola upward with vertex at (0,2). A rough sketch of curves is as under:-



Shaded region is sliced into rectangles of area =  $(y_1 - y_2) \Delta x$ . It slides from x = 0 to x = 1, so

Required area = Region *OABCO* 

$$A = \int_0^1 (y_1 - y_2) dx$$

$$= \int_0^1 \left( x^2 + 2 - x \right) dx$$

$$=\left[\frac{x^3}{3} + 2x - \frac{x^2}{2}\right]_0^1$$


$$= \left[ \left( \frac{1}{3} + 2 - \frac{1}{2} \right) - \left( 0 \right) \right]$$

$$=\left(\frac{2+12-3}{6}\right)$$

$$A = \frac{11}{6}$$
 sq. units

To find area bounded by  $x = y^2 \qquad \qquad ---(1)$  and  $x = 3 - 2y^2$   $2y^2 = -(x - 3) \qquad \qquad ---(2)$ 

Equation (1) represents an upward parabola with vertex (0,0) and axis -y. Equation (2) represents a parabola with vertex (3,0) and axis as x-axis. They intersect at (1,-1) and (1,1). A rough sketch of the curves is as under:-



Required area = Region OABCO

A = 2 Region OBCO

= 2 [Region OD CO + Region BD CB]

$$=2\left[\int_0^1y_1dx+\int_1^3y_2dx\right]$$

$$= 2 \left[ \int_0^1 \sqrt{x} \, dx + \int_1^3 \sqrt{\frac{3-x}{2}} \, dx \right]$$

$$= 2 \left[ \left( \frac{2}{3} x \sqrt{x} \right)_0^1 + \left( \frac{2}{3} \cdot \left( \frac{3 - x}{2} \right) \sqrt{\frac{3 - x}{2}} \cdot \left( -2 \right) \right)_1^3 \right]$$

$$=2\left[\left(\frac{2}{3}-0\right)+\left\{\left(0\right)-\left(\frac{2}{3},1,1,\left(-2\right)\right)\right]$$

$$=2\left[\frac{2}{3}+\frac{4}{3}\right]$$

A = 4 sq. units

To find area of  $\triangle ABC$  with A(4,1), B(6,6) and C(8,4).

Equation of AB,

$$y - y_1 = \left(\frac{y_2 - y_1}{x_2 - x_1}\right) (x - x_1)$$
$$y - 1 = \left(\frac{6 - 1}{6 - 4}\right) (x - 4)$$
$$y - 1 = \frac{5}{2}x - 10$$

Equation of BC,

$$y - 6 = \left(\frac{4 - 6}{8 - 6}\right)(x - 6)$$
$$= -1(x - 6)$$

Equation of AC,


$$y-1=\left(\frac{4-1}{8-4}\right)\left(x-4\right)$$

$$y-1=\frac{3}{4}\left( x-4\right)$$

$$\Rightarrow \qquad y = \frac{3}{4}x - 3 + 1$$

$$y = \frac{3}{4}x - 2$$
 --- (3)

A rough sketch is as under:-



Clearly, Area of  $\triangle ABC = Area \ ADB + Area \ BDC$ 

Area ADB: To find the area ADB, we slice it into vertical strips.

We observe that each vertical strip has its lower end on side AC and the upper end on AB. So the approximating rectangle has

Length =  $y_2 - y_1$ 

 $Width = \Delta x$ 

 $Area = (y_2 - y_1)\Delta x$ 

Since the approximating rectangle can move from x = 4 to 6,

the area of the triangle ADB =  $\int_4^6 (y_2 - y_1) dx$ 

⇒ area of the triangle ADB = 
$$\int_4^6 \left[ \left( \frac{5x}{2} - 9 \right) - \left( \frac{3}{4}x - 2 \right) \right] dx$$

⇒ area of the triangle ADB = 
$$\int_4^6 \left( \frac{5x}{2} - 9 - \frac{3}{4}x + 2 \right) dx$$

⇒ area of the triangle ADB = 
$$\int_4^6 \left(\frac{7x}{4} - 7\right) dx$$

⇒ area of the triangle ADB = 
$$\left(\frac{7x^2}{4\times2} - 7x\right)_4^6$$

⇒ area of the triangle ADB = 
$$\left(\frac{7 \times 36}{8} - 7 \times 6\right) - \left(\frac{7 \times 16}{8} - 7 \times 4\right)$$

$$\Rightarrow$$
 area of the triangle ADB =  $\left(\frac{63}{2} - 42 - 14 + 28\right)$ 

⇒ area of the triangle ADB = 
$$\left(\frac{63}{2} - 28\right)$$

Similarly, Area BDC = 
$$\int_6^8 (y_4 - y_3) dx$$

$$\Rightarrow Area BDC = \int_{6}^{8} (y_4 - y_3) dx$$

$$\Rightarrow Area BDC = \int_{6}^{8} \left[ (-x + 12) - \left( \frac{3}{4}x - 2 \right) \right] dx$$

$$\Rightarrow Area BDC = \int_{6}^{8} \left[ \frac{-7x}{4} + 14 \right] dx$$

⇒ Area BDC = 
$$\left[ -\frac{7x^2}{8} + 14x \right]_6^8$$

$$\Rightarrow Area \ BDC = \left[ -\frac{7 \times 64}{8} + 14 \times 8 \right] - \left[ -\frac{7 \times 36}{8} + 14 \times 6 \right]$$

⇒ Area BDC = 
$$\left[ -56 + 112 + \frac{63}{2} - 84 \right]$$

⇒ Area BDC = 
$$\left(\frac{63}{2} - 28\right)$$

Thus, Area ABC = Area ADB + Area BDC

$$\Rightarrow Area \ ABC = \left(\frac{63}{2} - 28\right) + \left(\frac{63}{2} - 28\right)$$

## Areas of Bounded Regions Ex-21-3 Q34

To find area of region

$$\left\{\left(x,y\right)\colon\left|x-1\right|\leq y\leq\sqrt{5-x^2}\right\}$$


$$\Rightarrow |x-1| = y$$

$$\Rightarrow y = \begin{cases} 1-x, & \text{if } x < 1 \\ x-1, & \text{if } x \ge 1 \end{cases}$$

$$= \begin{cases} ---(1) \\ ---(2) \end{cases}$$

Equation (1) and (2) represent straight lines and equation (3) is a circle with centre (0,0), meets axes at  $(\pm\sqrt{5},0)$  and  $(0,\pm\sqrt{5})$ .

A rough sketch of the curves is as under:



Shaded region represents the required area.

Required area = Region BCDB + Region CADC

$$A = \int_{-1}^{1} (y_1 - y_2) dx + \int_{1}^{2} (y_1 - y_2) dx$$

$$= \int_{-1}^{1} \left[ \sqrt{5 - x^2} - 1 + x \right] dx + \int_{1}^{2} \left( \sqrt{5 - x^2} - x + 1 \right) dx$$

$$= \left[ \frac{x}{2} \sqrt{5 - x^2} + \frac{5}{2} \sin^{-1} \frac{x}{\sqrt{5}} - x + \frac{x^2}{2} \right]_{-1}^{1} + \left[ \frac{x}{2} \sqrt{5 - x^2} + \frac{5}{2} \sin^{-1} \frac{x}{\sqrt{5}} - \frac{x^2}{2} + x \right]_{1}^{2}$$

$$= \left[ \left( \frac{1}{2} \cdot 2 + \frac{5}{2} \sin^{-1} \left( \frac{1}{\sqrt{5}} \right) - 1 + \frac{1}{2} \right) - \left( -\frac{1}{2} \cdot 2 - \frac{5}{2} \sin^{-1} \left( \frac{1}{\sqrt{5}} \right) + 1 + \frac{1}{2} \right) \right]$$

$$+ \left[ \left( 1 \cdot 1 \cdot + \frac{5}{2} \sin^{-1} \left( \frac{2}{\sqrt{5}} \right) - 2 + 2 \right) - \left( \frac{1}{2} \cdot 2 + \frac{5}{2} \sin^{-1} \frac{1}{\sqrt{5}} - \frac{1}{2} + 1 \right) \right]$$

$$= \left[ 1 + \frac{5}{2} \sin^{-1} \frac{1}{\sqrt{5}} - \frac{1}{2} + 1 + \frac{5}{2} \sin^{-1} \frac{1}{\sqrt{5}} - \frac{3}{2} \right] + \left[ 1 + \frac{5}{2} \sin^{-1} \frac{2}{\sqrt{5}} - 1 - \frac{5}{2} \sin^{-1} \frac{1}{\sqrt{5}} - \frac{1}{2} \right]$$

$$= 5 \sin^{-1} \frac{1}{\sqrt{5}} + \frac{5}{2} \sin^{-1} \frac{2}{\sqrt{5}} - \frac{5}{2} \sin^{-1} \frac{1}{\sqrt{5}} - \frac{1}{2}$$

$$A = \left[ \frac{5}{2} \left( \sin^{-1} \frac{2}{\sqrt{5}} + \sin^{-1} \frac{1}{\sqrt{5}} \right) - \frac{1}{2} \right] \text{ sq. units.}$$


#### Areas of Bounded Regions Ex-21-3 Q35

To find area bounded by y = 1 and

$$y = |x - 1|$$

$$y = \begin{cases} x - 1, & \text{if } x \ge 0 \\ 1 - x, & \text{if } x < 0 \end{cases}$$
---(1)

A rough sketch of the curve is as under:-



Shaded region is the required area. So

Required area = Region ABCA

$$A = \text{Region } ABDA + \text{Region } BCDB$$

$$= \int_0^1 (y_1 - y_2) dx + \int_1^2 (y_1 - y_3) dx$$

$$= \int_0^1 (1 - 1 + x) dx + \int_1^2 (1 - x + 1) dx$$

$$= \int_0^1 x dx + \int_1^2 (2 - x) dx$$

$$= \left(\frac{x^2}{2}\right)_0^1 + \left(2x - \frac{x^2}{2}\right)_1^2$$


$$= \left(\frac{1}{2} - 0\right) + \left[(4 - 2) - \left(2 - \frac{1}{2}\right)\right]$$

$$= \frac{1}{2} + \left(2 - 2 + \frac{1}{2}\right)$$

A = 1 sq. unit

To find area of in first quadrant enclosed by x-axis, the line y = x and circle

Equation (1) is a circle with centre (0,0) and meets axes at  $(\pm 4\sqrt{2},0)$ ,  $(0,\pm 4\sqrt{2})$ . And y=x is a line passes through (0,0) and intersect circle at (4,4). A rough sketch of curve is as under:-



Required area is shaded region OABO

Region OABO = Region OCBO + Region CABC

$$\begin{aligned} &= \int_0^4 y_1 dx + \int_4^{4\sqrt{2}} y_2 dx \\ &= \int_0^4 x dx + \int_4^{4\sqrt{2}} \sqrt{32 - x^2} dx \\ &= \left(\frac{x^2}{2}\right)_0^4 + \left[\frac{x}{2}\sqrt{32 - x^2} + \frac{32}{2}\sin^{-1}\frac{x}{4\sqrt{2}}\right]_4^{4\sqrt{2}} \\ &= \left(8 - 0\right) + \left[\left(0 + 16, \frac{\pi}{2}\right) - \left(8 + 16, \frac{\pi}{4}\right)\right] \end{aligned}$$


$$= 8 + 8\pi - 8 - 4\pi$$

 $A = 4\pi \text{ sq. units}$ 

The given equations are

$$x^2 + y^2 = 16 \dots (1)$$

$$y^2 = 6x \dots (2)$$



Area bounded by the circle and parabola

$$= 2\left[\operatorname{Area}(\operatorname{OADO}) + \operatorname{Area}(\operatorname{ADBA})\right]$$

$$= 2\left[\int_{0}^{2} \sqrt{16x} dx + \int_{2}^{4} \sqrt{16 - x^{2}} dx\right]$$

$$= 2\left[\sqrt{6}\left\{\frac{x^{\frac{3}{2}}}{\frac{3}{2}}\right\}_{0}^{2}\right] + 2\left[\frac{x}{2}\sqrt{16 - x^{2}} + \frac{16}{2}\sin^{-1}\frac{x}{4}\right]_{2}^{4}$$

$$= 2\sqrt{6} \times \frac{2}{3}\left[x^{\frac{3}{2}}\right]_{0}^{2} + 2\left[8 \cdot \frac{\pi}{2} - \sqrt{16 - 4} - 8\sin^{-1}\left(\frac{1}{2}\right)\right]$$

$$= \frac{4\sqrt{6}}{3}\left(2\sqrt{2}\right) + 2\left[4\pi - \sqrt{12} - 8\frac{\pi}{6}\right]$$

$$= \frac{16\sqrt{3}}{3} + 8\pi - 4\sqrt{3} - \frac{8}{3}\pi$$

$$= \frac{4}{3}\left[4\sqrt{3} + 6\pi - 3\sqrt{3} - 2\pi\right]$$


$$= \frac{4}{3}\left[\sqrt{3} + 4\pi\right]$$

$$= \frac{4}{3}\left[4\pi + \sqrt{3}\right] \text{ square units}$$

Area of circle =  $\pi (r)^2$ 

$$=\pi (4)^2 = 16\pi$$
 square units

Thus, Required area = 
$$16\pi - \frac{4}{3} \left[ 4\pi + \sqrt{3} \right]$$
  
=  $\frac{4}{3} \left[ 4 \times 3\pi - 4\pi - \sqrt{3} \right]$   
=  $\frac{4}{3} \left( 8\pi - \sqrt{3} \right)$   
=  $\left[ \frac{32}{3} \pi - \frac{4\sqrt{3}}{3} \right]$  sq. units



Area of the bounded region

$$= \int_{1}^{2} x + 2 - x^{2} dx$$

$$= \left[ \frac{x^{2}}{2} + 2x - \frac{x^{3}}{3} \right]_{-1}^{2}$$

$$= \frac{4}{2} + 4 - \frac{8}{3} - \frac{1}{2} + 2 - \frac{1}{3}$$

$$= \frac{9}{2} \text{ sq.units}$$


To find area of region

$$\left\{ \left( x,y\right) :0\leq y\leq x^{2}+3,\;0\leq y\leq 2x+3,\;0\leq x\leq 3\right\}$$

$$\Rightarrow y = x^2 + 3 \qquad --- (1)$$

and 
$$x = 0, x = 3$$

Equation (1) represents a parabola with vertex (3,0) and axis as y-axis. Equation (2) represents a line a passing through (0,3) and  $\left(-\frac{3}{2},0\right)$ , a rough sketch of curve is as under:-



Required area = Region ABCDOA

A = Region ABCEA + Region ECDOE

$$= \int_{2}^{3} y_{1} dx + \int_{0}^{2} y_{2} dx$$

$$= \int_{2}^{3} (2x + 3) dx + \int_{0}^{2} (x^{2} + 3) dx$$

$$= (x^{2} + 3x)_{2}^{3} + (\frac{x^{3}}{3} + x)_{0}^{2}$$

$$= [(9 + 9) - (4 + 6)] + [(\frac{8}{3} + 2) - (0)]$$

$$= [18 - 10] + [\frac{14}{3}]$$


$$= 8 + \frac{14}{3}$$

$$A = \frac{38}{3}$$
 sq. units

To find area bounded by positive x-axis and curve

$$y = \sqrt{1 - x^2}$$
  
 $x^2 + y^2 = 1$  --- (1)  
 $x = y$  --- (2)

Equation (1) represents a circle with centre (0,0) and meets axes at (±1,0),(0,±1). Equation (2) represents a line passing through  $\left(\frac{1}{\sqrt{2}},\frac{1}{\sqrt{2}}\right)$  and  $\left(-\frac{1}{\sqrt{2}},-\frac{1}{\sqrt{2}}\right)$  and they are also points of intersection. A rough sketch of the curve is as under:-



Required area = Region OABO

A = Region OCBO + Region CABC

$$= \int_{0}^{\frac{1}{\sqrt{2}}} y_{1} dx + \int_{\frac{1}{\sqrt{2}}}^{1} y_{2} dx$$

$$= \int_{0}^{\frac{1}{\sqrt{2}}} x dx + \int_{\frac{1}{\sqrt{2}}}^{1} \sqrt{1 - x^{2}} dx$$

$$= \left[\frac{x^{2}}{2}\right]_{0}^{\frac{1}{\sqrt{2}}} + \left[\frac{x}{2}\sqrt{1 - x^{2}} + \frac{1}{2}\sin^{-1}x\right]_{\frac{1}{\sqrt{2}}}^{1}$$

$$= \left[\frac{1}{4} - 0\right] + \left[\left(0 + \frac{1}{2} \cdot \frac{\pi}{2}\right) - \left(\frac{1}{2\sqrt{2}} \cdot \frac{1}{\sqrt{2}} + \frac{1}{2} \cdot \frac{\pi}{4}\right)\right]$$

$$= \frac{1}{4} + \frac{\pi}{4} - \frac{1}{4} - \frac{\pi}{8}$$

$$A = \frac{\pi}{8} \text{ sq. units}$$

$$y = 5 - x$$
 (Say BC)  $---(2)$ 


$$4y = x + 5$$
 (Say AC)  $---$  (3)

By solving equation (1) and (2), we get B(0,5)

By solving equation (2) and (3), we get C(3,2)

By solving equation (1) and (3), we get A(-1,1)

A rough sketch of the curve is as under:-



Shaded area  $\triangle ABC$  is the required area.

Required area = 
$$ar(\triangle ABD) + ar(\triangle BDC)$$

$$ar\left(\triangle ABD\right) = \int_{-1}^{0} \left(y_{1} - y_{3}\right) dx$$

$$= \int_{-1}^{0} \left(4x + 5 - \frac{x}{4} - \frac{5}{4}\right) dx$$

$$= \int_{-1}^{0} \left(\frac{15x}{4} + \frac{15}{4}\right) dx$$

$$= \frac{15}{4} \left(\frac{x^{2}}{2} + x\right)_{-1}^{0}$$

$$= \frac{15}{4} \left[\left(0\right) - \left(\frac{1}{2} - 1\right)\right]$$

$$= \frac{15}{4} \times \frac{1}{4}$$

$$ar\left(\triangle ABD\right) = \frac{15}{8}$$
 sq. units

---(2)

$$ar \left( \Delta BDC \right) = \int_0^3 \left( y_2 - y_3 \right) dx$$

$$= \int_0^3 \left[ \left( 5 - x \right) - \left( \frac{x}{4} + \frac{5}{4} \right) \right] dx$$

$$= \int_0^3 \left[ 5 - x - \frac{x}{4} - \frac{5}{4} \right] dx$$

$$= \int_0^3 \left( \frac{-5x}{4} + \frac{15}{4} \right) dx$$

$$= \frac{5}{4} \left( 3x - \frac{x^2}{2} \right)$$

$$= \frac{5}{4} \left( 9 - \frac{9}{2} \right)$$

$$ar\left(\triangle BDC\right) = \frac{45}{8}$$
 sq. units  $---(3)$   
Using equation (1),(2) and (3),

$$ar\left(\triangle ABC\right) = \frac{15}{8} + \frac{45}{8}$$
$$= \frac{60}{8}$$


$$ar(\triangle ABC) = \frac{15}{2}$$
 sq. units

#### Areas of Bounded Regions Ex-21-3 Q42

To find area enclosed by

Equation (1) represents a circle with centre (0,0) and meets axes at  $(\pm 3,0)$ ,  $(0,\pm 3)$ . Equation (2) is a circle with centre (3,0) and meets axes at (0,0), (6,0).

they intersect each other at  $\left(\frac{3}{2},\frac{3\sqrt{3}}{2}\right)$  and  $\left(\frac{3}{2},-\frac{3\sqrt{3}}{2}\right)$ . A rough sketch of the curves is as under:



Shaded region is the required area.

$$A = 2 \left( \text{Region } OBCO \right)$$

$$= 2 \left( \text{Region } ODCO + \text{Region } DBCD \right)$$

$$= 2 \left[ \int_{0}^{\frac{3}{2}} \sqrt{9 - (x - 3)^{2}} dx + \int_{\frac{3}{2}}^{3} \sqrt{9 - x^{2}} dx \right]$$

$$= 2 \left[ \left\{ \frac{(x - 3)}{2} \sqrt{9 - (x - 3)^{2}} + \frac{9}{2} \sin^{-1} \left( \frac{(x - 3)}{3} \right) \right\}_{0}^{\frac{3}{2}} + \left\{ \frac{x}{2} \sqrt{9 - x^{2}} + \frac{9}{2} \sin^{-1} \left( \frac{x}{3} \right) \right\}_{\frac{3}{2}}^{\frac{3}{2}} \right]$$

$$= 2 \left[ \left\{ \left( -\frac{3}{4} \sqrt{9 - \frac{9}{4}} + \frac{9}{2} \sin^{-1} \left( -\frac{3}{6} \right) \right) - \left( 0 + \frac{9}{2} \sin^{-1} \left( -1 \right) \right) \right\} + \left\{ \left( 0 + \frac{9}{2} \sin^{-1} \left( 1 \right) \right) - \left( \frac{3}{4} \sqrt{9 - \frac{9}{4}} + \frac{9}{2} \sin^{-1} \left( \frac{1}{2} \right) \right) \right\} \right]$$

$$= 2 \left[ \left\{ -\frac{9\sqrt{3}}{8} - \frac{9}{2} \cdot \frac{\pi}{6} + \frac{9}{2} \cdot \frac{\pi}{2} \right\} + \left\{ \frac{9}{2} \cdot \frac{\pi}{2} - \frac{9\sqrt{3}}{8} - \frac{9}{2} \cdot \frac{\pi}{6} \right\} \right]$$

$$= 2 \left[ -\frac{9\sqrt{3}}{8} - \frac{3\pi}{4} + \frac{9\pi}{4} + \frac{9\pi}{4} - \frac{9\sqrt{3}}{8} - \frac{3\pi}{4} \right]$$

$$= 2 \left[ \frac{12\pi}{4} - \frac{18\sqrt{3}}{8} \right]$$


$$A = \left( 6\pi - \frac{9\sqrt{3}}{2} \right) \text{ sq. units}$$

The equation of the given curves are

$$x^2 + y^2 = 4....(1)$$

$$x + y = 2.....(2)$$

Clearly  $x^2 + y^2 = 4$  represents a circle and x + y = 2 is the equation of a straight line cutting x and y axes at (0,2) and (2,0) respectively. The smaller region bounded by these two curves is shaded in the following figure.



Length = 
$$y_2 - y_1$$

Width = 
$$\Delta x$$
 and

$$Area = (y_2 - y_1) \Delta x$$

Since the approximating rectangle can move from x = 0 to x = 2, the required area is given by

$$A = \int_0^2 (\gamma_2 - \gamma_1) dx$$

We have 
$$y_1 = 2 - x$$
 and  $y_2 = \sqrt{4 - x^2}$ 

$$A = \int_0^2 \left( \sqrt{4 - x^2} - 2 + x \right) dx$$

$$A = \int_{0}^{2} (\sqrt{4 - x^{2} - 2 + x}) dx$$

$$A = \int_{0}^{2} (\sqrt{4 - x^{2}}) dx - 2 \int_{0}^{2} dx + \int_{0}^{2} x dx$$

$$\Rightarrow A = \left[\frac{x\sqrt{4-x^2}}{2} + \frac{a^2}{2}\sin^{-1}\left(\frac{x}{2}\right)\right]_0^2 - 2(x)_0^2 + \left(\frac{x^2}{2}\right)_0^2$$

$$\Rightarrow A = \frac{4}{2} \sin^{-1} \left( \frac{2}{2} \right) - 4 + 2$$

$$\Rightarrow A = 2\sin^{-1}(1) - 2$$

$$\Rightarrow A = 2 \times \frac{\pi}{2} - 2$$

$$\rightarrow A = \pi - 2$$
 sq.units


To find area of region

$$\left\{ \left(x,y\right) \colon \frac{x^2}{9} + \frac{y^2}{4} \le 1 \le \frac{x}{3} + \frac{y}{2} \right\}$$

$$\frac{x^2}{9} + \frac{y^2}{4} = 1$$
 --- (1

Equation (1) represents an ellipse with centre at origin and meets axes at  $(\pm 3,0)$ ,  $(0,\pm 2)$ . Equation (2) is a line that meets axes at (3,0), (0,2).

A rough sketch is as under:



Shaded region represents required area. This is sliced into rectangles with area  $(y_1 - y_2)_{aX}$  which slides from x = 0 to x = 3, so

Required area = Region APBQA

$$A = \int_0^3 \{y_1 - y_2\} dx$$

$$= \int_0^3 \left[ \frac{2}{3} \sqrt{9 - x^2} dx - \frac{2}{3} (3 - x) dx \right]$$

$$= \frac{2}{3} \left[ \frac{x}{2} \sqrt{9 - x^2} + \frac{9}{2} \sin^{-1} \left( \frac{x}{3} \right) - 3x + \frac{x^2}{2} \right]_0^3$$

$$= \frac{2}{3} \left[ \left\{ 0 + \frac{9}{2} \cdot \frac{\pi}{2} - 9 + \frac{9}{2} \right\} - \left\{ 0 \right\} \right]$$

$$= \frac{2}{3} \left[ \frac{9\pi}{4} - \frac{9}{2} \right]$$

$$A = \left(\frac{3\pi}{2} - 3\right) \text{ sq. units}$$

To find area enclosed by

$$y = |x - 1|$$

$$\Rightarrow y = \begin{cases} -(x - 1), & \text{if } x - 1 < 0 \\ (x - 1), & \text{if } x - 1 \ge 0 \end{cases}$$


$$\Rightarrow \qquad y = \begin{cases} 1 - x, & \text{if } x < 1 \\ x - 1, & \text{if } x \ge 1 \end{cases} \qquad \qquad ---(1)$$

And y = -|x-1|+1

$$y = \begin{cases} +(x-1)+1, & \text{if } x-1<0 \\ -(x-1)+1, & \text{if } x-1\geq 0 \end{cases}$$

$$y = \begin{cases} x, & \text{if } x<1 \\ -x+2, & \text{if } x\geq 1 \end{cases}$$
---(4)

A rough sketch of equation of lines (1),(2),(3),(4) is given as:



Shaded region is the required area.

Region *BDCB* is sliced into rectangles of area =  $(y_1 - y_2)\Delta x$  and it slides from  $x = \frac{1}{2}$  to x = 1

Region *ABDA* is sliced into rectangle of area =  $(y_3 - y_4) \triangle x$  and it slides from x = 1 to  $x = \frac{3}{2}$ . So, using equation (1),

Required area = Region BDCB + Region ABDA

$$= \int_{\frac{1}{4}}^{1} (y_1 - y_2) dx + \int_{\frac{1}{2}}^{\frac{3}{2}} (y_3 - y_4) dx$$

$$= \int_{\frac{1}{4}}^{1} (x - 1 + x) dx + \int_{\frac{1}{2}}^{\frac{3}{2}} (-x + 2 - x + 1) dx$$

$$= \int_{\frac{1}{2}}^{1} (2x - 1) dx + \int_{\frac{1}{2}}^{\frac{3}{2}} (3 - 2x) dx$$

$$= \left[ x^2 - x \right]_{\frac{1}{2}}^{1} + \left[ 3x - x^2 \right]_{\frac{1}{2}}^{\frac{3}{2}}$$

$$= \left[ (1 - 1) - \left( \frac{1}{4} - \frac{1}{2} \right) \right] + \left[ \left( \frac{9}{2} - \frac{9}{4} \right) - (3 - 1) \right]$$

$$= \frac{1}{4} + \frac{9}{4} - 2$$

$$A = \frac{1}{2}$$
 sq.units

To find area endosed by


$$3x^{2} + 5y = 32$$

$$3x^{2} = -5\left(y - \frac{32}{5}\right) \qquad ---(1)$$
And
$$y = |x - 2|$$

$$\Rightarrow \qquad y = \begin{cases} -(x - 2), & \text{if } x - 2 < 1 \\ (x - 2), & \text{if } x - 2 \ge 1 \end{cases}$$

$$\Rightarrow \qquad y = \begin{cases} 2 - x, & \text{if } x < 2 \\ x - 2, & \text{if } x \ge 2 \end{cases}$$

Equation (1) represents a downward parabola with vertex  $\left(0, \frac{32}{5}\right)$  and equation (2) represents lines. A rough sketch of curves is given as:-



Required area = Region ABECDA

$$A = \text{Region } ABEA + \text{Region } AECDA$$

$$= \int_{2}^{3} (y_{3} - y_{4}) dx + \int_{-2}^{2} (y_{1} - y_{2}) dx$$

$$= \int_{2}^{3} \left( \frac{32 - 3x^{2}}{5} - x + 2 \right) dx + \int_{-2}^{2} \left( \frac{32 - 3x^{2}}{5} - 2 + x \right) dx$$

$$= \int_{2}^{3} \left( \frac{32 - 3x^{2} - 5x + 10}{5} \right) dx + \int_{-2}^{2} \left( \frac{32 - 3x^{2} - 10 + 5x}{5} \right) dx$$

$$= \frac{1}{5} \left[ \int_{2}^{3} \left( 42 - 3x^{2} - 5x \right) dx + \int_{-2}^{2} \left( 22 - 3x^{2} + 5x \right) dx \right]$$

$$A = \frac{1}{5} \left[ \left( 42x - x^3 - \frac{5x^2}{2} \right)_2^3 + \left( 22x - x^3 + \frac{5x^2}{2} \right)_{-2}^2 \right]$$

$$= \frac{1}{5} \left[ \left\{ \left( 126 - 27 - \frac{45}{2} \right) - \left( 84 - 8 - 10 \right) \right\} + \left\{ \left( 44 - 8 + 10 \right) - \left( -44 + 8 + 10 \right) \right\} \right]$$

$$= \frac{1}{5} \left[ \left\{ \frac{153}{2} - 66 \right\} + \left\{ 46 + 26 \right\} \right]$$

$$= \frac{1}{5} \left[ \frac{21}{2} + 72 \right]$$

Areas of Bounded Regions Ex-21-3 Q47

 $A = \frac{33}{2}$  sq. units

To area enclosed by

$$y = 4x - x^{2}$$

$$\Rightarrow -y = x^{2} - 4x + 4 - 4$$

$$\Rightarrow -y + 4 = (x - 2)^{2}$$

$$\Rightarrow -(y - 4) = (x - 2)^{2}$$


$$---(1)$$
and  $y = x^{2} - x$ 

$$\left(y + \frac{1}{4}\right) = \left(x - \frac{1}{2}\right)^{2}$$

$$---(2)$$

Equation (1) represents a parabola downward with vertex at (2,4) and meets axes at (4,0),(0,0). Equation (2) represents a parabola upword whose vertex is  $\left(\frac{1}{2},-\frac{1}{4}\right)$  and meets axes at (1,0),(0,0). Points of intersection of parabolas are (0,0) and  $\left(\frac{5}{2},\frac{15}{4}\right)$ .

A rough sketch of the curves is as under:-



Shaded region is required area it is sliced into rectangles with area =  $(y_1 - y_2) \Delta x$ . It slides from x = 0 to  $x = \frac{5}{2}$ , so

Required area = Region OQAP

$$A = \int_{0}^{\frac{5}{2}} (y_{1} - y_{2}) dx$$

$$= \int_{0}^{\frac{5}{2}} [4x - x^{2} - x^{2} + x] dx$$

$$= \int_{0}^{\frac{5}{2}} [5x - 2x^{2}] dx$$


$$= \left[ \frac{5x^{2}}{2} - \frac{2}{3}x^{3} \right]_{0}^{\frac{5}{2}}$$

$$= \left[ \left( \frac{125}{8} - \frac{250}{24} \right) - (0) \right]$$

$$A = \frac{125}{24} \text{ sq. units}$$

$$y = 4x - x^{2}$$
  
 $\Rightarrow -(y - 4) = (x - 2)^{2}$   
and  
 $y = x^{2} - x$   
 $\Rightarrow \left(y + \frac{1}{4}\right)^{2} = \left(x - \frac{1}{2}\right)^{2}$   
 $---(2)$ 

Equation (1) represents a parabola downward with vertex at (2,4) and meets axes at (4,0),(0,0). Equation (2) represents a parabola upward whose vertex is  $\left(\frac{1}{2},-\frac{1}{4}\right)$  and meets axes at (1,0),(0,0) and  $\left(\frac{5}{2},\frac{15}{4}\right)$ . A rough sketch of the curves is as under:-



Area of the region above x-axis

$$A_{1} = \text{Area of region } OBACO$$

$$= \text{Region } OBCO + \text{Region } BACB$$

$$= \int_{0}^{1} y_{1} dx + \int_{1}^{\frac{5}{2}} (y_{1} - y_{2}) dx$$

$$= \int_{0}^{1} (4x - x^{2}) dx + \int_{1}^{\frac{5}{2}} (4x - x^{2} - x^{2} + x) dx$$

$$= \left(\frac{4x^{2}}{2} - \frac{x^{3}}{3}\right)_{0}^{1} + \left[\frac{5x^{2}}{2} - \frac{2x^{3}}{3}\right]_{1}^{\frac{5}{2}}$$

$$= \left(2 - \frac{1}{3}\right) + \left[\left(\frac{125}{8} - \frac{250}{24}\right) - \left(\frac{5}{2} - \frac{2}{3}\right)\right]$$

$$= \frac{5}{3} + \frac{125}{24} - \frac{11}{6}$$

$$= \frac{121}{24} \text{ sq. units}$$

Area of the region below x-axis

$$A_2 = \text{Area of region } OPBO$$

$$= \text{Region } OBCO + \text{Region } BACB$$

$$= \left| \int_0^1 y_2 dx \right|$$

$$= \left| \int_0^1 \left( x^2 - x \right) dx \right|$$

$$= \left| \left( \frac{x^3}{3} - \frac{x^2}{2} \right)_0^1 \right|$$

$$= \left| \left( \frac{1}{3} - \frac{1}{2} \right) - \left( 0 \right) \right|$$

$$=\left|-\frac{1}{6}\right|$$

$$A_2 = \frac{1}{6}$$
 sq. units

$$A_1: A_2 = \frac{121}{24}: \frac{1}{6}$$
  
 $\Rightarrow A_1: A_2 = \frac{121}{24}: \frac{4}{24}$ 

$$\Rightarrow$$
  $A_1: A_2 = 121: 4$ 

To find area bounded by the curve


$$y = |x - 1| 
\Rightarrow y = \begin{cases} 1 - x, & \text{if } x < 1 \\ x - 1, & \text{if } x \ge 1 \end{cases} - - - (1)$$

and 
$$y = 3 - |x|$$
  

$$\Rightarrow \qquad y = \begin{cases} 3 + x, & \text{if } x < 0 \\ 3 - x, & \text{if } x \ge 0 \end{cases}$$

$$- - - (4)$$

Drawing the rough sketch of lines (1),(2),(3) and (4) as under:-



Shaded region is the required area

Required area = Region ABCDA

$$A = \text{Region } ABFA + \text{Region } AFCEA + \text{Region } CDEC$$

$$= \int_{1}^{2} (y_{1} - y_{2}) dx + \int_{0}^{1} (y_{1} - y_{3}) dx + \int_{-1}^{0} (y_{4} - y_{3}) dx$$


$$= \int_{1}^{2} (3 - x - x + 1) dx + \int_{0}^{1} (3 - x - 1 + x) dx + \int_{-1}^{0} (3 + x - 1 + x) dx$$

$$= \int_{1}^{2} (4 - 2x) dx + \int_{0}^{1} 2dx + \int_{-1}^{0} (2 + 2x) dx$$

$$= \left[ 4x - x^{2} \right]_{1}^{2} + \left[ 2x \right]_{0}^{1} + \left[ 2x + x^{2} \right]_{-1}^{0}$$

$$= \left[ (8 - 4) - (4 - 1) \right] + \left[ 2 - 0 \right] + \left[ (0) - (-2 + 1) \right]$$

$$= (4 - 3) + 2 + 1$$




Area of the bounded region = 
$$\frac{a^2}{12}$$
$$\frac{a^2}{12} = \int_0^x \sqrt{4ax} - mx \, dx$$
$$\frac{a^2}{12} = \left[2\sqrt{a}\frac{x'^4}{\frac{3}{2}} - m\frac{x^2}{2}\right]_0^x$$
$$\frac{a^2}{12} = \frac{4a^2}{3} - m\frac{a^2}{2}$$
$$m = 2$$

$$\frac{a^2}{12} = \int_0^x \sqrt{4ax} - mx \, dx$$

$$\frac{a^2}{12} = \left[ 2\sqrt{a} \frac{x^4}{3/2} - m \frac{x^2}{2} \right]_0^2$$

$$\frac{a^2}{12} = \frac{4a^2}{3} - m\frac{a^2}{2}$$



Area of the bounded region = 
$$\frac{1024}{3}$$
  

$$\frac{1024}{3} = \int_{0}^{169} \sqrt{16ax} - \frac{x^2}{16a} dx$$

$$\frac{1024}{3} = \left[4\sqrt{a}\frac{x^{\frac{1}{4}}}{\frac{3}{2}} - \frac{x^3}{48a}\right]_{0}^{169}$$


$$\frac{1024}{3} = \frac{(16a)^2 \times 2}{3} - \frac{(16a)^3}{48a}$$

$$a = 2$$

Note: Answer given in the book is incorrect.

# Ex 21.4

## Areas of Bounded Regions Ex-21-4 Q1




Area of the bounded region

$$= \int_{-1}^{3} (4y - y^2 - 2y + 3) dy$$

$$= \left[2\frac{y^2}{2} - \frac{y^3}{3} + 3y\right]_{-1}^3$$

$$= 9 - 9 + 9 - 1 - \frac{1}{3} + 3 - \frac{(16a)^3}{48a}$$
$$= \frac{32}{3} sq. \text{ units}$$

= 
$$\frac{32}{3}$$
sq. units




Area of the bounded region
$$= \int_{-1}^{3} (5-0) \, dy + \int_{-1}^{3} 8 + 2y - y^2 - 5 \, dy$$

$$= \left[5y\right]_{1}^{3} + \left[3y + y^{2} - \frac{y^{3}}{3}\right]_{1}^{3}$$

$$= 15 + 5 + 9 + 9 - \frac{27}{3} + 3 - 1 - \frac{1}{3}$$

$$= \frac{92}{3} sq. \text{ units}$$

### Areas of Bounded Regions Ex-21-4 Q3



Area of the bounded region


$$= \int_{2}^{4} \left( \frac{y+4}{2} - \frac{y^{2}}{4} \right) dy$$

$$= \left[ \frac{y^{2}}{4} + 2y - \frac{y^{3}}{12} \right]_{2}^{4}$$

$$= 4 + 8 - \frac{16}{3} - 1 + 4 - \frac{2}{3}$$

$$= 9 \text{ sq. units}$$

#### Areas of Bounded Regions Ex-21-4 Q4



Area of the bounded region

$$= \int_{2}^{4} \left( y + 4 - \frac{y^{2}}{2} \right) dy$$

$$= \left[ \frac{y^{2}}{2} + 4y - \frac{y^{3}}{6} \right]_{2}^{4}$$

$$= 8 + 16 - \frac{32}{3} - 2 + 8 - \frac{4}{3}$$

$$= 18 \text{ sq. units}$$