



# Thursday 28 February 2013 – Afternoon

## **GCSE MATHEMATICS B**

J567/03 Paper 3 (Higher Tier)

Candidates answer on the Question Paper.

OCR supplied materials: None

Other materials required:

- Geometrical instruments
- Tracing paper (optional)

**Duration:** 1 hour 45 minutes



| Candidate forename |  |  |  | Candidate surname |       |  |  |
|--------------------|--|--|--|-------------------|-------|--|--|
|                    |  |  |  |                   |       |  |  |
| Centre number      |  |  |  | Candidate nu      | ımber |  |  |

#### **INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Your answers should be supported with appropriate working. Marks may be given for a correct method even if the answer is incorrect.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do not write in the bar codes.

## **INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question.
- Your Quality of Written Communication is assessed in questions marked with an asterisk (\*).
- The total number of marks for this paper is 100.
- This document consists of 20 pages. Any blank pages are indicated.




This paper has been pre modified for carrier language




## Formulae Sheet: Higher Tier

Area of trapezium =  $\frac{1}{2}(a+b)h$ 



**Volume of prism** = (area of cross-section)  $\times$  length




In any triangle ABC

Sine rule 
$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

**Cosine rule** 
$$a^2 = b^2 + c^2 - 2bc \cos A$$

Area of triangle = 
$$\frac{1}{2} ab \sin C$$




Volume of sphere =  $\frac{4}{3}\pi r^3$ 

Surface area of sphere =  $4\pi r^2$ 



Volume of cone =  $\frac{1}{3}\pi r^2 h$ 

Curved surface area of cone =  $\pi rl$ 



## The Quadratic Equation

The solutions of  $ax^2 + bx + c = 0$ , where  $a \ne 0$ , are given by

$$x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$$

#### PLEASE DO NOT WRITE ON THIS PAGE

|              |                 | (a  | ) Adults              | Children              |
|--------------|-----------------|---|-----------------------|-----------------------|
| <b>)</b> Thi | s two-way table | summarises some info                              | ormation about the vi | isitors to the museum |
| (i)          | Complete the    | table.  |                       |                       |
|              |                 | Adults  | Children              | Total                 |
|              | Male            |   |                       | 132                   |
|              | Female          |   | 100                   |                       |
|              | Total           |   |                       | 300                   |
|              |                 |   |                       |                       |
|              |                 |   |                       |                       |
|              |                 |   |                       |                       |
| (iii)        |                 | of male to female visito<br>in its simplest form. |                       |                       |


|   |     | 4  |  |  |  |  |  |  |  |
|---|-----|--|--|--|--|--|--|--|--|
| 2   | Fre | Fresh Clean and Cleanup are two home cleaning companies.   |  |  |  |  |  |  |  |
|   | (a) | Fresh Clean charges £3.50 for each room they clean and an extra £15 call out charge. Write down a formula for the total charge, £ $F$ , for cleaning a house with $n$ rooms. |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     | (a)[2]   |  |  |  |  |  |  |  |
|   | (b) | Cleanup uses this formula to work out the total charge to clean a house.   |  |  |  |  |  |  |  |
|   |     | C = 25h + 10   |  |  |  |  |  |  |  |
|   |     | C is the total charge in £ for a clean taking $h$ hours.   |  |  |  |  |  |  |  |
| Pete's house has 8 rooms and will take $1\frac{1}{2}$ hours to clean. |     |  |  |  |  |  |  |  |  |
|   |     | Which of the two cleaning companies, Fresh Clean or Cleanup, will be cheaper and by how much?  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     |  |  |  |  |  |  |  |  |
|   |     | (b) by £ [3]   |  |  |  |  |  |  |  |

| 3 | (a) | Multiply out.               |         |     |
|---|-----|-----------------------------|---------|-----|
|   |     | a(3+a)                      |         |     |
|   |     |                             |         |     |
|   |     |                             | (a)     | [1] |
|   | (b) | Factorise.                  |         |     |
|   |     | 4 <i>b</i> – 12             |         |     |
|   |     |                             | (b)     | [1] |
|   | (c) | Rearrange this formula to m |         |     |
|   | (-) | T = 4p + 5                  |         |     |
|   |     | 7 – 4ρ + 3                  |         |     |
|   |     |                             |         |     |
|   |     |                             |         |     |
|   |     |                             |         |     |
|   |     |                             |         |     |
|   |     |                             | (c) p = | [2] |
|   | (d) | Solve this inequality.      |         |     |
|   |     | 3x - 6 < x + 4              |         |     |
|   |     |                             |         |     |
|   |     |                             |         |     |
|   |     |                             |         |     |
|   |     |                             |         |     |
|   |     |                             |         |     |
|   |     |                             | (d)     | [3] |
|   |     |                             | (4)     | [0] |
|   |     |                             |         |     |

4 Sofia uses a pedometer to record the number of steps she takes each day for one month. Her results are summarised in the table below.

| Steps per day (s)          | Frequency |
|----------------------------|-----------|
| 6000 ≤ <i>s</i> < 7000     | 3         |
| 7000 ≤ <i>s</i> < 8000     | 4         |
| 8000 ≤ <i>s</i> < 9000     | 6         |
| 9000 ≤ <i>s</i> < 10000    | 8         |
| 10 000 ≤ <i>s</i> < 11 000 | 7         |
| 11 000 ≤ <i>s</i> < 12 000 | 2         |

(a) Draw a frequency polygon to display this information.




[3]

(b) Write down the modal class of the number of steps per day.


(b)\_\_\_\_\_[1]

| (c) Sofia reads that taking at least 10 000 steps p   | er day is an important part of a hea | Ithy lifestyle. |
|---|--------------------------------------|-----------------|
| For what percentage of the month did she me   | et this target?                      |                 |
|   |                                      |                 |
|   | (c)                                  | % [2]           |
| (d) One day Sofia goes for a walk in the hills.<br>The length of the walk is 7 km, correct to the r | nearest kilometre.                   |                 |
| What is the longest possible length of Sofia's  | walk?                                |                 |
|   | (d)                                  | km [1]          |
|   |                                      |                 |
| Kate thinks of a number. She multiplies it by 3 and then adds 3.                                    |                                      |                 |
| Leo thinks of the same number as Kate.<br>He subtracts 5 and then multiplies the result by 6.       |                                      |                 |
| Kate and Leo both end up with the same number.  |                                      |                 |
| Find the numbers that they start and end with.  |                                      |                 |
|   |                                      |                 |
|   |                                      |                 |
|   |                                      |                 |
|   |                                      |                 |
|   |                                      |                 |
|   |                                      |                 |
|   |                                      |                 |
|   | Start                                |                 |
|   | End                                  | [4]             |

6 ABCDE is a square-based pyramid. The length of each edge is 6 cm.



(a) Construct a full-size net of the pyramid. The base is drawn for you.



|   | (b) | Use measurements from your diagram to calculate the total surface area of the pyramid.                    |
|---|-----|---|
|   |     |   |
|   |     |   |
|   |     |   |
|   |     |   |
|   |     | <b>(b)</b> cm <sup>2</sup> <b>[4</b> ]  |
|   |     |   |
| 7 | (2) | The price of a printer is \$64.50 evaluding VAT   |
| ′ | (a) | The price of a printer is £64.50 excluding VAT.   |
|   |     | Calculate the price of the printer including VAT at 20%.  |
|   |     |   |
|   |     |   |
|   |     |   |
|   |     | (a) £[3]  |
|   | (b) | The price of a season ticket is increased by 10% in January 2012 and then by another 10% in January 2013. |
|   |     | Calculate the overall percentage increase in the price of the season ticket.                              |
|   |     |   |
|   |     |   |
|   |     |   |
|   |     |   |
|   |     |   |
|   |     |   |
|   |     | (b) % [3]   |
|   |     |   |
|   |     |   |

|   |                | 1   | 0                             |               |
|---|----------------|---|-------------------------------|---------------|
| 8 | (a) F          | ind the size of the exterior angle of a reg         | ular 12-sided polygon.        |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   | (a)                           | ° <b>[2</b> ] |
|   | /I-X 1.1       | lana e Carl da a signa et de a interior anno la ref |                               | <u>.</u>      |
|   | ( <b>a</b> ) H | lence find the size of the interior angle of        | r a regular 12-sided polygon. |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   | (b)                           | ° [1]         |
|   |                |   |                               |               |
|   |                |   |                               |               |
| 9 | In the         | sketch below, A is the point (~10, 8) and           |                               |               |
|   |                | A . E   |                               |               |
|   |                | Α.  |                               |               |
|   |                | E   | 3                             |               |
|   |                | 0   | X                             |               |
|   |                |   |                               |               |
|   | (a) E          | ind the coordinates of the midpoint of the          |                               |               |
|   | (α)            | ind the doordinates of the mapoint of the           | o iiilo Alb.                  |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   | <b>(a)</b> ( ,                | ) [2]         |
|   | <b>(b)</b> F   | ind the equation of the line AB.                    |                               |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   |                               |               |
|   |                |   | (b)                           | [3]           |

**10** (a) Work out.

$$2\frac{2}{5} \div 2\frac{1}{4}$$

Give your answer as a mixed number in its simplest form.

(a)\_\_\_\_\_[3]

(b) Write down the reciprocal of 5.


(b) [1]

(c) Write as a single power of 5.

$$5^6 \div 5^{-3}$$

(c) [1]

11 These box plots represent data for the salaries of the employees working in two companies.



| (a) | Find the | median | for co | ompany A | ١. |
|-----|----------|--------|--------|----------|----|
| ` ' |          |        |        |          |    |

| (a) £ | [1] |
|-------|-----|
|-------|-----|

(b) Find the interquartile range for company B.

(c) Make two different comparisons between the salaries in the two companies.

| 1 |  |  |  |
|---|--|--|--|
|   |  |  |  |
|   |  |  |  |

2\_\_\_\_\_

\_\_\_\_\_[2]


12 State which calculation, in each of the following pairs, has an incorrect answer.

| Exp | lain h | ow yo  | ou can tell without giving the correct answe                         | r. |
|-----|--------|--------|--|----|
| (a) |        | Α      | 300 × 4000 = 12 000  |    |
|     |        | В      | 0.003 × 0.04 = 0.00012   |    |
|     |        |        | on has an incorrect answe  |    |
| (b) |        | С      | 6497 × 1.08 = 7016.76  |    |
|     |        | D      | 5684 ÷ 0.96 = 5456.64  |    |
|     |        |        | on has an incorrect answe  |    |
| (c) |        | Е      | $5.8 \times 10^{-3} \times 1.2 \times 10^{-2} = 6.96 \times 10^{-5}$ |    |
|     |        | F      | $4.6 \times 10^8 \div 3.7 \times 10^2 = 1.24 \times 10^4$            |    |
|     | Calc   | ulatic | on has an incorrect answe  | r  |

© OCR 2013 Turn over

because \_\_\_\_\_\_[1]

13 In the diagram, A, B, C and D are points on the circle centre O. AB = AD and angle  $BOD = 116^{\circ}$ .



Calculate

(a) angle BAD,

|                | (a) | ° [1] |
|----------------|-----|-------|
| (b) angle BCD, |     |       |

(b)\_\_\_\_\_°[1]

(c) angle ABO.

(c)\_\_\_\_\_°[2]

| 14 | (a) | Solve algebraically these simultaneous equations |
|----|-----|--|
|----|-----|--|

$$6x + 2y = 5$$
$$4x - 5y = 16$$

| (a) $x = $ |  |     |
|------------|--|-----|
|            |  |     |
| <i>v</i> = |  | [4] |

**(b)** Factorise and solve.

$$6x^2 + 11x - 10 = 0$$

**(b)** 
$$x =$$
\_\_\_\_\_\_ and  $x =$ \_\_\_\_\_\_[3]


© OCR 2013

| 15 | (a) | A photo is 12 cm wide by 10 cm high.      |
|----|-----|---|
|    |     | An enlargement of the photo is 15 cm wide |

Calculate the height of the enlargement.



(b) In the diagram, AD is parallel to BC. Angle ABC =  $80^{\circ}$ , angle CAD =  $30^{\circ}$  and angle ADC =  $70^{\circ}$ .



Not to scale

Show that triangles ABC and DCA are similar.

[3]

**16** Vector  $\mathbf{p} = \begin{pmatrix} 4 \\ -2 \end{pmatrix}$  and vector  $\mathbf{q} = \begin{pmatrix} -3 \\ 5 \end{pmatrix}$ .

Calculate.


(a) p + q

(a) (1]

(b) 3p - q

(b) (2]

17 This sketch shows the graph of  $y = x^2$ .



(a) On the same axes, sketch the graph of  $y = 2x^2$ . [1]

**(b)** Describe the transformation that maps the graph of  $y = x^2$  onto  $y = x^2 - 3$ .

\_\_\_\_\_[2]


18 Simplify.

$$\frac{6+\sqrt{2}}{\sqrt{2}}$$

Give your answer in the form  $a\sqrt{2} + b$ .

\_\_\_\_\_ [3]

19 OAB is a sector of a circle. Angle AOB = 80°.




Not to scale

The length of arc AB is  $12\pi$  cm.

Find the perimeter of the sector. Give your answer in the form  $a + b\pi$ .

**20** The diagram shows the graph of  $y = \sin x$  for  $0^{\circ} \le x \le 360^{\circ}$ .



One solution to the equation  $\sin x = 0.8$  is  $x = 53^{\circ}$ , correct to the nearest degree.

Find the values of x which satisfy  $\sin x = -0.8$  in the range  $0^{\circ} \le x \le 360^{\circ}$ .

| X = | <b>[2</b> |  |
|-----|-----------|--|
|     |           |  |

## **TURN OVER FOR QUESTION 21**


21\* Jamie organises a game to raise money for charity.

| Number Generator Game                  |
|--|
| £1 per go                              |
| Pick 2 cards                           |
| Win £5<br>for a number greater than 55 |

He shuffles these six cards and places them face down on a table.

|  |  | 1 |  | 2 |  | 3 |  | 4 |  | 5 |  | 6 |
|--|--|---|--|---|--|---|--|---|--|---|--|---|
|--|--|---|--|---|--|---|--|---|--|---|--|---|

Players pick a card at random and place it in the *First card* position on the grid below. They then pick a second card at random and place it in the *Second card* position on the grid.



Explain why £5 may not be an appropriate prize for this game.

| [5] |
|-----|
|     |

### **END OF QUESTION PAPER**

Contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.