PANCREAS STAGING FORM

CLINICAL Extent of disease before any treatment		STAGE CATEGORY DEFINITIONS		PATHOLOGIC Extent of disease through completion of definitive surgery	
y clinical – staging completed after neoadjuvant therapy but before subsequent surgery				 y pathologic – staging completed after neoadjuvant therapy AND subsequent surgery 	
PRIMARY TUMOF TX Primary tumor cannot be assessed No evidence of primary tumor Carcinoma in situ* Tumor limited to the pancreas, 2 cm or less in g Tumor limited to the pancreas, more than 2 cm Tumor extends beyond the pancreas but withor or the superior mesenteric artery Tumor involves the celiac axis or the superior n primary tumor) *Note: This also includes the "PanInIII" classifice		ess in greatest dimension 2 cm in greatest dimension without involvement of the celiac axis erior mesenteric artery (unresectable	□ TX □ T0 □ Tis □ T1 □ T2 □ T3 □ T4		
□ NX □ N0 □ N1		REGIONAL LYMPH NODES (N) Regional lymph nodes cannot be assessed No regional lymph node metastasis Regional lymph node metastasis		□ NX □ N0 □ N1	
□ M0		DISTANT MET No distant metastasis (no pathologic M0; us Distant metastasis	□ M1		
ANATOMIC STAGE • PROGNOSTIC GROUPS					
00000		CLINICAL		DLOGIC	
GROUP T O Tis IA T1 IB T2 IIA T3 IIB T1 T2 T3 III T4 IV Ar Stage unknow	NO NO NO NO NO NO NO NO NO NO NO NO NO N	0 M0 0 M0 0 M0 0 M0 1 M0 1 M0	GROUP T N □ 0 Tis N0 □ IA T1 N0 □ IB T2 N0 □ IIA T3 N0 □ IIB T1 N1 T2 N1 T3 N1 □ III T4 Any N □ IV Any T Any N □ Stage unknown	M M0 M1	

HOSPITAL NAME/ADDRESS	PATIENT NAME/INFORMATION

(continued on next page)

PANCREAS STAGING FORM


PROGNOSTIC FACTORS (SITE-SPECIFIC FA REQUIRED FOR STAGING: None CLINICALLY SIGNIFICANT: Preoperative CA 19-9 Preoperative Carcinoembryonic Antigen (CEA) Preoperative plasma chromogranin A level (CgA) (endocrine pancreas) Mitotic count (endocrine pancreas)	General Notes: For identification of special cases of TNM or pTNM classifications, the "m" suffix and "y," "r," and "a" prefixes are used. Although they do not affect the stage grouping, they indicate cases needing separate analysis. m suffix indicates the presence of multiple primary tumors in a single site and is recorded in parentheses: pT(m)NM.				
Histologic Grade (G) (also known as overall grade) Grading system ☐ 2 grade system ☐ Grade I or 1 ☐ 3 grade system ☐ Grade II or 2 ☐ 4 grade system ☐ Grade III or 3 ☐ No 2, 3, or 4 grade system is available ☐ Grade IV or 4 ADDITIONAL DESCRIPTORS Lymphatic Vessel Invasion (L) and Venous Invasion (V) have been continuation (LVI) for collection by cancer registrars. The College of American should be used as the primary source. Other sources may be used in the is given to positive results. ☐ Lymph-Vascular Invasion Not Present (absent)/Not Identified ☐ Lymph-Vascular Invasion Present/Identified ☐ Not Applicable ☐ Unknown/Indeterminate Residual Tumor (R) The absence or presence of residual tumor after treatment. In some case with neoadjuvant therapy there will be residual tumor at the primary site a incomplete resection or local and regional disease that extends beyond the RX Presence of residual tumor cannot be assessed ☐ R0 No residual tumor ☐ R1 Microscopic residual tumor ☐ R2 Macroscopic residual tumor	y prefix indicates those cases in which classification is performed during or following initial multimodality therapy. The cTNM or pTNM category is identified by a "y" prefix. The ycTNM or ypTNM categorizes the extent of tumor actually present at the time of that examination. The "y" categorization is not an estimate of tumor prior to multimodality therapy. r prefix indicates a recurrent tumor when staged after a disease-free interval, and is identified by the "r" prefix: rTNM. a prefix designates the stage determined at autopsy: aTNM. surgical margins is data field recorded by registrars describing the surgical margins of the resected primary site specimen as determined only by the pathology report. neoadjuvant treatment is radiation therapy or systemic therapy (consisting of chemotherapy, hormone therapy, or immunotherapy) administered prior to a definitive surgical procedure. If the surgical procedure is not performed, the administered therapy no longer meets the definition of neoadjuvant therapy.				
□ Clinical stage was used in treatment planning (describe): □ National guidelines were used in treatment planning □ NCCN □ Other (describe):					
Physician signature Date/Time					
HOSPITAL NAME/ADDRESS	PATIENT NAME/INFORMATION				

(continued from previous page)

PANCREAS STAGING FORM

Illustration

Indicate on diagram primary tumor and regional nodes involved.



HOSPITAL NAME/ADDRESS	PATIENT NAME/INFORMATION